1.CALCULATOR PROGRAM

QUESTIONS 1 / 20 completed

Calculator Program

CALCULATOR PROGRAM

Calculator Program: Write a program that performs basic arithmetic operations (addition, subtraction, multiplication, division) using functions for each operation.

PROGRAM EDITOR

C++ Run Save

```cpp
#include<iostream>
using namespace std;
int main()
{
  int a=8,b=4;
  cout<<"add="<<a+b<<endl;
  cout<<"sub="<<a-b<<endl;
  cout<<"mul="<<a*b<<endl;
  cout<<"div="<<a/b<<endl;
  return 0;
}
```

OUTPUT

```
add=12
sub=4
mul=32
div=2
```

2.FACTORIAL PROGRAM

QUESTIONS 3 / 20 completed

Factorial Calculatio

FACTORIAL CALCULATION

Factorial Calculation: Create a function to calculate the factorial of a number.

Use With Argument and With Out Return Value.

PROGRAM EDITOR

C++ Run Save

```cpp
#include<iostream>
using namespace std;
void fact(int n)
{
  int f=1;
  for(int i=1;i<=n;i++)
  {
    f=f*i;
  }
  cout<<"factorial="<<f;
}
int main()
{
 int n;
  cin>>n;
  fact(n);
  return 0;
}
```

INPUT

5

OUTPUT

```
factorial=120
```

3.PALINDROME PROGRAM



4.PRIME NUMBER GENERATOR



5.FIBONACCI SERIES

QUESTIONS 5 / 20 completed

Fibonacci Series

FIBONACCI SERIES

Fibonacci Series: Develop a function to generate the Fibonacci series up to a specified limit.

Use With out Argument and With out Return Value.

PROGRAM EDITOR C++ Run Save

```cpp
#include<iostream>
using namespace std;
void fib()
{
  int n,a=0,b=1,c;
  cin>>n;
  cout<<a<<" "<<b<<" ";
  for(int i=3;i<=n;i++)
  {
    c=a+b;
    cout<<c<<" ";
    a=b;
    b=c;
  }
}
int main()
{
  fib();
  return 0;
}
```

OUTPUT

```
0 1 1 2 3 5 8
```

INPUT

7

6.GCD PROGRAM

QUESTIONS 6 / 20 completed

Greatest Common

GREATEST COMMON DIVISOR (GCD)

Greatest Common Divisor (GCD): Create a function to find the GCD of two numbers using the Euclidean algorithm.

Use Inline function

PROGRAM EDITOR C++ Run Save

```cpp
#include<iostream>
using namespace std;
inline void gcd(int a,int b)
{
  while(b!=0)
  {
    int t=b;
    b=a%b;
    a=t;
  }
  cout<<"GCD="<<a;
}
int main()
{
  int a,b;
  cin>>a>>b;
  gcd(a,b);
  return 0;
}
```

OUTPUT

```
GCD=6
```

INPUT

12 18