SYNTHETIC LABORATORY REPORT - NOT FOR CLINICAL USE

# Nivara Diagnostic Centre

Invented identity and values for document-extraction testing

| | | |
|---|---|---|
| **Patient**<br>Rhea Kivan | **Age / Sex**<br>50 years / Female | **Report ID**<br>SYN-RPT-013 |
| **Collected**<br>15 October 2026, 08:14 | **Reported**<br>15 October 2026, 14:09 | **Specimen**<br>Synthetic digital record |

## Thyroid Profile

| Test | Result | Unit | Reference range | Flag |
|---|---|---|---|---|
| TSH | 5.2 | uIU/mL | 0.4-4.5 | HIGH |
| Free T4 | 1.2 | ng/dL | 0.8-1.8 | IN_RANGE |
| Free T3 | 3.1 | pg/mL | 2.3-4.2 | IN_RANGE |
| Anti-TPO | 41.3 | IU/mL | 0-35 | HIGH |
| Total T4 | 8.4 | ug/dL | 5-12 | IN_RANGE |
| Total T3 | 132 | ng/dL | 80-200 | IN_RANGE |

Entirely synthetic. Use only for software development and evaluation. Do not use for diagnosis or treatment.
Digitally generated PDF; not a photograph or scan.