PAYTM BUILD FOR INDIA AI HACKATHON · TRACK 3: AUTONOMOUS AI TEAMMATES


Wapas

The autonomous merchant revenue teammate.

See the leak. Choose the recovery. Act in the customer's language. Prove the outcome.

Team
Rushmanth Nalluri · Sai Nikhil Vukka

College
KL University



01 · PROBLEM STATEMENT

Payment infrastructure is everywhere. Revenue recovery is still an operations job.

24.51 bn

UPI transactions in August 2026

₹29.82 tn

UPI value in the same month

1.57 crore

Paytm Soundbox storefronts, Q1 FY27

EVERY FAILED PAYMENT CREATES A RECOVERY JOB

Who?

Which customers should be contacted

Why?

What made each payment fail

What?

The safest next action for each

When?

When to stop following up

Sources: NPCI data via Business Standard, 1 Sep 2026 · Paytm Q1 FY27 earnings call, Paytm Investor Relations

02 · PROPOSED SOLUTION

One job: recover eligible revenue without making the merchant chase it.

UNDERSTAND

- **Signal**
- **Investigate**
- **Quantify**

Spots the failure, finds the likely cause, and puts a rupee value on it.

DECIDE

- **Plan**
- **Policy check**
- **Owner approval, if needed**

Picks who, when, how and in which language, then the rules decide.

DELIVER

- **Act, exactly once**
- **Verify with Paytm**
- **Learn**

Closes a case only when Paytm confirms payment, then remembers what worked.

AI chooses the plan. It never gets authority to move money.

02 · PROPOSED SOLUTION · HOW IT DECIDES · ILLUSTRATIVE CASE

Every case is a decision, not a message.

THE CASE

Customer
Rahul · ₹2,340 · order #A118

Failure
Bank timeout at 7:02 PM

History
11 on-time payments before

Context
Same bank failing for others

OPTIONS WEIGHED

Retry now
Rejected: bank still degraded

Link once the bank recovers
Chosen: brief outage, good payer

Ask the owner
Not needed: under ₹5,000 limit

Do nothing
Rejected: likely a lost sale

THE DECISION

Policy
ALLOW, no approval needed

Action
One Paytm link, in Hindi

Stops when
Paid, opt-out or 2 reminders


Counts when
Paytm confirms the payment

Not “an LLM with tools”. A bounded agent that owns an outcome.

02 · PROPOSED SOLUTION · ILLUSTRATIVE SCENARIO, NOT A MEASURED RESULT

One incident. One owner. No chasing.

7:02 PM Signal	14 UPI payments fail within 15 minutes at an electronics store in Bengaluru
7:03 PM Diagnosis	Likely bank-side degradation. Evidence: failures concentrated on one bank, other banks normal, and these customers usually pay
7:05 PM Plan	Decides an action for each of the 14 cases, in each customer's language
7:25 PM Policy	9 go out automatically, one link each. 2 wait for the owner. 3 are blocked by policy
Later Verify	Each case closes only after a Paytm status check confirms payment. Follow-up stops on payment, opt-out, or two reminders



02 · PROPOSED SOLUTION · INDIA-FIRST

Language adapts. Policy doesn't.

HINDI — Customer: Rahul, ₹2,340

नमस्ते राहुल जी, बैंक की समस्या के कारण आपका ₹2,340 का भुगतान पूरा नहीं हुआ। इस लिंक से दोबारा भुगतान करें।

KANNADA — Customer: Manjunath, ₹1,780

ನಮಸ್ಕಾರ ಮಂಜುನಾಥ್, ಬ್ಯಾಂಕ್ ಸಮಸ್ಯೆಯಿಂದ ನಿಮ್ಮ ₹1,780 ಪಾವತಿ ಪೂರ್ಣಗೊಂಡಿಲ್ಲ. ಈ ಲಿಂಕ್ ಮೂಲಕ ಮತ್ತೆ ಪಾವತಿಸಬಹುದು.

TAMIL — Customer: Karthik, ₹1,250

வணக்கம் கார்த்திக், வங்கிக் கோளாறு காரணமாக உங்கள் ₹1,250 கட்டணம் நிறைவடையவில்லை. இந்த இணைப்பில் மீண்டும் செலுத்தலாம்.

TELUGU — Customer: Lakshmi, ₹860

నమస్తే లక్ష్మి గారు, బ్యాంక్ సమస్య వల్ల మీ ₹860 చెల్లింపు పూర్తి కాలేదు. ఈ లింక్ ద్వారా మళ్ళీ చెల్లించవచ్చు.

OWNER ASKS · VOICE, HINGLISH

"आज कितने payments वापस आए?"

Code-mixed speech is understood as it is spoken.

WAPAS REPLIES · VOICE

"आज 6 payments वापस आए, Paytm से confirm हो गए। दो बड़े amounts आपकी approval के लिए रुके हैं।"

Customer	Replies in Telugu, by text or voice
Wapas	Understands it, then acts
Policy	Same rules as in any language
Outcome	Same Paytm verification

Sarvam: speech-to-text in 22 Indian languages, speech in 11

Sources: Sarvam API docs (Saaras speech-to-text, Bulbul v3 text-to-speech)

03 · TECHNOLOGY / TECH STACK USED

Paytm moves the money. Sarvam speaks India.

PAYMENTS · PAYTM

JS Checkout · Payment Links

Transaction Status API v3

Webhooks + checksum

Every payment action, and every confirmation

AI AGENT · SARVAM

Sarvam-105B

Tool calling · strict JSON

Diagnoses each case; reads customer replies

VOICE · SARVAM

Saaras speech-to-text

Bulbul v3 text-to-speech

Hindi, Telugu, Tamil, Kannada and more

CONTROL PLANE

Python · FastAPI

Fail-closed policy engine

Idempotent executor

Decides AUTO / OWNER / BLOCK; sends once

DATA & OWNER CHANNEL

SQLModel · SQLite

Telegram Bot API

Outcome memory, evidence log, signed approvals

CONSOLE & QUALITY

Owner console (HTML/JS)


108 automated tests

pytest and Playwright; integration doctor

Hackathon partner used: Sarvam · Payments: Paytm Payment Gateway (test environment)

03 · TECHNOLOGY · SAFETY BY DESIGN

The AI never gets authority to move money



AI proposes. Policy authorizes. Code executes. Paytm confirms.

Learning never experiments on live customers; it only reads Paytm-verified outcomes.

ALLOW

Wapas acts alone

Within the owner’s limit, clear cause, customer not opted out, under two reminders

ASK OWNER

Owner approves in one tap

Above the limit, low confidence, or a loyal, high-value customer

BLOCK

Never automatic

Refunds, reversals and disputes. A Paytm API error pauses; nothing is sent twice

04 · USP

Others show the failure or send reminders. Wapas finishes the job.

	Dashboard	Reminder tool	Wapas
Decides whether, when and whom to contact, per case, with reasons	—	Fixed schedule	✓
Understands customer replies in Indian languages, by text or voice	—	—	✓
Counts money only when Paytm confirms the exact amount	—	—	✓
Asks the owner only when it matters, with a signed one-tap approval	—	—	✓
AI can never move money; no experiments on live customers	—	—	✓

Bounded autonomy with proof: the AI decides, policy authorizes, Paytm confirms.

04 · USP · BUILT ON PAYTM'S RAILS

Paytm provides the primitives. Wapas orchestrates the job.

PAYTM PROVIDES		WAPAS ADDS
Payment Links	→	Decides when a link is the right move, and for whom
Automatic reminders	→	Chooses the timing, the language, and when to stop
Paytm JS Checkout	→	Turns a failed checkout into a case, even if the callback is lost
Webhooks and callbacks	→	Triggers the next step the moment an event arrives
Transaction Status API	→	Counts a recovery only once Paytm confirms it

Paytm owns the rails. Wapas owns the job.

Sources: Paytm Payment Links (business.paytm.com/payment-link) · Paytm developer docs (business.paytm.com/docs)

05 · IMPACT & BENEFITS

Money comes back, and nobody has to chase it.

FOR THE MERCHANT

- Revenue back from failed payments, without chasing anyone
- Owner time only for the cases that need judgment
- Every rupee shown is one Paytm confirmed

FOR THE CUSTOMER

- One clear link, in their own language
- Never asked to pay twice when money was debited
- Can reply in their own words; STOP is respected

FOR PAYTM

- More failed payments completed on Paytm rails
- Deeper use of Payment Links, status APIs and webhooks
- A daily reason for merchants to use the Paytm app

At 24.51 bn UPI payments a month, small recoveries add up.

05 · IMPACT · HOW WE MEASURE IT

We measure verified outcomes, not agent activity

METHOD

Eligible cases → Random hold-out → Wapas acts on the rest → Paytm-confirmed payments → Compare the groups

Primary

Verified recovery rate

Share of eligible cases paid, confirmed by Paytm

Incremental

Uplift over hold-out

Treated rate minus randomized hold-out rate, with a 95% CI

Efficiency

Outreach per recovery

Messages sent per verified payment

Human load

Escalation rate

Share of cases the owner decides

Safety

Duplicates, breaches

Target: zero

A successful API call is not a recovery. A confirmed payment is.

06 · BUSINESS MODEL

We earn only when a verified payment comes back.

START

Free tier

Small merchants start free with a monthly cap on recovery cases. No setup, no hardware.

CORE

Success fee

A small share of the recovered amount, charged only on payments Paytm has confirmed. No recovery, no fee.

SCALE

Paytm partnership

Bundled into Paytm for Business or device plans, with a revenue share.

COSTS

A few model calls, one payment link and a few messages per case

GO TO MARKET

Pilot with Paytm merchants in one city, then inside the Paytm for Business app

Proposed model; the fee level and free-tier cap will be set from pilot data.

07 · BUILD PLAN FOR 3 OCTOBER

Eight hours to prove one autonomous job

Time	Build	Proof at the end of the block
0–2 h	**Connect**	A failed payment event reaches Wapas from the Paytm test environment
2–4 h	**Orchestrate**	The agent plans each case, and the policy gates it
4–6 h	**Execute**	A real test-mode payment link, closed by a status check
6–8 h	**Break it**	Duplicate events, API errors and approvals, all handled safely

We are not building breadth. We are proving one autonomous job, end to end.

WAPAS

See. Decide. Recover. Prove.

Every Paytm merchant deserves a teammate who chases the money for them.

Rushmanth Nalluri · Sai Nikhil Vukka · KL University

rushmanth21@gmail.com