YourFamilyFarmer

Developer Brief — MVP v1.0

Farmer Profile Page | Regional Discovery | WhatsApp Onboarding

1. Overview & context

YourFamilyFarmer connects natural farmers directly to local consumers — eliminating middlemen, reducing food adulteration, and giving farmers the ability to set their own prices. a natural farmer in Andhra Pradesh, who currently sells his produce by posting photos and videos in WhatsApp groups.

The MVP solves one specific problem: buyers are limited to people already in his WhatsApp contact list. This brief describes the screens required to give him a public, shareable storefront — and the pattern to onboard neighbouring farmers into the same regional network.

> *Note: Everything in this brief should be treated as a mobile-first build. 94.9% of Indian smartphone users are on Android. Design for a 390px viewport width minimum.*

1.1 Mission statement

> *"A consumer anywhere should be able to find Yadagiri's farm, see what is growing today, and place an order — in under 60 seconds — without downloading any app."*

1.2 What we are NOT building in MVP

> *Note: Ruthlessly scope the MVP. These are explicitly out of scope for Week 1–2.*

- Payment gateway (UPI) — buyers will WhatsApp Yadagiri to confirm and pay
- Native Android / iOS app — Progressive Web App (PWA) only
- Admin panel — manual data entry by the development team is fine for now
- Delivery tracking — pickup or personal arrangement only at MVP stage
- Multi-language UI — English first, Telugu string support in Week 3+
- Push notifications — WhatsApp messages replace this for now

2. Screens to build

The MVP consists of three screens. Build them in this order — each screen is independently shippable and usable.

Priority	Screen	URL	Target delivery
P1	Farmer profile page (Yadagiri)	`/farmer/yadagiri`	Day 5
P2	Regional discovery page	`/region/tadepalligudem`	Day 8
P3	WhatsApp farmer onboarding flow	`WhatsApp bot`	Day 12

3. Screen 1 — Farmer profile page

URL: yourfamilyfarmer.in/farmer/{slug} Example: yourfamilyfarmer.in/farmer/yadagiri

This is the core shareable link. Yadagiri pastes this URL into his WhatsApp messages instead of a photo. Anyone who taps it lands here — no login required, no app download.

3.1 Page sections (in render order)

A. Top navigation bar

- Left: back arrow linking to /region/tadepalligudem
- Right: YourFamilyFarmer logo / wordmark
- Sticky — stays visible on scroll

B. Farm cover & identity

- Cover illustration: SVG farm scene (trees, crops, sun) — no stock photos at MVP
- Badge: "Natural farm · since {year}" — top left of cover
- Avatar: Initials circle (first letter of first and last name), background green
- Farmer name, village, district, state
- "Follow" button — saves farmer to consumer's list (store in localStorage at MVP)

C. Trust strip (5 stats in a row)

Years farming	Star rating	Buyer count	Chemicals used	Produce listed
12	**4.9 ★**	**43**	**0**	**3 now**

D. Five-tab navigation (sticky below cover)

- Tab 1 — Story: Farmer's quote, farm details, farming method, farm visit invite
- Tab 2 — Produce: Available listings + coming soon items
- Tab 3 — Quality: Soil test data, BRIX reading, produce test results, storage guide
- Tab 4 — Reviews: Star breakdown + individual buyer reviews
- Tab 5 — Farm: Photo grid + short videos (Telugu with subtitles)

> *Note: Default tab on page load is Story. Tab state does NOT need to persist across sessions at MVP.*

E. Tab 1 — Story content

- Pull quote from farmer (italic, left green border, green background)
- 2-column info grid: Farm size, Location, Farming since, Method, Water source, Pickup/delivery

- Farming method card: full text description of how he grows (compost, pest control, seeds)
- Certification pills: "No pesticides", "No hybrid seeds", "On-farm compost", "Cow dung manure"
- Farm visit card: Saturday open farm invite with a "Schedule a visit" CTA button

F. Tab 2 — Produce listings

Available now

- Each listing card contains:
  - Emoji icon (large) in left box, coloured background
  - Produce name, variety, days since harvest, shelf life
  - Tag pills: farming method, spray status, BRIX reading if available
  - Price per unit + stock remaining
  - Tiered pricing row: e.g. "1–5 kg: ₹60 · 5–20 kg: ₹52 · 20+ kg: ₹44"
  - "Order" button → opens WhatsApp with pre-filled message to farmer at MVP

Coming soon

- Dashed-border card style (visually distinct from available)
- Produce name + expected ready date
- "Notify me" button → stores name + phone in Notify table, farmer gets WhatsApp alert when listed
- "Pre-order" button → for mangoes / seasonal items with confirmed quantity

G. Tab 3 — Quality parameters

- Soil health grid (3 cards): Soil Organic Carbon %, Soil pH, NPK balance
- Last soil test: lab name, date, result summary
- Produce quality grid: BRIX reading per crop, pesticide residue result, nutritional density
- BRIX explainer: one short paragraph explaining what BRIX means for flavour and nutrition
- Storage & handling: per-produce instructions (e.g. tomatoes: room temp, no refrigeration)

H. Tab 4 — Reviews

- Summary row: large average score + star bar chart (5★, 4★, 3★ counts)
- Individual review cards: reviewer initials avatar, name, date, stars, review text, produce purchased
- At MVP: reviews are manually added by admin. No consumer-facing review submission form yet.

I. Tab 5 — Farm media

- 3-column photo grid: tappable cells, emoji placeholder until real photos are uploaded

- Video cells: show play badge overlay in bottom-right corner
- Video list below grid: title, duration, language, subtitle availability
- At MVP: all media links to WhatsApp or YouTube. No in-app video player needed.

J. Sticky bottom bar

- "WhatsApp" button (left, green-tinted): opens wa.me link with pre-filled message
- "Shop [Farmer]'s farm" CTA (right, full green): scrolls to Produce tab
- Both buttons must be visible at all times — do not hide on scroll

4. Screen 2 — Regional discovery page

URL: yourfamilyfarmer.in/region/{slug} Example: yourfamilyfarmer.in/region/tadepalligudem

When a buyer shares Farmers link and a new visitor arrives, they should be able to discover all natural farmers in the same region — not just Yadagiri. This page is the regional homepage and the entry point for all new buyers.

4.1 Page sections

A. Top bar

- Logo left, region name + pin icon right
- Non-sticky — scrolls away

B. Hero band

- Title: "Natural food from farmers near you"
- Subtitle: district name + landmark (e.g. "West Godavari district · Krishna river belt")
- Three live stats: active farmers count, produce listed count, "0 middlemen"

C. Produce filter strip

- Horizontal scroll chips: All produce · Vegetables · Fruits · Leafy greens · Natural only
- Chips filter both the farmer list and the produce grid (same filter state)

D. Map zone

- Static SVG map — NOT a Google Maps embed at MVP (no API key cost, no loading delay)
- Show region outline, major river, and circular 25 km ring
- Each farmer is a dot pin with initials and distance from centre
- Tapping a pin highlights the corresponding farmer row in the list below
- Show one ghost pin labelled "invite farmer" to signal open network

E. Three-tab view: Farmers · Browse produce · Add a farmer

Farmers tab

- One card per farmer — avatar initials, name, village, distance, produce pills, method badge, rating, "View shop" button
- Yadagiri's card gets a "co-founder" tag and a slightly accented border
- New farmers get a "new" tag until they have their first review
- "Know a natural farmer nearby?" dashed card at the bottom — links to Add a farmer tab

Browse produce tab

- 2-column mini-card grid showing all available produce across all farmers
- Each card: emoji, produce name, farmer name + distance, price, stock/method note
- Tapping a card links to that farmer's profile page, Produce tab

Add a farmer tab

- Three onboarding pathway cards (see Section 5)
- Progress bar: "Target: 10 farmers in 25 km by month 2 · currently X / 10"

5. Screen 3 — WhatsApp farmer onboarding

Entry point: a WhatsApp link shared by Yadagiri or the YFF admin number. The new farmer does not visit any website. Everything happens inside WhatsApp.

> *Note: Use WhatsApp Business API (via Twilio or Gupshup at MVP) with a simple webhook. A free tier is sufficient for the first 10 farmer onboardings.*

5.1 Onboarding conversation flow (5 questions)

Step	Bot message (Telugu)	What we capture	DB field
1	మీ పేరు ఏమిటి? (Your name?)	Full name as text reply	`farmer.name`
2	మీ గ్రామం మరియు జిల్లా? (Village & district?)	Village + district as text	`farmer.location`
3	మీరు ఏమి పండిస్తారు? (What do you grow?) — list your main crops	Free text crop list	`farmer.crops_raw`
4	మీరు రసాయనాలు వాడతారా? (Chemicals? Reply: లేదు = No / అవును = Yes / తక్కువ = Low)	One of: natural / chemical / low_chemical	`farmer.method`
5	మీ WhatsApp నంబర్ సరేనా? (Confirm your WhatsApp number — we auto-detect it)	Phone auto-captured from WA session	`farmer.phone`

After step 5, the bot sends a confirmation message with the farmer's profile URL and instructs them to send 3 photos of their current produce to trigger the first listing creation.

First listing via photo

- Farmer sends 3 photos of produce on WhatsApp
- Bot replies: "What is this? (crop name)" → "How many kg do you have?" → "What price per kg?"
- Admin reviews and publishes the listing within 2 hours (manual review at MVP)
- Farmer receives their profile link: yourfamilyfarmer.in/farmer/{slug}

6. Data model

Use PostgreSQL (Supabase free tier is sufficient for MVP). Schema below covers all three screens.

6.1 Core tables

farmers

Column	Type	Notes
`id`	`uuid PK`	Auto-generated
`slug`	`varchar(60)`	URL-safe name, e.g. "yadagiri". Unique.
`name`	`varchar(100)`	Full name
`village`	`varchar(100)`	
`district`	`varchar(100)`	
`state`	`varchar(100)`	Default: Andhra Pradesh
`phone`	`varchar(15)`	WhatsApp number including country code
`method`	`enum`	natural | low_chemical | chemical
`farm_size_acres`	`numeric(5,2)`	Optional
`farming_since_year`	`integer`	
`story_quote`	`text`	Farmer's own words, max 300 chars
`soil_organic_carbon`	`numeric(4,2)`	Percentage, e.g. 2.1
`soil_ph`	`numeric(3,1)`	
`brix_reading`	`numeric(4,1)`	Of primary produce
`water_source`	`varchar(100)`	e.g. Canal + borewell
`delivery_available`	`boolean`	Default false
`pickup_available`	`boolean`	Default true
`farm_visit_day`	`varchar(20)`	e.g. Saturday morning
`rating_avg`	`numeric(3,2)`	Computed, updated on new review
`rating_count`	`integer`	Total review count
`buyer_count`	`integer`	Unique buyer count
`region_slug`	`varchar(60)`	FK to regions.slug
`active`	`boolean`	False until admin approves
`created_at`	`timestamptz`	

produce_listings

- id, farmer_id (FK), name, variety, method, unit (kg/bunch/piece), price_tier_1_qty, price_tier_1_price, price_tier_2_qty, price_tier_2_price, price_tier_3_qty,

price_tier_3_price, stock_qty, available_from, available_to, brix, pesticide_result, shelf_life_days, storage_notes, status (available | coming_soon | sold_out), created_at

reviews

- id, farmer_id (FK), produce_listing_id (FK nullable), reviewer_name, reviewer_location, star_rating (1–5), review_text, produce_ordered, created_at, approved (boolean)

notify_requests

- id, farmer_id (FK), produce_name, requester_name, requester_phone, created_at, notified_at

regions

- slug, name, district, state, lat, lng, radius_km, active

media

- id, farmer_id (FK), type (photo | video), url, caption, language, has_subtitles, sort_order

7. Tech stack

> *Note: Keep the stack as boring and simple as possible. No microservices, no queues, no Docker at MVP.*

Layer	Choice	Reason
Frontend	`Next.js 14 (App Router)`	SSR for fast first load on slow mobile connections. Free on Vercel.
Styling	`Tailwind CSS`	Fast iteration, responsive by default
Database	`Supabase (PostgreSQL)`	Free tier, built-in auth, REST API auto-generated
File storage	`Supabase Storage`	For farm photos and videos. Free 1GB.
WhatsApp bot	`Twilio WhatsApp API`	Easiest setup, free 1000 msgs/month on trial
Hosting	`Vercel (frontend) + Supabase (backend)`	Both free at MVP scale
Domain	`yourfamilyfarmer.in`	Register on GoDaddy ~₹800/yr
Analytics	`Vercel Analytics`	Free, built-in, no setup
Payments	`Not in MVP scope`	WhatsApp + UPI manually for first 30 days

8. Two-week sprint plan

Week 1 — Core farmer profile (Days 1–7)

Day	Who	Task	Done when
1		Supabase project setup: create all tables from Section 6. Seed Yadagiri's data manually.	*API returns farmer data at /api/farmer/yadagiri*
1		Next.js project init on Vercel. Tailwind config. Mobile viewport. Route /farmer/[slug] created.	*Empty page loads at yourfamilyfarmer.vercel.app/farmer/yadagiri*
1		Build top nav, cover section, avatar, trust strip. Static for now.	*Cover renders on mobile correctly*
1		Build tab bar component. Wire tab state. Story tab content — quote, info grid, method card.	*All Story tab content visible*
1		Build Produce tab — available listings cards with tiered pricing. "Order" button opens WhatsApp.	*Tapping Order opens wa.me with pre-filled message*
2		Build coming soon section. Notify me button writes to notify_requests table.	*Notify me stores phone in DB*
2		Build Quality tab — param grid, soil test info, BRIX explainer, storage guide.	*Quality tab renders all data*
2		Build Reviews tab — summary rating bar + review cards. Seed 4 reviews for Yadagiri.	*Reviews render with correct star bars*
3		Build Farm media tab — photo grid, video list. Links to WhatsApp / YouTube.	*Media tab links work on mobile*
3		Sticky bottom bar. WhatsApp button. "Shop farm" CTA scrolls to Produce tab.	*Bottom bar stays fixed on scroll*
3		Connect all tabs to Supabase live data. Remove all hardcoded strings.	*Changing DB row reflects on page refresh*
		Mobile QA on Android (Chrome). Fix spacing, font sizes, overflow issues. Share link with Yadagiri.	*Yadagiri can share his link on WhatsApp and it loads in < 3 seconds on 4G*

— Regional page + WhatsApp onboarding

- : Build /region/tadepalligudem — hero, SVG map, farmer list, produce grid
- : Wire filter chips — filter both farmer list and produce grid by category
  : Twilio WhatsApp webhook setup. 5-question onboarding bot. Saves to farmers table.
- : Photo-to-listing flow. Farmer sends photo → bot asks 3 questions → admin reviews → listing created.
- Referral link generator. Yadagiri gets a unique link. Referred farmers tagged with referrer_id.

- : End-to-end QA. Share with Yadagiri + 2 neighbouring farmers. Collect feedback.

9. WhatsApp pre-fill message template

When a consumer taps "Order" on a produce listing, the following WhatsApp message is pre-filled. Dev team should URL-encode this and pass to wa.me.

```
Hello Yadagiri anna! I found your profile on YourFamilyFarmer.
I would like to order:
- {produce_name} ({variety}): {qty} {unit}
My name: [buyer fills in]
Delivery / pickup preference: [buyer fills in]
My location: [buyer fills in]
```

Note: Green fields are pre-filled from the listing. Teal fields are left blank for the buyer to complete in WhatsApp before sending.

10. Definition of done

1. Yadagiri can share yourfamilyfarmer.in/farmer/yadagiri in his WhatsApp and a new buyer can browse, see quality data, and send an order WhatsApp — without any help.
2. A neighbouring farmer can be onboarded via WhatsApp in under 10 minutes, and their profile page is live within 2 hours of admin approval.
3. The region page shows all active farmers with a map. Filtering by produce type works correctly.
4. Page loads in under 3 seconds on a mid-range Android on a 4G connection (test with Chrome DevTools throttling).
5. No console errors. All Supabase queries return real data (no hardcoded strings in production).

11. Questions before starting

Resolve these with the founders before writing a single line of code.

- What is Yadagiri's exact WhatsApp number? (Needed for the pre-fill wa.me link on Day 1)
- Does the team have access to real photos and videos from his farm? (Placeholders are fine for Day 1–5, but needed by Day 6 for QA)
- What is the preferred domain — yourfamilyfarmer.in or another name from the brainstorming list?
- Who is the admin who will review and approve listings from the WhatsApp bot? What is their response SLA?
- Are there 1–2 neighbouring farmers already identified who can be the first WhatsApp onboarding test cases in Week 2?
- Should the farmer profile URL use the farmer's name as slug (yadagiri) or a numeric ID? Name is friendlier for sharing.

> **First milestone:** By end of Day 7, Yadagiri should be able to share his profile link in his WhatsApp group and his existing 43 buyers can see his produce, quality data, and tap Order — all without downloading any app. That is the only thing that matters in Week 1.