YourFamilyFarmer

4-Day MVP Sprint Brief — v2.0

Ship something real to Yadagiri by end of Day 4.

Target	Max fallback	Hard deadline	Version
4 days	**5 days**	**7 days**	**2.0 · Apr 2025**

1. The scope decision

Four actor dashboards — Consumer, Farmer, Delivery, Moderator — cannot all be built properly in 4 days. Attempting all four in 4 days means none of them will work well enough to show a real farmer.

The right call is to cut actor scope, not quality. Here is the priority logic:

Actor	4-day verdict	Reason
Consumer	**BUILD — Day 1**	Without this, no buyer can find or order from Yadagiri. Non-negotiable.
Farmer profile	**BUILD — Day 2**	This is Yadagiri's shareable link — the product itself. Must be live so he can share it on Day 4.
Farmer dashboard	**BUILD — Day 3**	Yadagiri needs to list his own produce and see demand signals. Core to the farmer value proposition.
Delivery	Day 5 if needed	At MVP, Yadagiri personally handles delivery or buyer picks up. Delivery dashboard adds no value until order volume justifies it.
Moderator	Day 5 if needed	The moderator role is human at this stage. No dashboard needed until there are 5+ farmers in the network.

> *✓ Delivery and Moderator dashboards are fully specified in the companion brief (YFF_MVP_Full_Brief_v1.docx). Build them in Day 5 if the team finishes early, or in Week 2.*

1.1 What "done" looks like on Day 4

> *"Yadagiri pastes his link — yourfamilyfarmer.in/farmer/yadagiri — into his WhatsApp group. A new buyer who has never heard of him taps the link, sees his produce, reads his farming story, and taps Order — which opens WhatsApp with the message pre-filled. That is the complete MVP."*

1.2 What is NOT being built in 4 days

> *✗ No payment gateway. Buyer pays Yadagiri directly via UPI after WhatsApp confirmation.*
> *✗ No consumer login or account. Fully public — no friction for new visitors.*
> *✗ No delivery tracking. Yadagiri delivers himself or buyer collects at MVP.*
> *✗ No moderator dashboard. Moderator role is handled manually by the founders.*
> *✗ No push notifications. WhatsApp messages replace all notifications.*
> *✗ No AI voice registration. WhatsApp bot onboarding is a Day 5+ feature.*
> *✗ No native app. Progressive Web App (PWA) only — works in any mobile browser.*

2. Pre-sprint setup (complete before Day 1, 9 AM)

> ⚠ *Both developers must complete all setup tasks before writing a single line of feature code. Skipping setup causes hours of lost time mid-sprint.*

Who	Task	Done when
Dev 1	Create Supabase project at supabase.com. Note the project URL and anon key.	*Project URL and anon key saved in shared doc*
Dev 1	Create Next.js 14 project: npx create-next-app@latest yff --typescript --tailwind --app. Push to GitHub.	*Repo exists on GitHub. Vercel auto-deploys on push.*
Dev 1	Connect Vercel to GitHub repo. Set NEXT_PUBLIC_SUPABASE_URL and NEXT_PUBLIC_SUPABASE_ANON_KEY env vars on Vercel.	*yourfamilyfarmer.vercel.app loads without errors*
Dev 2	Run all CREATE TABLE statements from Section 5 in the Supabase SQL editor.	*All 7 tables appear in Supabase Table Editor*
Dev 2	Seed Yadagiri's farmer row manually in the farmers table. Seed 3 produce listings (tomatoes, spinach, capsicum). Seed 2 coming-soon listings. Seed 4 reviews.	*GET /api/farmer/yadagiri returns correct JSON*
Both	Confirm Yadagiri's WhatsApp number and format it as: wa.me/91XXXXXXXXXX. Save in shared doc.	*wa.me link tested — opens WhatsApp correctly on Android*
Both	Get 3–5 real farm photos from Yadagiri over WhatsApp. Upload to Supabase Storage bucket "farm-media".	*Photo URLs accessible in browser without auth*

3. Day 1 — Consumer view

Route: / | Fully public, no login required | Target: complete by 6 PM Day 1

Goal: a new buyer can land on the home page, browse all available produce by method and category, and navigate to a farmer's profile. By end of Day 1 this page should be working with real Supabase data.

3.1 Morning session (9 AM – 1 PM) — structure and navigation

Dev 1 Global nav + page shell

- Create /app/layout.tsx — global font (Inter or system-ui), viewport meta tag, mobile-first CSS reset
- Build GlobalNav component: logo left, four role tabs right (Consumer / Farmer / Delivery / Moderator)
- Active tab = green-tinted pill. Sticky at top (z-index: 50, backdrop blur optional).
- Route /consumer maps to app/consumer/page.tsx. Route / redirects to /consumer.

✓ Done when: nav renders on mobile, active tab is highlighted, switching tabs changes the URL.

Dev 2 Supabase client + API routes

- Install: npm install @supabase/supabase-js
- Create lib/supabase.ts — singleton Supabase client using env vars
- Create app/api/produce/route.ts — GET returns all active produce_listings joined with farmer name and village, filtered by region_slug
- Create app/api/produce/search/route.ts — accepts ?q=&method=&category= query params

✓ Done when: curl /api/produce returns JSON array of 3+ listings with farmer name included.

3.2 Afternoon session (2 PM – 6 PM) — consumer UI

Dev 1 Hero + search bar

- Green-tinted hero card. Title: "Fresh from your neighbourhood farmer". Subtitle: region name + farmer count from API.
- Search bar: text input + method dropdown (All / Natural / Organic / Chemical-free) + Search button.
- On input change (debounce 300ms), call /api/produce/search and re-render the grid below.
- Category filter chips below hero: All · Vegetables · Fruits · Grains & Pulses · Leafy. One active at a time.

✓ Done when: typing "tomato" in the search box filters the grid to show only tomato listings.

Dev 2 Produce grid + coming soon

- ProduceCard component: emoji icon (large, in coloured box), name, farmer · variety, price badge (green), method badge pill, distance + stock.
- Method badge colours: Natural = green bg / Organic = teal bg / Chemical = amber bg.
- "Available now" grid: auto-fill columns, min 190px. Loads from /api/produce.
- "Coming soon" grid: same card layout with dashed border. Loads from /api/produce?status=coming_soon.
- Clicking any card links to /farmer/[slug] — farmer profile page (built on Day 2).

✓ Done when: 3 available cards and 2 coming-soon cards render from real Supabase data.

End of Day 1 check

Must be true at end of Day 1	Status
Home page loads at yourfamilyfarmer.vercel.app in < 3 seconds on Android Chrome	[ ] Pass / [ ] Fail
Produce grid shows real data from Supabase (not hardcoded)	[ ] Pass / [ ] Fail
Search filters the grid without page reload	[ ] Pass / [ ] Fail
Category chips filter correctly	[ ] Pass / [ ] Fail
Method badge colours are correct for each farming method	[ ] Pass / [ ] Fail
Clicking a produce card navigates to /farmer/yadagiri (even if that page is empty yet)	[ ] Pass / [ ] Fail

4. Day 2 — Farmer profile page

Route: /farmer/[slug] | Fully public, no login | Target: complete by 6 PM Day 2

Goal: Yadagiri's shareable link is live with his real story, produce listings, quality data, and a working WhatsApp order button. This is the product he will share with his existing WhatsApp buyers tonight.

4.1 Morning session (9 AM – 1 PM) — profile shell and Story tab

Dev 1 Cover, avatar, trust strip, tab nav

- Farm cover: green-tinted strip with SVG farm illustration (trees + crops). Add "Natural farm · since {year}" badge overlay.
- Avatar: initials circle (first letter of first + last name), green background, white text, 56px.
- Farmer name, village, district below avatar.
- "Follow" button — at MVP this just shows a confirmation toast. No DB write needed.
- Trust strip: 5 stats in a horizontal row — Years farming · Star rating · Buyer count · 0 chemicals · Produce listed. Dividers between each.
- Five-tab navigation bar: Story · Produce · Quality · Reviews · Farm. Sticky below cover.
- Default tab on load: Story.

✓ Done when: profile page renders with Yadagiri's data from /api/farmer/yadagiri, tab switching works.

Dev 2 API route + Story tab content

- Create app/api/farmer/[slug]/route.ts — returns farmer row joined with produce_listings, reviews, and media.
- Story tab: pull quote (italic, left green border, green bg), 2-column info grid (farm size, location, farming since, method, water source, delivery options).
- Farming method card: description text + certification pills (No pesticides / On-farm compost / No hybrid seeds / Cow dung manure).
- Farm visit invite card: "Every Saturday morning — come walk the fields." with a "Schedule a visit" WhatsApp button.

✓ Done when: Story tab shows Yadagiri's seeded data. Pull quote and certification pills render correctly.

4.2 Afternoon session (2 PM – 6 PM) — Produce, Quality, Reviews, Farm tabs + sticky bar

Dev 1 Produce tab + sticky bottom bar

- Produce tab: "Available now" section — one card per listing. Each card: emoji box (left), name, variety, shelf life, tag pills (method / spray / BRIX), price per unit, stock remaining.
- Tiered pricing row below each card: "1–5 kg: ₹60 · 5–20 kg: ₹52 · 20+ kg: ₹44"
- "Order" button: opens WhatsApp with pre-filled message. See Section 6 for exact message template.

- "Coming soon" section: dashed-border cards with produce name + ready date + "Notify me" button.
- "Notify me" writes to notify_requests table (requester_name + phone captured via a small inline form).
- Sticky bottom bar: "WhatsApp" button (opens wa.me share) + "Shop [Farmer]'s farm" CTA (scrolls to Produce tab).

> *✓ Done when: tapping Order on any listing opens WhatsApp on Android with the correct pre-filled message.*

Dev 2 Quality, Reviews, Farm tabs

- Quality tab: 3-card param grid (Soil Organic Carbon / Soil pH / NPK), last soil test info, BRIX reading per produce, pesticide residue result, storage & handling guide per produce.
- Reviews tab: average rating display + star bar chart (5★, 4★, 3★ counts) + individual review cards (avatar initials, name, location, date, stars, text, produce ordered).
- Farm tab: 3-column photo grid (real photos from Supabase Storage), video list with play icon + title + duration. Links open in WhatsApp or YouTube at MVP.

> *✓ Done when: all 5 tabs show real seeded data. Photos load from Supabase Storage URLs.*

End of Day 2 check

Must be true at end of Day 2	Status
yourfamilyfarmer.vercel.app/farmer/yadagiri loads with real data	[ ] Pass / [ ] Fail
All 5 tabs switch correctly and show seeded content	[ ] Pass / [ ] Fail
Tapping Order opens WhatsApp with pre-filled message on Android	[ ] Pass / [ ] Fail
Notify me saves phone to notify_requests table in Supabase	[ ] Pass / [ ] Fail
Photos render from Supabase Storage (not placeholder emoji)	[ ] Pass / [ ] Fail
Sticky bottom bar stays visible on scroll. Both buttons work.	[ ] Pass / [ ] Fail
Send the link to Yadagiri by 7 PM. Get his WhatsApp reaction tonight.	[ ] Done / [ ] Pending

5. Day 3 — Farmer dashboard + regional discovery page

Routes: /farmer/dashboard (login required) + /region/[slug] (public) | Target: complete by 6 PM Day 3

5.1 Morning session (9 AM – 1 PM) — farmer dashboard

Dev 1 Farmer login + dashboard shell

- Supabase phone OTP login: install @supabase/auth-ui-react or build a simple custom OTP form.
- Protect /farmer/dashboard route — redirect to /farmer/login if no session.
- Dashboard header: farmer name + farm name + "Last updated: today"
- 4 stat cards: Active listings · Orders this week · Revenue this month (with mandi comparison) · Consumer feedback rating.
- All stats read from Supabase — no hardcoded numbers.

✓ Done when: Yadagiri can log in with his phone number and OTP and see his dashboard stats.

Dev 2 Demand chart + produce listing form

- Demand chart: horizontal bar chart showing top 5 crops by demand in region. Data from demand_intents table aggregated by crop_name. Bars sorted descending by quantity.
- Voice registration button (prominent, above form): "Register via voice (Telugu / Hindi)" — at MVP links to WhatsApp onboarding bot number.
- Produce listing form: all fields from the data model (name, variety, qty, period, method, delivery, 3 price tiers, description, BRIX, SOC).
- "Publish listing" submits to produce_listings table with status = available. Shows success toast with link to the public listing.

✓ Done when: Yadagiri can fill in the form and publish a new listing that immediately appears on the consumer home page.

5.2 Afternoon session (2 PM – 6 PM) — regional discovery page

Dev 1 Region page: hero + map + farmer list

- Route: /region/[slug] — public, no login.
- Hero band: region name, district + landmark, live stats (farmers active / produce listed / 0 middlemen).
- Static SVG map: region outline, river, 25 km radius ring, farmer pin dots with initials and distance labels. Tapping a pin highlights the farmer row below.
- Farmer list: one card per farmer — avatar initials, name, village, distance, produce pills, method badge, rating, "View shop" button → /farmer/[slug].
- "Know a natural farmer nearby?" dashed card at the bottom — placeholder for now.

✓ Done when: /region/tadepalligudem shows Yadagiri's card and at least one other seeded farmer.

Dev 2 Region page: produce browse + filter chips

- Three-tab view below the map: Farmers · Browse produce · Add a farmer.
- "Browse produce" tab: 2-column mini-card grid — all available produce across all farmers in the region.
- Category filter chips at the top of the page filter both the farmer list and the produce grid simultaneously.
- "Add a farmer" tab: three static informational cards explaining the onboarding process (referral link, photo listing, referral incentive). No interactivity needed yet.

✓ *Done when: filter chips correctly hide/show farmer rows and produce cards by category.*

End of Day 3 check

Must be true at end of Day 3	Status
Yadagiri can log in and see his dashboard with real stats	[ ] Pass / [ ] Fail
Publishing a listing from the form makes it appear on the consumer home page immediately	[ ] Pass / [ ] Fail
Demand chart shows aggregated intent data from the demand_intents table	[ ] Pass / [ ] Fail
/region/tadepalligudem loads with Yadagiri's card and at least one other farmer	[ ] Pass / [ ] Fail
Filter chips on region page filter both farmer list and produce grid	[ ] Pass / [ ] Fail

6. Day 4 — Hardening, QA, and launch

No new features on Day 4. Fix, polish, and get the link into Yadagiri's hands.

6.1 Morning session (9 AM – 1 PM) — bug fixes and mobile QA

Dev 1 Mobile QA — Consumer + Farmer profile

- Test every screen on a real Android device (not just DevTools emulation).
- Check: font sizes readable without zooming. No horizontal scroll. Buttons easy to tap (min 44px touch target).
- Test the Order button on Android WhatsApp — confirm the pre-filled message appears correctly.
- Test search + filter chips together — confirm no edge-case bugs.
- Fix all visual issues found. Commit and push by 11 AM.

Dev 2 Mobile QA — Farmer dashboard + Region page

- Test farmer login OTP on a real phone number.
- Test full listing publish flow end-to-end: fill form → publish → confirm it appears on consumer page.
- Test region page map pin tapping on mobile.
- Fix all issues. Confirm all 7 Supabase tables have correct data. No 404 API errors in browser console.

6.2 Afternoon session (2 PM – 5 PM) — performance and SEO

Dev 1 Performance

- Run Lighthouse on /consumer and /farmer/yadagiri. Target: Performance ≥ 80, Accessibility ≥ 70.
- Add next/image for all farm photos — automatic WebP conversion and lazy loading.
- Add loading skeleton components for the produce grid (prevents layout shift while Supabase loads).
- Add error boundary — if Supabase is down, show a friendly "We'll be back soon" message instead of a blank page.

Dev 2 SEO + sharing meta tags

- Add Open Graph meta tags to /farmer/[slug] — title, description, and the farmer's first photo as og:image.
- When Yadagiri shares his link on WhatsApp, it should show a rich preview: photo + name + "Natural farmer in Tadepalligudem".
- Add a robots.txt that allows all crawlers.
- Generate a sitemap.xml with all public farmer profile URLs.

> ✓ *This is not vanity — a good WhatsApp link preview increases tap-through rate by 3–4x. Do not skip.*

6.3 End of Day 4 — launch

#	Launch checklist item	Status
1	Share yourfamilyfarmer.in/farmer/yadagiri link with Yadagiri on WhatsApp	[ ] Done
2	Ask Yadagiri to share the link in his existing buyer group and observe reactions	[ ] Done
3	Watch Supabase logs in real time for any errors as first visitors arrive	[ ] Done
4	Confirm at least one buyer taps Order and sends a WhatsApp to Yadagiri	[ ] Done
5	Record any feedback from Yadagiri or his buyers. Add to feedback log.	[ ] Done
6	Tag the Git commit as v1.0-launch	[ ] Done

7. Day 5 — overflow and WhatsApp bot (only if needed)

Use Day 5 only if something critical slipped from Days 1–4, or if the core is solid and you want to add the WhatsApp onboarding bot.

> ⚠ *Do not use Day 5 to add scope. Use it to fix what is broken or to add the one feature that most directly addresses the "getting new buyers beyond WhatsApp circle" problem.*

7.1 Priority order for Day 5 tasks

1. Fix any P1 bugs from Day 4 QA that blocked real usage.
2. WhatsApp bot — 5-question farmer registration flow in Telugu (see Section 8).
3. Demand intent form — allow consumers to submit a crop request; store in demand_intents table.
4. Delivery dashboard — only if an actual delivery partner has been identified and onboarded.
5. Moderator dashboard — only if there is a named moderator who needs it immediately.

8. WhatsApp message templates

8.1 Consumer order pre-fill (Order button)

Construct the URL as: wa.me/91XXXXXXXXXX?text={URL_ENCODED_MESSAGE}

```
Hello {farmer_name} anna! I found your profile on YourFamilyFarmer.
I would like to order:
- {produce_name} ({variety}): {qty} {unit}

My name: [please fill in]
Delivery or pickup: [please fill in]
My location / address: [please fill in]
```

- Fields in {curly braces} are pre-filled from the listing data in the DB.
- Fields in [square brackets] are left for the buyer to complete before sending.

> ⚠ *Test this on a real Android device before Day 2 is marked complete. The pre-fill must open correctly in both WhatsApp and WhatsApp Business.*

8.2 Notify me confirmation (after Notify me form submit)

```
Thank you {name}! We will WhatsApp you as soon as {produce_name} from
{farmer_name} is ready. Usually around {available_from}.
— YourFamilyFarmer
```

8.3 WhatsApp bot farmer registration (5 questions — Telugu)

Entry: moderator or Yadagiri shares a wa.me link with a magic start keyword (e.g. "REGISTER") to the YFF WhatsApp Business number. Twilio webhook handles the conversation state.

Q	Bot message	Captured	DB field
1	□□ □□□□ □□□□□? (What is your name?)	Free text reply	`farmers.name`
2	□□ □□□□□□ □□□□□ □□□□□□? (Your village and district?)	Free text reply	`farmers.village + district`
3	□□□□ □□□ □□□□□□□□□□□? (What do you grow? List your crops.)	Free text reply	`farmers.crops_raw`
4	□□□□□□□□ □□□□□□□? □□□□ / □□□□□ / □□□□□□ (No / Yes / Low)	Maps to: natural / chemical / low_chemical	`farmers.method`
5	□□ □□□□□ confirm □□□□□□□□? (Confirm your WhatsApp number.)	Auto-captured from WA session	`farmers.phone`

After Q5 the bot sends:

```
Registration complete! Your farm page will be live within 2 hours.
yourfamilyfarmer.in/farmer/{slug}
```

```
Now send us 3 photos of your current produce to create your first listing.
```

9. Data model — tables needed for 4-day build

Create all 7 tables on Day 0 (pre-sprint). Use Supabase SQL editor. Enable Row Level Security on every table immediately.

9.1 farmers

Column	Type	Notes
id	uuid PK	gen_random_uuid()
slug	varchar(60)	Unique. URL-safe. e.g. "yadagiri"
name	varchar(100)	
village	varchar(100)	
district	varchar(100)	
state	varchar(100)	Default: Andhra Pradesh
phone	varchar(15)	WhatsApp number with country code
method	text	natural | low_chemical | chemical
farm_size_acres	numeric(5,2)	Optional
farming_since_year	integer	
story_quote	text	Max 300 chars
soil_organic_carbon	numeric(4,2)	e.g. 2.1
soil_ph	numeric(3,1)	
brix_reading	numeric(4,1)	Of primary produce
water_source	varchar(100)	
delivery_available	boolean	Default false
pickup_available	boolean	Default true
farm_visit_day	varchar(30)	e.g. Saturday morning
rating_avg	numeric(3,2)	Updated on each new review
rating_count	integer	Default 0
buyer_count	integer	Default 0
region_slug	varchar(60)	FK → regions.slug
active	boolean	Default false until admin approves
created_at	timestamptz	now()

9.2 Remaining tables — column lists

produce_listings

- id uuid PK, farmer_id uuid FK, name varchar(100), variety varchar(100)
- method text, unit text (kg/bunch/piece)

- price_tier_1_qty integer, price_tier_1_price numeric(8,2)
- price_tier_2_qty integer, price_tier_2_price numeric(8,2)
- price_tier_3_qty integer, price_tier_3_price numeric(8,2)
- stock_qty integer, available_from date, available_to date
- brix numeric(4,1), pesticide_result text, shelf_life_days integer, storage_notes text, description text
- status text (available | coming_soon | sold_out | pending_review), created_at timestamptz

reviews

- id uuid PK, farmer_id uuid FK, produce_listing_id uuid FK nullable
- reviewer_name varchar(100), reviewer_location varchar(100)
- star_rating integer (1–5), review_text text, produce_ordered text
- approved boolean default false, created_at timestamptz

demand_intents

- id uuid PK, region_slug varchar(60), crop_name varchar(100)
- quantity_kg numeric(8,2), needed_by_date date, delivery_location text
- requester_name varchar(100), requester_phone varchar(15)
- fulfilled boolean default false, created_at timestamptz

notify_requests

- id uuid PK, farmer_id uuid FK, produce_name varchar(100)
- requester_name varchar(100), requester_phone varchar(15)
- created_at timestamptz, notified_at timestamptz nullable

regions

- slug varchar(60) PK, name varchar(100), district varchar(100), state varchar(100)
- lat numeric(9,6), lng numeric(9,6), radius_km integer, active boolean

media

- id uuid PK, farmer_id uuid FK, type text (photo | video)
- url text, caption text, language text (en | te | hi)
- has_subtitles boolean, sort_order integer

10. Tech stack

Layer	Choice	Notes
Frontend	Next.js 14 (App Router)	SSR for fast mobile load. Free on Vercel.
Styling	Tailwind CSS	Fastest way to build responsive mobile UI.
Database	Supabase (PostgreSQL)	Free tier. Auto-REST API. Real-time.
Auth	Supabase Auth (phone OTP)	For farmer login only. No consumer login.
File storage	Supabase Storage	Farm photos. 1GB free.
WhatsApp (Day 5)	Twilio WhatsApp API	Free trial: 1,000 msgs/month.
Hosting	Vercel	Free hobby plan. Global CDN.
Domain	yourfamilyfarmer.in	~₹800/yr on GoDaddy.
Payments	Not in scope	WhatsApp + manual UPI for first month.

11. Definition of done — end of Day 4

6. Yadagiri can share yourfamilyfarmer.in/farmer/yadagiri on WhatsApp and a stranger can browse his produce, read his farming story, see quality parameters, and tap Order — which opens WhatsApp with a pre-filled message. No app download, no login.
7. Yadagiri can log in to his dashboard, see the local demand chart, and publish a new produce listing that immediately appears on the consumer home page.
8. The regional discovery page at /region/tadepalligudem shows all active farmers with a map and a filterable produce grid.
9. Every page loads in under 3 seconds on a mid-range Android on 4G (test with Chrome DevTools Fast 4G throttling).
10. No hardcoded data in production. All content from Supabase. A DB row change reflects within 30 seconds.
11. WhatsApp link preview on /farmer/yadagiri shows a photo + name + description when shared in WhatsApp.

> *"The test is simple: can Yadagiri paste his link into WhatsApp tonight and get his first order from someone he has never met before? If yes, the MVP is done."*

Questions to resolve before 9 AM Day 1

- Yadagiri's WhatsApp number with country code — needed for the Order button URL on Day 2.
- 3–5 real farm photos from Yadagiri — needed before Day 2 afternoon QA.
- Confirmed domain — yourfamilyfarmer.in or another name from the brainstorm list?
- Who approves pending listings from the WhatsApp bot? What is their phone number?