YourFamilyFarmer

MVP Sprint Brief — v3.0

Ship Yadagiri's live storefront in 4 days.

Target	Max fallback	Hard limit	Version
4 days	**5 days**	**7 days**	**3.0 · Apr 2025**

1. Scope

The MVP ships three things — in this order of priority. Nothing else.

#	Screen / feature	Why it is in scope
1	Consumer home page	Without this, no buyer can find or order from Yadagiri.
2	Farmer profile page (/farmer/yadagiri)	This is the shareable link — the product itself. Yadagiri pastes this in WhatsApp.
3	Farmer dashboard (/farmer/dashboard)	Yadagiri lists his own produce and sees what local consumers are demanding.

> ⚠ *Delivery dashboard and Moderator dashboard are fully specified in the companion document (YFF_MVP_Full_Brief_v1.docx). Build them in Week 2 once the first real orders are flowing.*

1.1 What is not being built now

> *✗ No payment gateway. Consumer pays Yadagiri directly via UPI after WhatsApp confirmation.*
> *✗ No consumer login. Fully public — no friction for new visitors.*
> *✗ No push notifications. WhatsApp messages replace all notifications.*
> *✗ No AI voice registration. WhatsApp bot onboarding is a Week 2 feature.*
> *✗ No native app. Progressive Web App only — works in any mobile browser.*
> *✗ No Delivery dashboard. Yadagiri personally handles delivery or buyer collects at launch.*
> *✗ No Moderator dashboard. Moderator role is handled manually by the founders.*

1.2 Success test

> *"Yadagiri pastes his link — yourfamilyfarmer.in/farmer/yadagiri — into his WhatsApp group. A new buyer who has never heard of him taps the link, sees his produce, reads his story, and taps Order — which opens WhatsApp with the message pre-filled. That is the MVP."*

2. Pre-sprint setup

Complete all of the following before writing a single line of feature code. Skipping any item causes hours of lost time mid-sprint.

Setup task	Ready when
Create Supabase project. Note the project URL and anon key in the shared doc.	Project URL and anon key saved
Create Next.js 14 project (TypeScript + Tailwind + App Router). Push to GitHub.	Repo exists on GitHub
Connect Vercel to GitHub repo. Set NEXT_PUBLIC_SUPABASE_URL and NEXT_PUBLIC_SUPABASE_ANON_KEY as environment variables.	yourfamilyfarmer.vercel.app loads
Run all CREATE TABLE statements from Section 8 in the Supabase SQL editor. Enable Row Level Security on all tables.	All 7 tables visible in Supabase
Seed Yadagiri's farmer row. Seed 3 produce listings (tomatoes, spinach, capsicum). Seed 2 coming-soon listings. Seed 4 reviews.	GET /api/farmer/yadagiri returns JSON
Get Yadagiri's WhatsApp number with country code. Format: wa.me/91XXXXXXXXXX. Test the link opens correctly on Android.	wa.me link tested on Android
Get 3–5 real farm photos from Yadagiri over WhatsApp. Upload to Supabase Storage bucket "farm-media". Confirm URLs are publicly accessible.	Photo URLs open in browser

3. Consumer home page

Route: / | Fully public — no login required

The entry point for all new buyers. Must be fully functional with real Supabase data. No hardcoded content.

3.1 Global navigation bar

- Logo and wordmark on the left
- Four role tabs on the right: Consumer · Farmer · Delivery · Moderator
- Active tab: green-tinted background and border
- Sticky — remains visible at all times while scrolling

3.2 Hero search section

- Green-tinted card. Title: "Fresh from your neighbourhood farmer"
- Subtitle: auto-detected region name + active farmer count pulled from the DB
- Search bar: text input + farming method dropdown (All / Natural / Organic / Chemical-free) + Search button
- Debounce search input 300ms. Filters both grids below without a page reload.

3.3 Category filter chips

- Horizontal row of chips: All · Vegetables · Fruits · Grains & Pulses · Leafy
- One chip active at a time. Combined with the search bar filter — both apply simultaneously.

3.4 Produce grids

Available now

- Auto-fill responsive grid, minimum 190px card width
- Each card: emoji icon in a coloured header box, produce name, farmer name and variety, price (green, bold), farming method badge, distance from user, stock remaining
- Method badge colours: Natural = green · Organic = teal · Chemical = amber
- Tapping a card navigates to /farmer/[slug] — the farmer profile page

Coming soon

- Same card layout with a dashed border to distinguish from available stock
- "Coming [date]" label instead of stock count
- Tapping navigates to the farmer profile with the coming soon section in view

3.5 Demand intent banner

- Amber-tinted strip. Headline: "Raise a Demand Intent"
- Subtext: "Let local farmers know what you need — they'll reach out when available."
- "+ Raise Intent" button opens a small form: crop name, quantity, needed-by date, delivery location
- Submitted intents are stored in demand_intents and visible on the Farmer dashboard demand chart

> ✓ *This is the core demand-signal loop. Farmers see what consumers want before deciding what to grow.*

4. Farmer profile page

Route: /farmer/[slug] | Fully public — no login required

This is Yadagiri's shareable link. Every element of this page must work on a mid-range Android on 4G. It is the product he will share with his existing WhatsApp group.

4.1 Cover and identity

- Farm cover: green-tinted strip with SVG farm illustration (trees, crops, sun). "Natural farm · since {year}" badge overlaid.
- Avatar: initials circle, green background, white text, 56px
- Farmer name, village, district below avatar
- "Follow" button — shows a confirmation toast at MVP. No DB write required.
- Trust strip (5 stats in a horizontal row): Years farming · Star rating · Buyer count · Chemicals used · Produce listed

4.2 Five-tab navigation

Sticky below the cover. Default tab on load: Story.

Tab	Contents
Story	Farmer's pull quote, 2-column info grid (farm size / location / farming since / method / water source / delivery options), farming method card with certification pills, farm visit invite card
Produce	Available now listings, coming soon listings, Notify me button
Quality	Soil health params (SOC / pH / NPK), produce BRIX reading, pesticide result, storage guide per produce
Reviews	Average rating, star bar chart (5★/4★/3★ breakdown), individual review cards
Farm	3-column photo grid from Supabase Storage, video list with play icon, title, duration

4.3 Produce listing cards (Produce tab — Available now)

- Emoji icon in a coloured box (left), produce name, variety, shelf life, tag pills (method / spray status / BRIX)
- Price per unit in green. Stock remaining.
- Tiered pricing row: e.g. "1–5 kg: ₹60 · 5–20 kg: ₹52 · 20+ kg: ₹44"
- "Order" button — see Section 6 for the exact WhatsApp pre-fill message

4.4 Coming soon section (Produce tab)

- Dashed-border cards. Produce name + expected ready date.

- "Notify me" button: small inline form captures requester name and phone, writes to notify_requests table
- "Pre-order" button for seasonal items with confirmed quantities (e.g. Banginapalli mangoes)

4.5 Sticky bottom bar

- "WhatsApp" button (left, green-tinted): opens wa.me share link so buyers can forward Yadagiri's profile to their contacts
- "Shop [Farmer]'s farm" button (right, full green): scrolls to the Produce tab
- Both buttons visible at all times — do not hide on scroll

5. Delivery options

Two delivery options exist in the system. Only Option 1 (customer pickup) is enabled at launch. Option 2 (farmer couriers) is built into the UI but disabled — visible as greyed out with a "Coming soon" label.

Option 1 — Customer pickup ENABLED

Consumer selects pickup at checkout. Order confirmation WhatsApp to both farmer and consumer includes:

- Pickup address (farm location)
- Agreed date and time window
- Contact number of farmer

No delivery cost to consumer. Farmer does not leave the farm.

Option 2 — Farmer couriers it COMING SOON

Farmer drops the parcel at any courier service (BlueDart, DTDC, India Post, etc.) and enters the tracking number or uploads a photo of the receipt inside his dashboard. Consumer receives a WhatsApp with the tracking number.

What the farmer sees (disabled, greyed out in UI):

- *Enter tracking number field*
- *Upload photo of courier receipt*
- *Select courier service name*

Enable when: first courier order is confirmed with a buyer. Estimated: Week 2.

5.1 Where delivery option appears in the UI

- On the Order button flow (consumer side): after tapping Order, the WhatsApp pre-fill message includes a "Delivery or pickup:" field the buyer fills in manually — until Option 2 is enabled.
- On the farmer dashboard (farmer side): when creating or editing a produce listing, a "Delivery method" field shows two radio options — "Pickup only" (selected, active) and "I will courier it" (greyed out, disabled).
- On the farmer profile Story tab: the info grid row for "Delivery options" shows "Pickup from farm" until courier is enabled.

> ⚠ *Do not remove Option 2 from the codebase — only disable it with a CSS class and a "Coming soon" label. Enabling it later should require only removing the disabled state, not rebuilding the feature.*

5.2 Option 2 implementation detail (build now, enable later)

Build the full UI and DB schema for Option 2 now. Disable it at the component level. When the first farmer is ready to use courier, remove the disabled class and the feature is live.

Farmer dashboard — courier fields (disabled at launch)

- Tracking number text input: "Enter courier tracking number"
- Receipt photo upload: "Upload photo of courier receipt" — stores in Supabase Storage
- Courier service dropdown: BlueDart · DTDC · India Post · Delhivery · Other
- On submit: writes to orders.courier_tracking_number, orders.courier_receipt_url, orders.courier_service

- Consumer receives WhatsApp: "{Farmer} has dispatched your order via {courier}. Tracking: {number}"

DB columns to add to the orders table for courier support

- courier_tracking_number varchar(100) nullable
- courier_receipt_url text nullable — Supabase Storage URL of the receipt photo
- courier_service varchar(60) nullable — e.g. "BlueDart", "India Post"
- dispatched_at timestamptz nullable — set when farmer submits the tracking number

6. Farmer dashboard

Route: /farmer/dashboard | Login required — Supabase phone OTP

Yadagiri's private workspace. He sees how his farm is performing, what local consumers are demanding, and publishes new produce listings.

6.1 Summary stat cards

Active listings	Orders this week	Revenue this month	Consumer rating
Count from DB	**Count from orders**	**₹ sum (vs mandi)**	**Avg star rating**

- Revenue card shows a comparison: "vs ₹X,XXX if sold through mandi" — the most motivating number for farmer adoption
- All stats are live from Supabase — no hardcoded values

6.2 Local demand chart

- Title: "Local demand — what consumers are searching for in your area"
- Horizontal bar chart. One bar per crop. Bar width = demand percentage. Label shows kg quantity.
- Data source: demand_intents table aggregated by crop_name and region_slug
- Bars sorted descending. Top 5 crops shown.

> ✓ *This is why a farmer joins the platform — knowledge of local demand they have never had before.*

6.3 Voice registration button

- "Register via voice (Telugu / Hindi)" — prominent button above the listing form
- At launch: opens a WhatsApp link to the YFF bot number with a pre-set message
- Full voice-to-form AI is a Week 2 feature

> ⚠ *This button is non-negotiable. Most small farmers will not complete a web form. The WhatsApp bot is the real onboarding path.*

6.4 Produce listing form

Field	Input type	Notes
Produce name	Text	e.g. Tomato
Variety	Text	e.g. Naati (heirloom)
Available quantity	Number	Integer — updates stock_qty in DB
Availability period	Text	e.g. 20 Apr – 10 May 2025

Farming method	Dropdown	Natural / Organic / Conventional
Delivery method	Radio (2 options)	Pickup only (active) · I will courier it (disabled — coming soon)
Price — tier 1	Number	e.g. < 10 kg = ₹60/kg
Price — tier 2	Number	e.g. 10–50 kg = ₹52/kg
Price — tier 3	Number	e.g. > 50 kg = ₹44/kg
Description / growing notes	Textarea	Max 500 chars
BRIX reading	Number (1 dp)	Optional quality parameter
Soil Organic Carbon %	Number (1 dp)	Optional quality parameter

- "Publish listing" writes to produce_listings with status = available
- On publish: fires a WhatsApp notification to all consumers who raised a matching demand intent for this crop in this region
- "Preview listing" button shows a modal preview of how the card will look on the consumer home page before publishing

7. Regional discovery page

Route: /region/[slug] | Fully public — no login required

When a buyer shares Yadagiri's link, new visitors should be able to discover all natural farmers in the same region. This page is the regional entry point.

7.1 Hero band

- Title: "Natural food from farmers near you"
- Subtitle: district name + regional landmark (e.g. "West Godavari district · Krishna river belt")
- Three live stats: active farmers count · produce listed · 0 middlemen

7.2 Static SVG map

- Region outline + major river + 25 km radius ring
- Each farmer shown as an initials dot pin with name and distance label
- Tapping a pin highlights the corresponding farmer card in the list below
- One ghost pin labelled "invite farmer" to signal the open network

> ⚠ *Use a static SVG at launch — no Google Maps API key or cost. Replace with Leaflet.js in v2.*

7.3 Three-tab view

Farmers tab

- One card per farmer: avatar initials, name, village, distance, produce pills, method badge, star rating, "View shop" button
- Yadagiri's card has a "co-founder" tag and a slightly stronger border
- "Know a natural farmer nearby?" dashed card at the bottom — links to Add a farmer tab

Browse produce tab

- 2-column mini-card grid of all available produce across all farmers in the region
- Each card: emoji, produce name, farmer name, distance, price, stock note
- Tapping a card navigates to that farmer's profile page, Produce tab open

Add a farmer tab

- Three informational cards explaining the onboarding process: referral link, photo-to-listing, referral incentive
- Progress bar: "Target: 10 farmers in 25 km by month 2 · X / 10"
- No interactivity required at launch — informational only

7.4 Category filter chips

- Chips at the top of the page: All · Vegetables · Fruits · Leafy · Grains
- Filter applies to both the farmer card list and the produce grid simultaneously

8. WhatsApp message templates

8.1 Consumer order pre-fill

Construct the link as: wa.me/91XXXXXXXXXX?text={URL_ENCODED_MESSAGE}

```
Hello {farmer_name} anna! I found your profile on YourFamilyFarmer.
I would like to order:
- {produce_name} ({variety}): {qty} {unit}

My name: [please fill in]
Delivery or pickup: [please fill in]
My location / address: [please fill in]
```

- Fields in {curly braces} are pre-filled from the listing data in Supabase
- Fields in [square brackets] are left blank for the buyer to complete before sending

> ✓ *Test this on a real Android device. The pre-fill must open correctly in both WhatsApp and WhatsApp Business.*

8.2 Notify me confirmation

```
Thank you {name}! We will WhatsApp you as soon as {produce_name} from
{farmer_name} is ready. Usually around {available_from}.
— YourFamilyFarmer
```

8.3 New listing notification to matched consumers

```
{farmer_name} near you just listed {produce_name} ({method}).
Price: ₹{price}/{unit}  |  Available: {stock_qty} {unit}  |  Ready: {available_from}
Order here: yourfamilyfarmer.in/farmer/{slug}
```

8.4 Courier dispatch notification (Option 2 — send when enabled)

```
{farmer_name} has dispatched your {produce_name} order.
Courier: {courier_service}  |  Tracking: {tracking_number}
Track your order at the courier's website or call {farmer_phone} for help.
```

8.5 WhatsApp bot — farmer registration (5 questions in Telugu)

Entry: Yadagiri or the moderator shares a wa.me link with a magic keyword (e.g. REGISTER) to the YFF WhatsApp Business number. Twilio webhook manages the conversation state.

Q	Bot message	Captured	DB field

1	మీ పేరు ఏమిటి? (What is your name?)	Free text reply	`farmers.name`
2	మీ గ్రామం మరియు జిల్లా? (Village and district?)	Free text reply	`farmers.village + district`
3	మీరు ఏమి పండిస్తారు? (What do you grow?)	Free text crop list	`farmers.crops_raw`
4	రసాయనాలు వాడతారా? లేదు / అవును / తక్కువ	Maps to natural / chemical / low_chemical	`farmers.method`
5	మీ నంబర్ confirm చేస్తారా? (Confirm your WhatsApp number)	Auto-captured from WA session	`farmers.phone`

After Q5 the bot sends:

```
Registration complete! Your farm page will be live within 2 hours.
yourfamilyfarmer.in/farmer/{slug}
Now send us 3 photos of your current produce to create your first listing.
```

9. Data model

All tables in Supabase PostgreSQL. Create on Day 0. Enable Row Level Security on every table immediately.

9.1 farmers

Column	Type	Notes
`id`	`uuid PK`	gen_random_uuid()
`slug`	`varchar(60)`	Unique. URL-safe. e.g. "yadagiri"
`name`	`varchar(100)`	
`village`	`varchar(100)`	
`district`	`varchar(100)`	
`state`	`varchar(100)`	Default: Andhra Pradesh
`phone`	`varchar(15)`	WhatsApp number with country code
`method`	`text`	natural | low_chemical | chemical
`farm_size_acres`	`numeric(5,2)`	Optional
`farming_since_year`	`integer`	
`story_quote`	`text`	Farmer's own words. Max 300 chars.
`soil_organic_carbon`	`numeric(4,2)`	e.g. 2.1 (percentage)
`soil_ph`	`numeric(3,1)`	
`brix_reading`	`numeric(4,1)`	Of primary produce
`water_source`	`varchar(100)`	
`delivery_available`	`boolean`	Default false
`pickup_available`	`boolean`	Default true
`farm_visit_day`	`varchar(30)`	e.g. Saturday morning
`rating_avg`	`numeric(3,2)`	Updated on each new review
`rating_count`	`integer`	Default 0
`buyer_count`	`integer`	Default 0
`region_slug`	`varchar(60)`	FK → regions.slug
`active`	`boolean`	Default false until admin approves
`created_at`	`timestamptz`	now()

9.2 produce_listings

- id uuid PK, farmer_id uuid FK
- name varchar(100), variety varchar(100), method text, unit text (kg / bunch / piece)
- price_tier_1_qty integer, price_tier_1_price numeric(8,2)
- price_tier_2_qty integer, price_tier_2_price numeric(8,2)

- price_tier_3_qty integer, price_tier_3_price numeric(8,2)
- stock_qty integer, available_from date, available_to date
- brix numeric(4,1), pesticide_result text, shelf_life_days integer, storage_notes text, description text
- status text — available | coming_soon | sold_out | pending_review
- created_at timestamptz

9.3 orders

- id uuid PK, consumer_id uuid FK nullable, farmer_id uuid FK, produce_listing_id uuid FK
- quantity numeric(8,2), unit text, total_price numeric(10,2)
- delivery_type text — pickup | courier
- pickup_confirmed_at timestamptz nullable
- courier_tracking_number varchar(100) nullable
- courier_receipt_url text nullable — Supabase Storage URL
- courier_service varchar(60) nullable
- dispatched_at timestamptz nullable
- status text — pending | confirmed | dispatched | delivered | cancelled
- created_at timestamptz

9.4 Remaining tables

reviews

- id uuid PK, farmer_id uuid FK, produce_listing_id uuid FK nullable, reviewer_name varchar(100), reviewer_location varchar(100), star_rating integer (1–5), review_text text, produce_ordered text, approved boolean default false, created_at timestamptz

demand_intents

- id uuid PK, region_slug varchar(60), crop_name varchar(100), quantity_kg numeric(8,2), needed_by_date date, delivery_location text, requester_name varchar(100), requester_phone varchar(15), fulfilled boolean default false, created_at timestamptz

notify_requests

- id uuid PK, farmer_id uuid FK, produce_name varchar(100), requester_name varchar(100), requester_phone varchar(15), created_at timestamptz, notified_at timestamptz nullable

regions

- slug varchar(60) PK, name varchar(100), district varchar(100), state varchar(100), lat numeric(9,6), lng numeric(9,6), radius_km integer, active boolean

media

- id uuid PK, farmer_id uuid FK, type text (photo | video), url text, caption text, language text (en | te | hi), has_subtitles boolean, sort_order integer

10. Tech stack

Layer	Choice	Notes
Frontend	Next.js 14 (App Router)	SSR for fast mobile load. Free on Vercel.
Styling	Tailwind CSS	Fastest path to responsive mobile UI.
Database	Supabase (PostgreSQL)	Free tier. Auto-REST API. Real-time subscriptions.
Auth	Supabase Auth — phone OTP	For farmer login only. No consumer login required.
File storage	Supabase Storage	Farm photos + courier receipt uploads. 1 GB free.
WhatsApp	Twilio WhatsApp API	Free trial: 1,000 messages/month. Week 2 feature.
Hosting	Vercel	Free hobby plan. Global CDN.
Domain	yourfamilyfarmer.in	~₹800/yr on GoDaddy.
Payments	Not in scope	Manual UPI for the first month. Add Razorpay in Month 2.

11. Sprint tasks

All tasks to be completed within 4 days. Sequence them as the team sees fit — the only hard constraint is that the consumer home page and farmer profile page must be live with real data before the farmer dashboard is started.

Setup tasks

- Create Supabase project, run all table DDL, enable RLS
- Create Next.js 14 project with Tailwind, push to GitHub, connect to Vercel
- Set Supabase environment variables in Vercel
- Seed Yadagiri's data: farmer row, 3 produce listings, 2 coming-soon listings, 4 reviews
- Upload 3–5 real farm photos to Supabase Storage

Consumer home page tasks

- Global nav component with 4 role tabs — sticky, active state
- Route / redirects to /consumer
- Supabase client singleton and /api/produce API route
- Hero section with search bar and method filter dropdown
- Category filter chips — combined filter with search bar
- ProduceCard component — emoji, name, farmer, price badge, method badge, distance, stock
- "Available now" grid loading from Supabase
- "Coming soon" grid with dashed border style
- Demand intent banner with "+ Raise Intent" form writing to demand_intents table

Farmer profile page tasks

- /api/farmer/[slug] API route — returns farmer joined with listings, reviews, media
- Farm cover with SVG illustration and year badge
- Avatar, name, district, Follow button (toast only)
- Trust strip — 5 stats from DB
- Five-tab navigation component — sticky below cover, default to Story
- Story tab: pull quote, info grid, method card, certification pills, farm visit invite
- Produce tab: available listing cards with tiered pricing, "Order" WhatsApp button
- Produce tab: coming soon section with Notify me form → notify_requests
- Quality tab: soil param grid, BRIX reading, pesticide result, storage guide
- Reviews tab: average rating, star bar chart, review cards
- Farm tab: 3-column photo grid from Supabase Storage, video list
- Sticky bottom bar: WhatsApp share button + Shop CTA
- Open Graph meta tags for WhatsApp link preview (photo + name + description)

Delivery option tasks (both options)

- Add delivery_type radio to produce listing form: "Pickup only" (active) · "I will courier it" (disabled, greyed out)
- Add courier fields to farmer dashboard: tracking number input, receipt photo upload, courier service dropdown — all disabled at launch
- Add courier columns to orders table: courier_tracking_number, courier_receipt_url, courier_service, dispatched_at
- Apply disabled CSS class to all courier UI elements — a single class removal enables the feature in Week 2

Farmer dashboard tasks

- Supabase phone OTP login — /farmer/login route
- Protect /farmer/dashboard — redirect to login if no session
- 4 stat cards wired to real Supabase queries (no hardcoded values)
- Demand chart: aggregate demand_intents by crop_name per region, render as horizontal bars
- Voice registration button linking to WhatsApp bot number
- Produce listing form — all fields including disabled delivery option radio
- "Preview listing" modal showing how the card will look to consumers
- "Publish listing" writes to produce_listings, fires WhatsApp notification to matched intents

Regional discovery page tasks

- /region/[slug] route — public
- Hero band: region name, district, live stats from DB
- Static SVG map with farmer pin dots, river, 25 km ring
- Farmer list tab — cards with avatar, name, distance, produce pills, method badge, "View shop"
- "Browse produce" tab — 2-column mini-card grid across all farmers in region
- "Add a farmer" tab — three informational cards, progress bar
- Category filter chips filtering both farmer list and produce grid

12. Definition of done

1. Yadagiri can share yourfamilyfarmer.in/farmer/yadagiri on WhatsApp and a stranger can browse his produce, read his story, see quality parameters, and tap Order — which opens WhatsApp with a pre-filled message. No app download, no login.
2. The WhatsApp link preview shows a real photo, Yadagiri's name, and a short description when the link is shared in WhatsApp.
3. Yadagiri can log in to his dashboard with his phone number, see the demand chart, and publish a new produce listing that immediately appears on the consumer home page.
4. The produce listing form shows the delivery option radio buttons — "Pickup only" active and "I will courier it" visible but greyed out with a "Coming soon" label.
5. The regional discovery page shows all active farmers with a filterable map and produce grid.
6. Every screen loads in under 3 seconds on a mid-range Android on 4G.
7. All content is live from Supabase — no hardcoded strings in production. A DB row change reflects on the page within 30 seconds.

> *"The test is simple: can Yadagiri paste his link into WhatsApp tonight and get his first order from someone he has never met before? If yes, the sprint is done."*

Open questions — resolve before starting

- Yadagiri's WhatsApp number with country code — needed for the Order button.
- 3–5 real farm photos from his fields — needed for the Farm tab and Open Graph preview.
- Confirmed domain — yourfamilyfarmer.in or another name?
- Who approves pending listings? What is their response time target?