

Cucumber Report

Jul 13, 2023, 8:57:41 PM

Start : Jul 13, 8:57:36.879 PM

End : Jul 13, 8:57:40.598 PM

Duration : 3.719 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>open SauceDemo feature with data table without header</u>	3.719 s	1	0	1	0	4	0	0	4

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Positive	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>open SauceDemo feature with data table without header</u>	1	0	1	0	3.719 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>open SauceDemo feature with data table without header</u>	<u>open SauceDemo website and login with data tables without header</u>	4	0	0	4	3.714 s

open SauceDemo feature with data table without header

FAILED	DURATION - 3.719 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 8:57:36.879 PM // 8:57:40.598 PM /					

open SauceDemo website and login with data tables without header

FAILED	DURATION - 3.714 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 8:57:36.884 PM // 8:57:40.598 PM /				
open SauceDemo feature with data table without header				
@Positive				

#	Step / Hook Details	Status	Duration
	BEFORE - dataTables.StepDef1.config() io.github.bonigarcia.wdm.config.WebDriverManagerException: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1422) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1203) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1438) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1419) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1203) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1412) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1203) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:418) at dataTables.StepDef1.config(StepDef1.java:29) Caused by: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1576) at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:103) at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1443) at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1278)	FAILED	0.665 s

#	Step / Hook Details	Status	Duration
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1197) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1438) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1419) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1203) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1412) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1203) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:418) at dataTables.StepDef1.config(StepDef1.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:147) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:127) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:90) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:55) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:102) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:54) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:114) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:95) at org.junit.platform.launcher.core.DefaultLauncherSession\$DelegatingLauncher.execute(DefaultLauncherSession.java:91) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:60) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.net.UnknownHostException: chromedriver.storage.googleapis.com at java.base/java.net.InetAddress\$CachedAddresses.get(InetAddress.java:801) at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1533) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1385) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1306) at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43) at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:118) at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:396) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:158) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:168) at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:136) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ExecChainElement\$1.proceed(ExecChainElement.java:57) at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:175) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ExecChainElement\$1.proceed(ExecChainElement.java:57) at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) </pre>		

#	Step / Hook Details	Status	Duration
	at org.apache.hc.client5.http.impl.classic.ExecChainElement\$1.proceed(ExecChainElement.java:57) at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:133) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ExecChainElement\$1.proceed(ExecChainElement.java:57) at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:75) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:89) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:158) at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1561)		
1	Given user is entering "https://www.saucedemo.com/"	SKIPPED	0.000 s
2	When user enters the given credentials below	SKIPPED	0.003 s
	<div>standard_user</div> <div>secret_sauce</div>		
3	When the user clicks And gets login	SKIPPED	0.000 s
4	Then close the browser window	SKIPPED	0.000 s
	AFTER - dataTables.StepDef1.tear_down()	FAILED	3.012 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "dataTables.StepDef1.driver" is null at dataTables.StepDef1.tear_down(StepDef1.java:67)		