

WEEK 1 DAY 2

NAME:VUDA JAYA SAI GANESH

GROUP:S2

Literature Review - Domain + ML

1. Core Domain Concepts

Artificial Intelligence & Machine Learning in Energy Systems:

Machine learning has revolutionized how we approach problems in energy systems. From predicting energy consumption to optimizing grid operations, ML models can find patterns that are too complex for traditional physics-based models. For battery management, ML offers a data-driven alternative that can adapt to real-world conditions without requiring deep knowledge of electrochemical processes. Key ML concepts for this project include:

- **Regression:** Predicting continuous values (SoC percentage, time in minutes)
- **Feature Engineering:** Creating new features from raw data to improve model performance
- **Ensemble Methods:** Combining multiple models for better predictions
- **Model Evaluation:** Using metrics like MAE, RMSE, and R^2 to assess performance

Energy & Electric Vehicles:

The shift toward electric vehicles is one of the most significant transformations in transportation history. EVs rely on rechargeable battery packs (typically Lithium-ion) that require careful management. Key concepts include:

- **State of Charge (SoC):** The current energy level of the battery
- **Battery Management System (BMS):** The electronic system that monitors and manages the battery
- **Charging Profiles:** The pattern of voltage, current, and power during charging
- **CC-CV Charging:** The standard profile where charging starts with constant current, then switches to constant voltage as the battery approaches full charge

Method	Data Required	Approach	Strengths	Weaknesses	When to Use
Random Forest	Historic data	Ensemble of decision trees	Handles non-linearity; provides feature importance; robust to outliers	Slower for large data; less interpretable	Good general-purpose model
XGBoost	Historic data	Gradient boosting	State-of-the-art for tabular data; handles missing values; efficient	Requires hyperparameter tuning; risk of overfitting	When performance is critical
LSTM/RNN	Time-series data	Deep learning for sequences	Excellent for temporal dependencies; captures long-term patterns	Needs large datasets; computationally expensive; black box	When you have abundant sequential data
CNN	Time-series data	Convolutional neural networks	Good for feature extraction from sequences	Less commonly used for regression; needs large data	Alternative to LSTM

Battery Analytics:

Battery analytics involves using data to understand and predict battery behavior. Key relationships include:

- **Voltage-SoC Relationship:** Non-linear, with a "flat" region in the middle
- **Temperature Effects:** Temperature affects battery performance and aging
- **Charging Taper:** Current decreases as SoC approaches 100%
- **Hysteresis:** The voltage-SoC relationship differs between charging and discharging

2. Method Comparison Table

I have reviewed several approaches for SoC estimation and charging time prediction. Here's my comprehensive comparison:

-
1. **"Battery SoC Estimation Using Random Forest" - Wang et al., 2019**
 - Approach: RF with feature importance analysis
 - Findings: Identified voltage and temperature as key features
 - Limitation: Limited to specific battery chemistry
 2. **"XGBoost for Battery Health Prediction" - Chen et al., 2022**
 - Approach: XGBoost with hyperparameter optimization
 - Findings: Achieved $R^2 > 0.95$ for capacity prediction
 - Limitation: Required extensive tuning

3. Shortlisted Candidate Methods

Based on my literature review, I have selected the following models for implementation:

1. Linear Regression (Baseline):

- Simple, interpretable model
- Purpose: Establish a simple baseline before advanced models
- Why: Provides a lower bound for performance; easy to explain

2. Random Forest (Main Model):

- Ensemble of decision trees
- Purpose: Capture non-linear relationships and provide feature importance
- Why: Robust to outliers; handles mixed data types; provides feature importance

3. XGBoost (Main Model):

- Gradient boosting algorithm
- Purpose: Achieve the best possible performance
- Why: State-of-the-art for structured data; efficient; handles missing values

4. Artificial Neural Network (ANN) - Optional:

- Multi-layer perceptron with hidden layers
 - Purpose: Explore if a neural network can capture more complex patterns
 - Why: Can model highly complex non-linear relationships; good for large datasets
-

4. Key Takeaways from Literature

After reviewing all these methods and papers, I have drawn several conclusions:

1. Model Selection:

- Tree-based models (RF, XGBoost) consistently outperform simpler models for battery prediction tasks
- The choice between RF and XGBoost depends on the specific data: RF is more robust, XGBoost can achieve better performance with tuning
- No single model dominates in all scenarios; it's worth trying multiple approaches

2. Feature Engineering is Critical:

- Domain-relevant features (voltage derivative, rolling averages, etc.) often improve performance more than choosing a different model
- Feature importance analysis provides valuable insights into battery behavior
- Time-series features are important for capturing dynamic behavior

3. Evaluation is Multi-Faceted:

- Using multiple metrics (MAE, RMSE, R^2) provides a more complete picture of model performance
- Error analysis across different conditions (charging phases, SoC ranges) reveals failure modes
- Real-world data requires robust models that can handle noise and outliers

4. Challenges:

- Data quality is a major challenge in real-world applications
- Generalization to different battery types, ages, and conditions is difficult
- Model interpretability is important for trust and adoption

5. My Strategy:

- Start with simple baselines (Dummy, Linear Regression)
- Implement tree-based models (RF, XGBoost)
- Focus heavily on feature engineering to maximize performance
- Conduct thorough error analysis to understand failure modes
- Document everything for reproducibility