


SpringBoot Service tests:

Unit tests


This is same as Java “JUnit” tests

Go to src/test/java => create a package “service”




Create a file AccountServiceUnitTest.java

Right-click the Test file and run JUnit



Integration tests:

Setup => go to src/test/java => create a new package “resources”. Copy the .sql files into this folder from /bin




Go to pom.xml and add a new dependency => note “scope” is “test”

```
<dependency>
  <groupId>com.h2database</groupId>
  <artifactId>h2</artifactId>
  <scope>test</scope>
</dependency>
```

```
<dependencies>
  <dependency>
    <groupId>com.h2database</groupId>
    <artifactId>h2</artifactId>
    <scope>test</scope>
  </dependency>
</dependencies>
```

Re-run the application

Create a new Java class => AccountServiceIntegrationTests.java



required for SpringBoot tests

// instead of mocking, we will use the Embedded database H2, and we are running the actual seed .sql scripts on H2

@SpringBootTest(classes = com.safebank.ledgerapi.LedgerApiApplication.class)

@ActiveProfiles("test")

//@AutoConfigureTestDatabase(replace=Replace.ANY)

public class AccountServiceIntegrationTests {

Force Spring Boot to run your schema.sql and data.sql scripts
spring.sql.init.mode=always

Tell Hibernate to let your manual schema.sql script build the tables
spring.jpa.hibernate.ddl-auto=none

