```
!pip install pvPDF2
→ Collecting pvPDF2
       Downloading pypdf2-3.0.1-py3-none-any.whl.metadata (6.8 kB)
     Downloading pypdf2-3.0.1-py3-none-anv.whl (232 kB)
                                             232.6/232.6 kB 3.3 MB/s eta 0:00:00
     Installing collected packages: pvPDF2
     Successfully installed pvPDF2-3.0.1
import PyPDF2
from PyPDF2 import PdfFileReader
pdf = open("file1pdf.pdf","rb")
pdf reader = PvPDF2.PdfReader(pdf)
print("Number of pages:", len(pdf reader.pages))
page = pdf reader.pages[1]
print(page.extract text())
pdf.close()
→ Number of pages: 35
      Development Plan for Greater Mumbai 2014-2034
     Acknowledgements
     The Consultant wishes to thank the following individuals from the Municipal Corporation of
     Greater Mumbai for their invaluable support, insights and contributions towards 'Working Paper 1
     - Preparation of Base Map' for the preparation of the Development Plan for Greater Mumbai
     2014-34.

☑ Mr. Subodh Kumar, IAS, Municipal Commissioner;

☑ Mr. Rajeev Kuknoor, Chief Engineer Development Plan;

     ☑ Mr. Sudhir Ghate, Deputy Chief Engineer Development Plan;
     ☑ Mr. A.G. Marathe, Deputy Chief Engineer Development Plan;
     2 Mr. R. Balachandran, Executive Engineer and Town Planning Officer, Development Plan.
     Our gratitude to the following experts for their invaluable insights and support:
```

```
Mr. V.K Phatak, Former Chief Town Planner (MMRDA);

Mr. A.N Kale, Former Chief Engineer, (DP);

Mr. A. S Jain Former Dy. Chief Engineer, (DP).

We wish to especially thank MCGM officers, Mr. Jagdish Talreja, Mr. Dinesh Naik, Mr. Hiren Daftardar, Ms. Anita Naik for their continual support since the beginning of the project and their help towards familiarization and data collection. They have been instrumental in helping to contact various MCGM departments as well as in helping to establish contact with personnel from other government departments and organizations. Many thanks for the MCGM team, for deploying personnel, particularly Mr. Prasad Gharat, on extensive field visits that have helped in understanding actual ground conditions.
```

We apologize if we have inadvertently omitted anyone to whom acknowledgement is due. We hope and anticipate the work's usefulness for the intended purpose.

```
import PyPDF2,urllib,nltk
from io import BytesIO
from nltk.tokenize import word_tokenize
from nltk.corpus import stopwords

wFile = urllib.request.urlopen('http://www.udri.org/pdf/02%20working%20paper%201.pdf')
pdfreader = PyPDF2.PdfReader(BytesIO(wFile.read()))

pageObj = pdfreader.pages[2]
page2=pageObj.extract_text()
punctuations=['(',')',':',':',':','[',']',','...']
tokens=word_tokenize(page2)
stop_words=stopwords.words('english')
keywords=[w for w in tokens if not w in punctuations]
keywords=[w for w in tokens if not w in punctuations]
```

```
import nltk
nltk.download('punkt_tab')
[nltk data] Downloading package punkt_tab to /root/nltk_data...
     [nltk_data] Unzipping tokenizers/punkt_tab.zip.
     True
import nltk
nltk.download('stopwords')
[nltk_data] Downloading package stopwords to /root/nltk_data...
     [nltk data] Unzipping corpora/stopwords.zip.
     True
keywords
\overline{\Rightarrow}
```

```
'5',
   'Development',
   'Plan',
   'for',
   'Greater'.
   'Mumbai'.
   '.....'.
   '5',
   'ELU',
   '5',
   'Existing',
   'Land',
   'use'.
                       '5',
   'FSI'.
   '5',
   'Floor',
   'Space',
   'Index',
                       '5',
   'GIS',
   '.....',
   '5']
name list=list()
check=['Mr.','Mrs.','Ms.']
for idx,token in enumerate(tokens):
 if token.startswith(tuple(check)) and idx<(len(token)-1):
```

```
name = token+tokens[idx+1]+' '+tokens[idx+2]
    name list.append(name)
print(name list)
\rightarrow
    []
!pip install python-docx
→ Collecting python-docx
       Downloading python docx-1.1.2-py3-none-any.whl.metadata (2.0 kB)
     Requirement already satisfied: lxml>=3.1.0 in /usr/local/lib/python3.11/dist-packages (from python-docx) (5.3.0)
     Requirement already satisfied: typing-extensions>=4.9.0 in /usr/local/lib/python3.11/dist-packages (from python-docx) (4.12.2)
     Downloading python docx-1.1.2-py3-none-any.whl (244 kB)
                                                - 244.3/244.3 kB 3.3 MB/s eta 0:00:00
     Installing collected packages: python-docx
     Successfully installed python-docx-1.1.2
import docx
doc=open('Task-1-Answers.docx','rb')
document=docx.Document(doc)
docu=""
for para in document.paragraphs:
  docu+=para.text
print(docu)
\overline{2}
for i in range(len(document.paragraphs)):
  print("The content of the paragraph"+str(i+1)+"is:"+document.paragraphs[i].text+"\n")
→ The content of the paragraph1is:
```

https://colab.research.google.com/drive/1bBVuXiFEhXI_wlu6qx1dZcwQkWCLfFtf#scrollTo=j3AEqm1LtBRy&printMode=true

The content of the paragraph2is:

```
The content of the paragraph3is:
     The content of the paragraph4is:
     The content of the paragraph5is:
     The content of the paragraph6is:
     The content of the paragraph7is:
     The content of the paragraph8is:
     The content of the paragraph9is:
     The content of the paragraph10is:
!pip install bs4
→ Collecting bs4
       Downloading bs4-0.0.2-py2.py3-none-any.whl.metadata (411 bytes)
     Requirement already satisfied: beautifulsoup4 in /usr/local/lib/python3.11/dist-packages (from bs4) (4.13.3)
     Requirement already satisfied: soupsieve>1.2 in /usr/local/lib/python3.11/dist-packages (from beautifulsoup4->bs4) (2.6)
     Requirement already satisfied: typing-extensions>=4.0.0 in /usr/local/lib/python3.11/dist-packages (from beautifulsoup4->bs4) (4.12
     Downloading bs4-0.0.2-py2.py3-none-any.whl (1.2 kB)
     Installing collected packages: bs4
     Successfully installed bs4-0.0.2
import urllib.request as urllib2
from bs4 import BeautifulSoup
response=urllib2.urlopen("https://www.bing.com/search?q=nlp+wikipedia+deutsch&form=ANNTH1&refig=8c0cf9e4443346ad8910270abd5da215&pc=AST5
html doc=response.read()
```

```
soup=BeautifulSoup(html doc, 'html.parser')
strhtml=soup.prettify()
print(strhtml[:500])
→ <!DOCTYPE html>
     <html dir="ltr" lang="en" xml:lang="en" xmlns="http://www.w3.org/1999/xhtml" xmlns:web="http://schemas.live.com/Web/">
      <script nonce="SrqDV6g0ZZj1Gp6au8b0v0PAC1igE83I6Arqs0mcEqM=" type="text/javascript">
       //<![CDATA[
     si ST=new Date
     //11>
      </script>
      <head>
       <!--pc-->
       <title>
        nlp wikipedia deutsch - Search
       </title>
       <meta content="text/html; charset=utf-8" http-equiv="content-type"/>
       <meta content="origin-when-cross-origin" name="referrer"/>
       <meta content="A5is4nw</pre>
Start coding or generate with AI.
```