
DB SQL -1:




```
Limit to 100 rows

61
62
63 •    SELECT
64          c.CustomerID,
65          c.Name,
66          COUNT(o.OrderID) AS TotalOrders
67      FROM Customers c
68      JOIN Orders o
69          ON c.CustomerID = o.CustomerID
70      GROUP BY c.CustomerID, c.Name
71      HAVING COUNT(o.OrderID) > 1;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content


CustomerID	Name	TotalOrders
102	Ravi	2



```
52
53 •    SELECT
54          c.CustomerID,
55          c.Name,
56          SUM(o.Amount) AS TotalAmount
57      FROM Customers c
58      JOIN Orders o
59          ON c.CustomerID = o.CustomerID
60      GROUP BY c.CustomerID, c.Name;
61
62
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

CustomerID	Name	TotalAmount
101	Meghana	55000.00
102	Ravi	40000.00
103	Priya	3000.00




```
40
41
42 •  SELECT
43        c.CustomerID,
44        c.Name,
45        o.OrderID,
46        o.Product,
47        o.Amount
48    FROM Customers c
49    JOIN Orders o
50        ON c.CustomerID = o.CustomerID;
```


Limit to 100 rows

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

CustomerID	Name	OrderID	Product	Amount
101	Meghana	1	Laptop	55000.00
102	Ravi	2	Mobile	20000.00
103	Priya	3	Headphones	3000.00
102	Ravi	2	Mobile	20000.00


Result 10


Query 1
DBSQL-1
DBSQL-2
Limit to 100 rows
(102, 'Ravi', NULL, ' male ', ' chennai ', '60000');
SELECT *
FROM Customers
WHERE CAST(REPLACE(Salary, ',', '') AS DECIMAL(10,2)) > 60000;
CREATE TABLE Orders (
OrderID INT PRIMARY KEY,
CustomerID INT,
Product VARCHAR(50),
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CustomerID Name Age Gender City Salary
103 Priya twenty-five F Bengaluru 70000
105 Kiran 40 MALE Hyderabad 85,000
Customers 9


SELECT *
FROM Customers
WHERE CAST(REPLACE(Salary, ',', '') AS DECIMAL(10,2)) > 60000;
CREATE TABLE Orders (
OrderID INT PRIMARY KEY,
CustomerID INT,
Product VARCHAR(50),
Grid
Filter Rows:
Export:
Wrap Cell Content:
stomerID Name Age Gender City Salary
Priya twenty-five F Bengaluru 70000
Kiran 40 MALE Hyderabad 85,000

```sql
SELECT Gender, COUNT(*) AS Total
FROM Customers
GROUP BY Gender;


SELECT City, COUNT(*) AS Total
FROM Customers
GROUP BY City;
```





Result Grid | Filter Rows: | Export: | Wrap


Gender	Total
Female	1
male	2
F	1
Other	1
MALE	1
NULL	1

DB SQL -2


Query 1
DBSQL-1
DBSQL-2
Limit to 100 rows
98
99 SELECT
100 Name,
101 Marks,
102 CASE
103 WHEN Marks >= 90 THEN 'Excellent'
104 WHEN Marks >= 75 THEN 'Good'
105 WHEN Marks >= 60 THEN 'Average'
106 ELSE 'Needs Improvement'
107 END AS Performance
108 FROM Students;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Name Marks Performance
Meghana 90 Excellent
Ravi 75 Good
Priya 88 Good
Arun 65 Average
Kiran 82 Good
Sita 95 Excellent
Result 15


Query 1
DBSQL-1
DBSQL-2
Limit to 100 rows
City,
COUNT(*) AS TotalStudents
FROM Students
GROUP BY City;
SELECT *
FROM Students
WHERE Marks > (
SELECT AVG(Marks)
FROM Students
);
Result Grid
Filter Rows:
Edit:
Export/Import:
StudentID Name Age Gender City Marks
1 Meghana 21 Female Chennai 90
3 Priya 20 Female Hyderabad 88
6 Sita 22 Female Bengaluru 95
NULL NULL NULL NULL NULL NULL


Limit to 100 rows
JOIN Enrollments e
ON s.StudentID = e.StudentID
GROUP BY s.StudentID, s.Name
HAVING COUNT(e.CourseID) > 1;
SELECT
City,
COUNT(*) AS TotalStudents
FROM Students
GROUP BY City;
Result Grid
Filter Rows:
Export:
Wrap Cell Content
City
TotalStudents
Chennai
2
Bengaluru
2
Hyderabad
1
Mumbai
1




```
75      GROUP BY s.StudentID, s.Name;
76
77      SELECT
78          s.Name,
79          COUNT(e.CourseID) AS TotalCourses
80      FROM Students s
81      JOIN Enrollments e
82          ON s.StudentID = e.StudentID
83      GROUP BY s.StudentID, s.Name
84      HAVING COUNT(e.CourseID) > 1;
85
```

Limit to 100 rows

Result Grid | Filter Rows: | Export: | Wrap Cell Content:


StudentID	Name	TotalFees
1	Meghana	8000.00
3	Priya	8000.00
6	Sita	5000.00
2	Ravi	4000.00
4	Arun	4000.00
5	Kiran	7000.00




```
66 •  SELECT
67        s.StudentID,
68        s.Name,
69        SUM(c.Fee) AS TotalFees
70    FROM Students s
71    JOIN Enrollments e
72        ON s.StudentID = e.StudentID
73    JOIN Courses c
74        ON e.CourseID = c.CourseID
75    GROUP BY s.StudentID, s.Name;
76
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

StudentID	Name	TotalFees
1	Meghana	8000.00
3	Priya	8000.00
6	Sita	5000.00
2	Ravi	4000.00
4	Arun	4000.00
5	Kiran	7000.00


Limit to 100 rows
55
56 SELECT
57 s.Name,
58 c.CourseName,
59 e.EnrollmentDate
60 FROM Students s
61 JOIN Enrollments e
62 ON s.StudentID = e.StudentID
63 JOIN Courses c
64 ON e.CourseID = c.CourseID;
65
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Name CourseName EnrollmentDate
Meghana Java 2026-01-10
Priya Java 2026-02-05
Sita Java 2026-03-10
Ravi Python 2026-02-01
Arun Python 2026-03-01
Meghana SQL 2026-01-15
Result 11




```
Limit to 100 rows

49      (7, 5, 104, '2026-03-05'),
50      (8, 6, 101, '2026-03-10');
51
52  •   SELECT *
53      FROM Students
54      WHERE Marks > 80;
55
56  •   SELECT
57          s.Name,
58          c.CourseName,
59          e.EnrollmentDate
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

StudentID	Name	Age	Gender	City	Marks
1	Meghana	21	Female	Chennai	90
3	Priya	20	Female	Hyderabad	88
5	Kiran	21	Male	Mumbai	82
6	Sita	22	Female	Bengaluru	95
NULL	NULL	NULL	NULL	NULL	NULL



```
109
110
111 •  SELECT
112        s.Name,
113        c.CourseName
114    FROM Students s
115    LEFT JOIN Enrollments e
116        ON s.StudentID = e.StudentID
117    LEFT JOIN Courses c
118        ON e.CourseID = c.CourseID;
119
```

Limit to 100 rows

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name	CourseName
Meghana	Java
Meghana	SQL
Ravi	Python
Priya	Java
Priya	SQL
Arun	Python

Result 16