Linux 10 commands:


```
CPU.sh      backup          checkServer     demo     docs    myfolder        sample.log
add.sh      backup.log      checkServer.sh  dest     hello   others          script.sh
back_up.sh  bulkRenamer.sh  checklogs.sh    disk.sh  images  passwordGen.sh  test.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ mkdir docs
mkdir: cannot create directory ‘docs’: File exists
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ mkdir temp1
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cd temp1
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ touch hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ ls -la
total 8
drwxr-xr-x  2 sai_meghanaa sai_meghanaa 4096 Oct 12 09:59 .
drwxr-x--- 16 sai_meghanaa sai_meghanaa 4096 Oct 12 09:58 ..
-rw-r--r--  1 sai_meghanaa sai_meghanaa    0 Oct 12 09:59 hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ sudo chown ec2_user hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ ls -la
total 8
drwxr-xr-x  2 sai_meghanaa sai_meghanaa 4096 Oct 12 09:59 .
drwxr-x--- 16 sai_meghanaa sai_meghanaa 4096 Oct 12 09:58 ..
-rw-r--r--  1 ec2_user     sai_meghanaa    0 Oct 12 09:59 hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ chgrp devops hello.txt
chgrp: changing group of 'hello.txt': Operation not permitted
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ sudo chgrp devops hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ ls -la
total 8
drwxr-xr-x  2 sai_meghanaa sai_meghanaa 4096 Oct 12 09:59 .
drwxr-x--- 16 sai_meghanaa sai_meghanaa 4096 Oct 12 09:58 ..
-rw-r--r--  1 ec2_user     devops          0 Oct 12 09:59 hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ sudo chmod 777 hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ chmod g-x hello.txt
chmod: changing permissions of 'hello.txt': Operation not permitted
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ sudo chmod g-x hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ ls -la
total 8
drwxr-xr-x  2 sai_meghanaa sai_meghanaa 4096 Oct 12 09:59 .
drwxr-x--- 16 sai_meghanaa sai_meghanaa 4096 Oct 12 09:58 ..
-rwxrw-rwx  1 ec2_user     devops          0 Oct 12 09:59 hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ sudo chmod u=rw,g=r,o=r hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ ls -la
total 8
drwxr-xr-x  2 sai_meghanaa sai_meghanaa 4096 Oct 12 09:59 .
drwxr-x--- 16 sai_meghanaa sai_meghanaa 4096 Oct 12 09:58 ..
```

```
drwxr-x--- 16 sai_meghanaa sai_meghanaa 4096 Oct 12 09:58 ..
-rwxrw-rwx  1 ec2_user     devops          0 Oct 12 09:59 hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ sudo chmod u=rw,g=r,o=r hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ ls -la
total 8
drwxr-xr-x  2 sai_meghanaa sai_meghanaa 4096 Oct 12 09:59 .
drwxr-x--- 16 sai_meghanaa sai_meghanaa 4096 Oct 12 09:58 ..
-rw-r--r--  1 ec2_user     devops          0 Oct 12 09:59 hello.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/temp1$ cd ../
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cd
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ echo 'Hello' > sample.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cat sample.txt
Hello
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sudo -u user bash -c "echo 'Hello'> sample"
sudo: unknown user user
sudo: error initializing audit plugin sudoers_audit
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sudo -u ec2_\user bash -c "echo 'Hello'> sample"
bash: line 1: sample: Permission denied
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sudo -u ec2_user bash -c "echo 'Hello'> sample"
bash: line 1: sample: Permission denied
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ls -ld /home/sai_meghanaa
drwxr-x--- 16 sai_meghanaa sai_meghanaa 4096 Oct 12 10:05 /home/sai_meghanaa
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ pwd
/home/sai_meghanaa
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ getent passwd ec2_user
ec2_user:x:1002:1002:ec2_user,,,:/home/ec2_user:/bin/bash
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sudo -u ec2_user bash -c "echo 'Hello' > /home/ec2_user/sample"
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sudo cat /home/ec2_user/sample
Hello
sai_meghanaa@LAPTOP-MA8Q2RTS:~$
```


Permission changes using u, g and o:

```
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ mkdir -p ~/member5_lab
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cd member5_lab
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ touch deployment.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ ls -la deployment.sh
-rw-r--r-- 1 sai_meghanaa sai_meghanaa 0 Oct 12 10:14 deployment.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ sudo chmod 600 deployment.sh
[sudo] password for sai_meghanaa:
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ sudo chmod r+x deplyment.sh
chmod: invalid mode: ‘r+x’
Try 'chmod --help' for more information.
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ sudo chmod u+x deplyment.sh
chmod: cannot access 'deplyment.sh': No such file or directory
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ sudo chmod u+x deployment.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ chmod g+r deployment.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ ls -la
total 8
drwxr-xr-x  2 sai_meghanaa sai_meghanaa 4096 Oct 12 10:14 .
drwxr-x--- 17 sai_meghanaa sai_meghanaa 4096 Oct 12 10:14 ..
-rwxr-----  1 sai_meghanaa sai_meghanaa    0 Oct 12 10:14 deployment.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ chmod o-rwx deployment.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ ls -la
total 8
drwxr-xr-x  2 sai_meghanaa sai_meghanaa 4096 Oct 12 10:14 .
drwxr-x--- 17 sai_meghanaa sai_meghanaa 4096 Oct 12 10:14 ..
-rwxr-----  1 sai_meghanaa sai_meghanaa    0 Oct 12 10:14 deployment.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ chmod u=rwx,g=rw,o=rx deployment.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ ls -l deployment.sh
-rwxrw-r-x 1 sai_meghanaa sai_meghanaa 0 Oct 12 10:14 deployment.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$ stat -c '%a %A %n' deployment.sh
765 -rwxrw-r-x deployment.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~/member5_lab$
```


Convert PuTTY PPK private key to PEM/OpenSSH format:




Create Linux and Windows EC2 instances:



Deploy a static website on Linux and Windows EC2:




Not secure
3.26.217.223/ec2-static-portfolio/
All Bookmark
CloudPortfolio
• LIVE DEMO
MY FIRST CLOUD DEPLOYMENT
Hello, Cloud World!
This static website is deployed on an AWS EC2 Ubuntu instance and served by Apache.
AWS EC2
Virtual server in the cloud
Ubuntu Linux
Operating system
Apache
Web server
Test the application