
Linux Commands:




sai_meghanaa@LAPTOP-MA8


```
environment=production
status=inactive
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cat config.txt
server=localhost
port=8080
environment=production
status=inactive
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sed -i '2d' config.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cat config.txt
server=localhost
environment=production
status=inactive
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sed -n '/port/p' config.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ echo "application.log" | xargs ls -l
-rw-r--r-- 1 sai_meghanaa sai_meghanaa 0 Nov  4 10:21 application.log
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ echo "dev test production" | xargs mkdir
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ls -l
total 204
-rwxr-xr-x 1 sai_meghanaa sai_meghanaa    41 Apr 19  2026 CPU.sh
-rwxr-xr-x 1 sai_meghanaa sai_meghanaa   330 Apr 19  2026 add.sh
lrwxrwxrwx 1 sai_meghanaa sai_meghanaa    15 Nov  4 10:23 app-link -> project/app.txt
-rw-r--r-- 1 sai_meghanaa sai_meghanaa     0 Nov  4 10:21 application.log
-rwxr-xr-x 1 sai_meghanaa sai_meghanaa   369 Apr 19  2026 back_up.sh
drwxr-xr-x 2 sai_meghanaa sai_meghanaa  4096 Apr 20  2026 backup
-rw-r--r-- 1 sai_meghanaa sai_meghanaa    17 Nov  4 10:21 backup.jpg
-rw-r--r-- 1 sai_meghanaa sai_meghanaa    38 Apr 19  2026 backup.log
-rw-r--r-- 1 sai_meghanaa sai_meghanaa 10240 Oct 24 11:35 backup.tar
-rw-r--r-- 1 sai_meghanaa sai_meghanaa   145 Oct 24 11:37 backup.tar.gz
-rw-r--r-- 1 sai_meghanaa sai_meghanaa   180 Oct 24 11:41 backup.zip
-rwxr-xr-x 1 sai_meghanaa sai_meghanaa   703 Apr 20  2026 bulkRenamer.sh
-rw-r--r-- 1 sai_meghanaa sai_meghanaa    68 Apr 20  2026 checkServer
-rwxr-xr-x 1 sai_meghanaa sai_meghanaa   372 Apr 20  2026 checkServer.sh
-rwxr-xr-x 1 sai_meghanaa sai_meghanaa   236 Apr 19  2026 checklogs.sh
-rw-r--r-- 1 sai_meghanaa sai_meghanaa    56 Nov  4 10:35 config.txt
drwxr-xr-x 2 sai_meghanaa sai_meghanaa  4096 Oct  9 10:10 demo
drwxr-xr-x 3 sai_meghanaa sai_meghanaa  4096 Apr 19  2026 dest
drwxr-xr-x 2 sai_meghanaa sai_meghanaa  4096 Nov  4 10:37 dev
-rwxr-xr-x 1 sai_meghanaa sai_meghanaa   261 Apr 20  2026 disk.sh
drwxr-xr-x 2 sai_meghanaa sai_meghanaa  4096 Apr 19  2026 docs
-rw-r--r-- 1 sai_meghanaa sai_meghanaa    67 Nov  4 10:24 employees.csv
-rw-r--r-- 1 sai_meghanaa sai_meghanaa     0 Oct 26 12:08 error.txt
```


```
sai_meghanaa@LAPTOP-MA8
103,Anu,Testing,40000
EOF
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cat employees.csv
101,Meghana,DevOps,50000
102,Ravi,Java,45000
103,Anu,Testing,40000
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cut -d',' -f2 employees.csv
Meghana
Ravi
Anu
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ awk -F',' '{print $2}' employees.csv
Meghana
Ravi
Anu
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ awk -F',' '$4 > 40000 {print $2, $4}' employees.csv
Meghana 50000
Ravi 45000
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cat > config.txt <<EOF
server=localhost
port=8080
environment=development
status=inactive
EOF
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sed 's/localhost/192.168.1.10/' config.txt
server=192.168.1.10
port=8080
environment=development
status=inactive
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cat config.txt
server=localhost
port=8080
environment=development
status=inactive
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sed -i 's/development/production/' config.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cat config.txt
server=localhost
port=8080
environment=production
status=inactive
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sed '2d' config.txt
server=localhost
```


```
sai_meghanaa@LAPTOP-MA8
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ touch application.log
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ stat application.log
  File: application.log
  Size: 0               Blocks: 0          IO Block: 4096   regular empty file
Device: 8,48    Inode: 1978        Links: 1
Access: (0644/-rw-r--r--)  Uid: ( 1000/sai_meghanaa)   Gid: ( 1000/sai_meghanaa)
Access: 2026-11-04 10:21:24.055708915 +0000
Modify: 2026-11-04 10:21:24.055708915 +0000
Change: 2026-11-04 10:21:24.055708915 +0000
 Birth: 2026-11-04 10:21:24.055708915 +0000
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ stat /etc/passwd
  File: /etc/passwd
  Size: 1496            Blocks: 8          IO Block: 4096   regular file
Device: 8,48    Inode: 11414       Links: 1
Access: (0644/-rw-r--r--)  Uid: (    0/    root)   Gid: (    0/    root)
Access: 2026-11-04 10:19:23.622994003 +0000
Modify: 2026-10-12 09:52:35.425755006 +0000
Change: 2026-10-12 09:52:35.429751227 +0000
 Birth: 2026-10-12 09:52:35.425755006 +0000
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ echo "Welcome to Linux" > backup.jpg
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ file backup.jpg
backup.jpg: ASCII text
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ file /bin/ls
/bin/ls: ELF 64-bit LSB pie executable, x86-64, version 1 (SYSV), dynamically linked, interpreter /lib64/ld-linux-x86-64.so.2, BuildID[sha1]=44900829b39271d
878615772bb2a6ffa422f0891, for GNU/Linux 3.2.0, stripped
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ mkdir project
mkdir: cannot create directory ‘project’: File exists
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ mkdir racticwe
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ rmdir racticwe
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ mkdir practise
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ echo "Hello DevOps" > project/app.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ln -s project/app.txt app-link
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ls -l app-link
lrwxrwxrwx 1 sai_meghanaa sai_meghanaa 15 Nov  4 10:23 app-link -> project/app.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ readlink app-link
project/app.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cat > employees.csv <<EOF
101,Meghana,DevOps,50000
102,Ravi,Java,45000
103,Anu,Testing,40000
EOF
```



sai_meghanaa@LAPTOP-MA8
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ touch temp1.txt temp2.txt temp3.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ printf '%s\n' temp1.txt temp2.txt temp3.txt | xargs rm
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ls
CPU.sh backup.log checklogs.sh employees.csv hello numbers project test
add.sh backup.tar config.txt error.txt images others redirect-lab test.log
app-link backup.tar.gz demo file.txt log_part_aa output.log roles.txt test.sh
application.log backup.zip dest file1.txt member5_lab output.txt sample.log test1
back_up.sh bulkRenamer.sh dev file2.txt myfolder passwordGen.sh sample.txt testttt
backup checkServer disk.sh files mylog practise script.sh xaa
backup.jpg checkServer.sh docs files.txt names.txt production temp1
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ watch -n 2 df -h
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ timeout 5s sleep 30
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ timeout 5s sleep 30
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ echo $?
124
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ timeout 10s ping 8.8.8.8
PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data.
64 bytes from 8.8.8.8: icmp_seq=1 ttl=116 time=8.08 ms
64 bytes from 8.8.8.8: icmp_seq=4 ttl=117 time=6.89 ms
64 bytes from 8.8.8.8: icmp_seq=5 ttl=117 time=7.73 ms
64 bytes from 8.8.8.8: icmp_seq=6 ttl=117 time=6.86 ms
64 bytes from 8.8.8.8: icmp_seq=7 ttl=117 time=10.1 ms
64 bytes from 8.8.8.8: icmp_seq=8 ttl=117 time=8.83 ms
64 bytes from 8.8.8.8: icmp_seq=9 ttl=117 time=7.74 ms
64 bytes from 8.8.8.8: icmp_seq=10 ttl=117 time=8.38 ms
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ which fuser
/usr/bin/fuser
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sudo fuser -v -n tcp 8080
[sudo] password for sai_meghanaa:
sai_meghanaa@LAPTOP-MA8Q2RTS:~$
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Markup and share


Power BI:


Untitled - Power BI Desktop
Search
Sign in
Home
Open
Sign in
Options and settings
About
Select a data source or start with a blank report
Blank report
OneLake catalog
Excel workbook
SQL Server
Learn with sample data
Get data from other sources
Recommended
Getting started
Intro—What is Power BI?
Recent
Shared with me
Filter by keyword
Filter


Untitled - Power BI Desktop
Live Edit semantic models in Direct Lake mode
Get Data
All
File
Database
Microsoft Fabric
Power Platform
Azure
Online Services
Other
Excel Workbook
Text/CSV
Import data from a text or CSV file.
Folder
PDF
Parquet
SharePoint folder
SQL Server database
Access database
SQL Server Analysis Services database
Oracle database
IBM Db2 database
IBM Informix database (Beta)
IBM Netezza
MySQL database
Certified Connectors
Template Apps
Connect
Cancel
Visualizations
Build visual
Values
Add data fields here
Drill through
Cross-report
Keep all filters
Add drill-through fields here
Page 1
Page 1 of 1
29°C
Mostly clear
Search
6:25 PM
11/4/2026



Untitled - Power BI Desktop
Live Edit semantic models in Direct Lake mode
customers_dirty.csv
File Origin
1252: Western European (Windows)
Delimiter
Comma
Data Type Detection
Based on first 200 rows
Column1 Column2 Column3 Column4 Column5
CUSTOMER_ID CUSTOMER_NAME CITY CUSTOMER_TYPE EMAIL
C001 Asha Reddy Chennai Retail asha@example.com
C002 Ravi Kumar Bengaluru Wholesale ravi@example.com
C003 Priya Sharma Hyderabad Retail priya@example.com
C004 Arjun Mehta Mumbai Wholesale arjun@example.com
C005 Neha Rao Chennai Retail neha@example.com
C006 Kiran Das Hyderabad Corporate kiran@example.com
C007 Pune Retail blankname@example.com
C008 Divya Nair Wholesale divya@example.com
C009 Manoj Singh Retail manoj@example.com
C010 Sana Khan Delhi sana@example.com
C011 Vikram Joshi Chennai Corporate
C012 Meera Iyer Hyderabad Retail meera@example.com
Extract Table Using Examples
Load
Transform Data
Cancel
Visualizations
Build visual
Values
Add data fields here
Drill through
Cross-report
Keep all filters
Add drill-through fields here
Page 1
Page 1 of 1
29°C
Partly cloudy
Search
6:26 PM
11/4/2026





	A	B	C	D	E	F	G	H	I	J
1	CUSTOME	CUSTOME	CITY	CUSTOME	EMAIL					
2	C001	Asha Redd	Chennai	Retail	asha@example.com					
3	C002	Ravi Kuma	Bengaluru	Wholesale	ravi@example.com					
4	C003	Priya Shar	Hyderabac	Retail	priya@example.com					
5	C004	Arjun Meh	Mumbai	Wholesale	arjun@example.com					
6	C005	Neha Rao	Chennai	Retail	neha@example.com					
7	C006	Kiran Das	Hyderabac	Corporate	kiran@example.com					
8	C007		Pune	Retail	blankname@example.com					
9	C008	Divya Nair		Wholesale	divya@example.com					
10	C009	Manoj Singh		Retail	manoj@example.com					
11	C010	Sana Khan	Delhi		sana@example.com					
12	C011	Vikram Jos	Chennai	Corporate						
13	C012	Meera Iye	Hyderaba	Retail	meera@example.com					
14										
15										
16										
17										
18										
19										
20										
21										
22										
23										
24										


customers_dirty




A1 ORDER_ID


	A	B	C	D	E	F	G	H	I	J	K	L
1	ORDER_ID	CUSTOME	ORDER_DA	PRODUCT	QUANTITY	UNIT_PRI(	LOCATION					
2	2001	C001	########	Laptop	1	55000	Chennai					
3	2002	C002	########	Mouse	2	500	Bengaluru					
4	2003	C001	########	Keyboard	1	1500	Chennai					
5	2004	C003	########	Monitor	2	12000	Hyderabad					
6	2005	C004	########	Laptop	1	55000	Mumbai					
7	2006	C005	########	Mouse	3	500	Chennai					
8	2007	C002	########	Laptop	1	55000	Bengaluru					
9	2008	C006	########	Keyboard	2	1500	Hyderabad					
10	2009	C003	########	Mouse	1	500	Hyderabad					
11	2010	C004	########	Monitor	1	12000	Mumbai					
12	2011	C007	########	Mouse	2	500	Pune					
13	2012	C008	########	Laptop	1	55000	Bengaluru					
14	2013	C009	########	Keyboard	1	1500	Chennai					
15	2014	C010	########	Monitor	1	12000	Delhi					
16	2015	C011	########	Mouse	4	500	Chennai					
17	2016	C012	########	Laptop	1	55000	Hyderabad					
18	2017	C001	########	Mouse		500	Chennai					
19	2018	C002	########	Monitor	1		Bengaluru					
20	2019	C003	########		2	500	Hyderabad					
21	2020	C004	NULL	Keyboard	1	1500	Mumbai					
22	2021	C005	########	Laptop	1	55000						
23	2022	C006	########	Mouse	2	500						
24	2023	C007	########	Mouse	2	500	Pune					
25	2023	C007	########	Mouse	2	500	Pune					

orders_dirty







	ORDER_ID	CUSTOMER_ID	ORDER_DATE	PRODUCT	QUANTITY	UNIT_PRICE	LOCATION
1	2001	C001	2026-10-01	Laptop	1	55000	Chennai
2	2002	C002	2026-10-02	Mouse	2	500	Bengaluru
3	2003	C001	2026-10-03	Keyboard	1	1500	Chennai
4	2004	C003	2026-10-04	Monitor	2	12000	Hyderabad
5	2005	C004	2026-10-05	Laptop	1	55000	Mumbai
6	2006	C005	2026-10-06	Mouse	3	500	Chennai
7	2007	C002	2026-10-07	Laptop	1	55000	Bengaluru
8	2008	C006	2026-10-08	Keyboard	2	1500	Hyderabad
9	2009	C003	2026-10-09	Mouse	1	500	Hyderabad
10	2010	C004	2026-10-10	Monitor	1	12000	Mumbai
11	2011	C007	2026-10-11	Mouse	2	500	Pune
12	2012	C008	2026-10-12	Laptop	1	55000	Bengaluru
13	2013	C009	2026-10-13	Keyboard	1	1500	Chennai
14	2014	C010	2026-10-14	Monitor	1	12000	Delhi
15	2015	C011	2026-10-15	Mouse	4	500	Chennai
16	2016	C012	2026-10-16	Laptop	1	55000	Hyderabad
17	2017	C001	2026-10-17	Mouse	null	500	Chennai
18	2018	C002	2026-10-18	Monitor	1	null	Bengaluru
19	2019	C003	2026-10-19		2	500	Hyderabad
20	2020	C004	NULL	Keyboard	1	1500	Mumbai
21	2021	C005	2026-10-21	Laptop	1	55000	
22	2022	C006	2026-10-22	Mouse	2	500	
23	2023	C007	2026-10-23	Mouse	2	500	Pune
24	2023	C007	2026-10-23	Mouse	2	500	Pune
25	2024	C999	2026-10-24	Laptop	1	55000	Chennai





	ORDER_ID	CUSTOMER_ID	ORDER_DATE	PRODUCT	QUANTITY	UNIT_PRICE	LOCATION
1	2001	C001	2026-10-01	Laptop	1	55000	Chennai
2	2002	C002	2026-10-02	Mouse	2	500	Bengaluru
3	2003	C001	2026-10-03	Keyboard	1	1500	Chennai
4	2004	C003	2026-10-04	Monitor	2	12000	Hyderabad
5	2005	C004	2026-10-05	Laptop	1	55000	Mumbai
6	2006	C005	2026-10-06	Mouse	3	500	Chennai
7	2007	C002	2026-10-07	Laptop	1	55000	Bengaluru
8	2008	C006	2026-10-08	Keyboard	2	1500	Hyderabad
9	2009	C003	2026-10-09	Mouse	1	500	Hyderabad
10	2010	C004	2026-10-10	Monitor	1	12000	Mumbai
11	2011	C007	2026-10-11	Mouse	2	500	Pune
12	2012	C008	2026-10-12	Laptop	1	55000	Bengaluru
13	2013	C009	2026-10-13	Keyboard	1	1500	Chennai
14	2014	C010	2026-10-14	Monitor	1	12000	Delhi
15	2015	C011	2026-10-15	Mouse	4	500	Chennai
16	2016	C012	2026-10-16	Laptop	1	55000	Hyderabad
17	2017	C001	2026-10-17	Mouse	null	500	Chennai
18	2018	C002	2026-10-18	Monitor	1	null	Bengaluru
19	2019	C003	2026-10-19		2	500	Hyderabad
20	2020	C004	NULL	Keyboard	1	1500	Mumbai
21	2021	C005	2026-10-21	Laptop	1	55000	
22	2022	C006	2026-10-22	Mouse	2	500	
23	2023	C007	2026-10-23	Mouse	2	500	Pune
24	2023	C007	2026-10-23	Mouse	2	500	Pune
25	2024	C999	2026-10-24	Laptop	1	55000	Chennai





	ORDER_ID	CUSTOMER_ID	ORDER_DATE	PRODUCT	QUANTITY	UNIT_PRICE	LOCATION
1	2001	C001	2026-10-01	Laptop	1	55000	Chennai
2	2002	C002	2026-10-02	Mouse	2	500	Bengaluru
3	2003	C001	2026-10-03	Keyboard	1	1500	Chennai
4	2004	C003	2026-10-04	Monitor	2	12000	Hyderabad
5	2005	C004	2026-10-05	Laptop	1	55000	Mumbai
6	2006	C005	2026-10-06	Mouse	3	500	Chennai
7	2007	C002	2026-10-07	Laptop	1	55000	Bengaluru
8	2008	C006	2026-10-08	Keyboard	2	1500	Hyderabad
9	2009	C003	2026-10-09	Mouse	1	500	Hyderabad
10	2010	C004	2026-10-10	Monitor	1	12000	Mumbai
11	2011	C007	2026-10-11	Mouse	2	500	Pune
12	2012	C008	2026-10-12	Laptop	1	55000	Bengaluru
13	2013	C009	2026-10-13	Keyboard	1	1500	Chennai
14	2014	C010	2026-10-14	Monitor	1	12000	Delhi
15	2015	C011	2026-10-15	Mouse	4	500	Chennai
16	2016	C012	2026-10-16	Laptop	1	55000	Hyderabad
17	2017	C001	2026-10-17	Mouse	null	500	Chennai
18	2018	C002	2026-10-18	Monitor	1	null	Bengaluru
19	2019	C003	2026-10-19		2	500	Hyderabad
20	2020	C004	NULL	Keyboard	1	1500	Mumbai
21	2021	C005	2026-10-21	Laptop	1	55000	
22	2022	C006	2026-10-22	Mouse	2	500	
23	2023	C007	2026-10-23	Mouse	2	500	Pune
24	2023	C007	2026-10-23	Mouse	2	500	Pune
25	2024	C999	2026-10-24	Laptop	1	55000	Chennai



Untitled - Power Query Editor
File
Home
Transform
Add Column
View
Tools
Help
Format
lowercase
UPPERCASE
Capitalize Each Word
Trim
Clean
Add Prefix
Add Suffix
Queries [2]
customers_dirty
orders_dirty
= Table.TransformColumns(#"Changed Type",{ type text}})
CUSTOMER_ID
ORDER_DATE
QUANTITY
UNIT_PRICE
LOCATION
Query Settings
PROPERTIES
Name
orders_dirty
All Properties
APPLIED STEPS
Source
Promoted Headers
Changed Type
Uppercased Text
7 COLUMNS, 25 ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED AT 6:34 PM
29°C
Partly cloudy
Search
6:34 PM
11/4/2026



Untitled - Power Query Editor
Custom Column
Add a column that is computed from the other columns.
New column name
Revenue
Custom column formula
= [UNIT_PRICE]*[QUANTITY]
Available columns
ORDER_ID
CUSTOMER_ID
ORDER_DATE
PRODUCT
QUANTITY
UNIT_PRICE
LOCATION
<< Insert
Learn about Power Query formulas
No syntax errors have been detected.
OK
Cancel
= Table.TransformColumns(#"Changed Type",{{"LOCATION", Text.Upper, type text}})
7 COLUMNS, 25 ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED AT 6:34 PM
29°C
Partly cloudy
Search
6:35 PM
11/4/2026



Untitled - Power Query Editor
File
Home
Transform
Add Column
View
Tools
Help
Queries [2]
customers_dirty
orders_dirty
= Table.AddColumn(#"Uppercased Text", "Revenue", each [UNIT_PRICE]*[QUANTITY])
R_ID
ORDER_DATE
PRODUCT
QUANTITY
UNIT_PRICE
LOCATION
Revenue
1 2026-10-01 Laptop 1 55000 CHENNAI 55000
2 2026-10-02 Mouse 2 500 BENGALURU 1000
3 2026-10-03 Keyboard 1 1500 CHENNAI 1500
4 2026-10-04 Monitor 2 12000 HYDERABAD 24000
5 2026-10-05 Laptop 1 55000 MUMBAI 55000
6 2026-10-06 Mouse 3 500 CHENNAI 1500
7 2026-10-07 Laptop 1 55000 BENGALURU 55000
8 2026-10-08 Keyboard 2 1500 HYDERABAD 3000
9 2026-10-09 Mouse 1 500 HYDERABAD 500
10 2026-10-10 Monitor 1 12000 MUMBAI 12000
11 2026-10-11 Mouse 2 500 PUNE 1000
12 2026-10-12 Laptop 1 55000 BENGALURU 55000
13 2026-10-13 Keyboard 1 1500 CHENNAI 1500
14 2026-10-14 Monitor 1 12000 DELHI 12000
15 2026-10-15 Mouse 4 500 CHENNAI 2000
16 2026-10-16 Laptop 1 55000 HYDERABAD 55000
17 2026-10-17 Mouse null 500 CHENNAI null
18 2026-10-18 Monitor 1 null BENGALURU null
19 2026-10-19 2 500 HYDERABAD 1000
20 NULL Keyboard 1 1500 MUMBAI 1500
21 2026-10-21 Laptop 1 55000 55000
22 2026-10-22 Mouse 2 500 1000
23 2026-10-23 Mouse 2 500 PUNE 1000
24 2026-10-23 Mouse 2 500 PUNE 1000
25 2026-10-24 Laptop 1 55000 CHENNAI 55000
Query Settings
PROPERTIES
Name
orders_dirty
All Properties
APPLIED STEPS
Source
Promoted Headers
Changed Type
Uppercased Text
Added Custom
8 COLUMNS, 25 ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED AT 6:35 PM
29°C
Partly cloudy
Search
6:36 PM
11/4/2026


Untitled - Power BI Desktop
Live Edit semantic models in Direct Lake mode
Select a semantic model in Direct Lake mode and begin editing it using Power BI Desktop.
There are pending changes in your queries that haven't been applied.
Apply changes
Discard changes
Load
customers_dirty
Waiting for other queries...
orders_dirty
Waiting for other queries...
Cancel
Visualizations
Build visual
Data
Search
Values
Add data fields here
Drill through
Cross-report
Keep all filters
Add drill-through fields here
Page 1
Page 1 of 1
29°C
Partly cloudy
Search
6:36 PM
11/4/2026


Untitled - Power BI Desktop
New relationship
Select tables and columns that are related.
From table
customers_dirty
Column1 Column2 Column3 Column4 Column5
CUSTOMER_ID CUSTOMER_... CITY CUSTOMER_T... EMAIL
C001 Asha Reddy Chennai Retail asha@exampl...
C002 Ravi Kumar Bengaluru Wholesale ravi@exampl...
To table
orders_dirty
CUSTOMER_ID LOCATION ORDER_DATE ORDER_ID PRODUCT QUANTITY Revenue
C001 CHENNAI 2026-10-01 2001 Laptop 1 55000
C002 BENGALURU 2026-10-02 2002 Mouse 2 1000
C001 CHENNAI 2026-10-03 2003 Keyboard 1 1500
Cardinality
One to many (1:*)
Cross-filter direction
Single
Make this relationship active
Apply security filter in both directions
Assume referential integrity
Save
Cancel
Can't determine relationships between the fields See details
Fix this
Visualizations
Data
Page 1


Untitled - Power BI Desktop
Live Edit semantic models in Direct Lake mode
Select a semantic model in Direct Lake mode and begin editing it using Power BI Desktop.
Column2 ORDER_DATE Revenue
2026-10-24 55000
2026-10-11 1000
2026-10-23 1000
Arjun Mehta 2026-10-05 55000
Arjun Mehta 2026-10-10 12000
Arjun Mehta NULL 1500
Asha Reddy 2026-10-01 55000
Asha Reddy 2026-10-03 1500
Asha Reddy 2026-10-17
Divya Nair 2026-10-12 55000
Kiran Das 2026-10-08 3000
Filters
Visualizations
Data
Page 1


Untitled - Power BI Desktop
Search
Sign in
File
Home
Insert
Modeling
Design
View
Optimize
Help
Format
Data / Drill
Share
Sum of UNIT_PRICE
by Revenue
0.4M
0.3M
0.2M
0.1M
0.0M
55000
12000
24000
1500
1000
3000
(Blank)
2000
500
Filters
Filters on this visual
Revenue
is (All)
Sum of UNIT_PRICE
is (All)
Add data fields here
Filters on this page
Filters on all pages
Visualizations
Build visual
X-axis
Revenue
Y-axis
Sum of UNIT_PRICE
Legend
Small multiples
Tooltips
Data
customers_dirty
Column1
Column2
Column3
Column4
Column5
orders_dirty
CUSTOMER_ID
LOCATION
ORDER_DATE
ORDER_ID
PRODUCT
QUANTITY
Revenue
UNIT_PRICE
Page 1
Page 1 of 1
120%
29°C
Partly cloudy
6:40 PM
11/4/2026


Untitled - Power BI Desktop
Search
Sign in
File
Home
Insert
Modeling
Design
View
Optimize
Help
Format
Data / Drill
Share
Sum of QUANTITY
by PRODUCT
Mouse
Laptop
Keyboard
Monitor
0%
50%
100%
Filters
Filters on this visual
PRODUCT
is (All)
Sum of QUANTITY
is (All)
Add data fields here
Filters on this page
Filters on all pages
Visualizations
Build visual
Y-axis
PRODUCT
X-axis
Sum of QUANTITY
Legend
Small multiples
Tooltips
Data
customers_dirty
Column1
Column2
Column3
Column4
Column5
orders_dirty
CUSTOMER_ID
LOCATION
ORDER_DATE
ORDER_ID
PRODUCT
QUANTITY
Revenue
UNIT_PRICE
Page 1
Page 1 of 1
120%
29°C
Partly cloudy
6:41 PM
11/4/2026