


Linux 10 commands:




```
sai_meghanaa@LAPTOP-MA8
Use the ``-h'' option to get more help information.
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ lsof -i:8080
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ vmstat
procs -----------memory---------- ---swap-- -----io---- -system-- -------cpu-------
 r  b   swpd   free   buff  cache   si   so    bi    bo   in   cs us sy id wa st gu
 0  0      0 7295560   1712 146000    0    0   411    39  132    0  0  0 100  0  0  0
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ls /proc
1     247  466        config.gz      execdomains  kcore          locks        partitions  sys           vmstat
169   253  6          consoles       fb           key-users      meminfo      pressure    sysrq-trigger  zoneinfo
173   378  655        cpuinfo        filesystems  keys           misc         schedstat   sysvipc
179   380  92         crypto         fs           kmsg           modules      scsi        thread-self
182   382  acpi       devices        interrupts   kpagecgroup    mounts       self        timer_list
199   388  buddyinfo  diskstats      iomem        kpagecount     mpt          slabinfo    tty
2     42   bus        dma            ioports      kpageflags     mtrr         softirqs    uptime
229   441  cgroups    driver         irq          latency_stats  net          stat        version
242   442  cmdline    dynamic_debug  kallsyms     loadavg        pagetypeinfo  swaps      vmallocinfo
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet 10.255.255.254/32 brd 10.255.255.254 scope global lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP group default qlen 1000
    link/ether 00:15:5d:78:3d:cf brd ff:ff:ff:ff:ff:ff
    inet 172.21.239.148/20 brd 172.21.239.255 scope global eth0
       valid_lft forever preferred_lft forever
    inet6 fe80::215:5dff:fe78:3dcf/64 scope link
       valid_lft forever preferred_lft forever
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ip
Usage: ip [ OPTIONS ] OBJECT { COMMAND | help }
       ip [ -force ] -batch filename
where  OBJECT := { address | addrlabel | amt | fou | help | ila | ioam | l2tp |
                   link | macsec | maddress | monitor | mptcp | mroute | mrule |
                   neighbor | neighbour | netconf | netns | nexthop | ntable |
                   ntbl | route | rule | sr | tap | tcpmetrics |
                   token | tunnel | tuntap | vrf | xfrm }
       OPTIONS := { -V[ersion] | -s[tatistics] | -d[etails] | -r[esolve] |
                    -h[uman-readable] | -iec | -j[son] | -p[retty] |
```




```
sai_meghanaa@LAPTOP-MA8
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ uname
Linux
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ uname -a
Linux LAPTOP-MA8Q2RTS 6.6.87.2-microsoft-standard-WSL2 #1 SMP PREEMPT_DYNAMIC Thu Jun  5 18:30:46 UTC 2025 x86_64 x86_64 x86_64 GNU/Linux
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ hostname
LAPTOP-MA8Q2RTS
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ cd
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ du files
8       files
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ lsof
COMMAND    PID TID TASKCMD               USER   FD      TYPE DEVICE SIZE/OFF  NODE NAME
systemd      1                          root  cwd   unknown                       /proc/1/cwd (readlink: Permission denied)
systemd      1                          root  rtd   unknown                       /proc/1/root (readlink: Permission denied)
systemd      1                          root  txt   unknown                       /proc/1/exe (readlink: Permission denied)
systemd      1                          root NOFD                                 /proc/1/fd (opendir: Permission denied)
init         6                          root  cwd   unknown                       /proc/6/cwd (readlink: Permission denied)
init         6                          root  rtd   unknown                       /proc/6/root (readlink: Permission denied)
init         6                          root  txt   unknown                       /proc/6/exe (readlink: Permission denied)
init         6                          root NOFD                                 /proc/6/fd (opendir: Permission denied)
init         6   7 init                 root  cwd   unknown                       /proc/6/task/7/cwd (readlink: Permission denied)
init         6   7 init                 root  rtd   unknown                       /proc/6/task/7/root (readlink: Permission denied)
init         6   7 init                 root  txt   unknown                       /proc/6/task/7/exe (readlink: Permission denied)
init         6   7 init                 root NOFD                                 /proc/6/task/7/fd (opendir: Permission denied)
systemd-j  42                           root  cwd   unknown                       /proc/42/cwd (readlink: Permission denied)
systemd-j  42                           root  rtd   unknown                       /proc/42/root (readlink: Permission denied)
systemd-j  42                           root  txt   unknown                       /proc/42/exe (readlink: Permission denied)
systemd-j  42                           root NOFD                                 /proc/42/fd (opendir: Permission denied)
systemd-u  92                           root  cwd   unknown                       /proc/92/cwd (readlink: Permission denied)
systemd-u  92                           root  rtd   unknown                       /proc/92/root (readlink: Permission denied)
systemd-u  92                           root  txt   unknown                       /proc/92/exe (readlink: Permission denied)
systemd-u  92                           root NOFD                                 /proc/92/fd (opendir: Permission denied)
systemd-r 169                systemd-resolve  cwd   unknown                       /proc/169/cwd (readlink: Permission denied)
systemd-r 169                systemd-resolve  rtd   unknown                       /proc/169/root (readlink: Permission denied)
systemd-r 169                systemd-resolve  txt   unknown                       /proc/169/exe (readlink: Permission denied)
systemd-r 169                systemd-resolve NOFD                                /proc/169/fd (opendir: Permission denied)
systemd-t 173               systemd-timesync  cwd   unknown                       /proc/173/cwd (readlink: Permission denied)
systemd-t 173               systemd-timesync  rtd   unknown                       /proc/173/root (readlink: Permission denied)
systemd-t 173               systemd-timesync  txt   unknown                       /proc/173/exe (readlink: Permission denied)
systemd-t 173               systemd-timesync NOFD                                 /proc/173/fd (opendir: Permission denied)
systemd-t 173 177 sd-resolv systemd-timesync  cwd   unknown                       /proc/173/task/177/cwd (readlink: Permission denied)
systemd-t 173 177 sd-resolv systemd-timesync  rtd   unknown                       /proc/173/task/177/root (readlink: Permission denied)
```



sai_meghanaa@LAPTOP-MA8
423 find project
424 uptime
425 free -h
426 watch df -h
427 history
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ mkdir files
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cd files
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ touch a.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ touch b.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ ls
a.txt b.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ cd
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cat files | xargs rm
cat: files: Is a directory
rm: missing operand
Try 'rm --help' for more information.
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ rm -rf a.txt b.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ls
CPU.sh backup.log checklogs.sh docs images output.log sample.txt test1
add.sh bulkRenamer.sh demo file.txt member5_lab passwordGen.sh script.sh testttt
back_up.sh checkServer dest files myfolder project temp1
backup checkServer.sh disk.sh hello others sample.log test.sh
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ cd files
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ ls
a.txt b.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ rm -rf a.txt b.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ ls
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ cat ? file.txt
cat: '?': No such file or directory
cat: file.txt: No such file or directory
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ cat > a.txt
Hello ,
This
is Linux Machinesai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ cat a.txt
Hello ,
This
is Linux Machinesai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ ^C
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$
sai_meghanaa@LAPTOP-MA8Q2RTS:~/files$ stat a.txt
File: a.txt
Size: 30 Blocks: 8 IO Block: 4096 regular file



sai_meghanaa@LAPTOP-MA8
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ uptime
06:54:07 up 1 min, 1 user, load average: 0.17, 0.08, 0.03
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ free -h
total used free shared buff/cache available
Mem: 7.5Gi 523Mi 6.7Gi 3.5Mi 455Mi 6.9Gi
Swap: 2.0Gi 0B 2.0Gi
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ watch df -h
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ history
1 wsl.exe --list --online
2 ls
3 cd ~
4 ls
5 ls -a
6 ls -l
7 ls -la
8 wsl.exe --list --verbose
9 ls -la
10 touch test.sh
11 vi test.sh
12 ./test.sh
13 chmod +x test.sh
14 ls -l
15 ./test.sh
16 vi test.sh
17 ./test.sh
18 *
19 vi cleanup
20 ./cleanup.sh
21 ls -l
22 rm cleanup
23 ls -l
24 vi cleanup.sh
25 ls -l
26 vi cleanup.sh
27 ls -l
28 vi clean.sh
29 ./clean.sh
30 chmod +x clean.sh
31 ./clean.sh
32 ./test.sh
33 vi test.sh


```
sai_meghanaa@LAPTOP-MA8
182  382  acpi        devices        interrupts   kpagecgroup    mounts        self        timer_list
199  388  buddyinfo   diskstats      iomem        kpagecount     mpt           slabinfo    tty
2    42   bus         dma            ioports      kpageflags     mtrr          softirqs    uptime
229  441  cgroups     driver         irq          latency_stats  net           stat        version
242  442  cmdline     dynamic_debug  kallsyms     loadavg        pagetypeinfo  swaps       vmallocinfo
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet 10.255.255.254/32 brd 10.255.255.254 scope global lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP group default qlen 1000
    link/ether 00:15:5d:78:3d:cf brd ff:ff:ff:ff:ff:ff
    inet 172.21.239.148/20 brd 172.21.239.255 scope global eth0
       valid_lft forever preferred_lft forever
    inet6 fe80::215:5dff:fe78:3dcf/64 scope link
       valid_lft forever preferred_lft forever
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ip
Usage: ip [ OPTIONS ] OBJECT { COMMAND | help }
       ip [ -force ] -batch filename
where  OBJECT := { address | addrlabel | amt | fou | help | ila | ioam | l2tp |
                   link | macsec | maddress | monitor | mptcp | mroute | mrule |
                   neighbor | neighbour | netconf | netns | nexthop | ntable |
                   ntbl | route | rule | sr | tap | tcpmetrics |
                   token | tunnel | tuntap | vrf | xfrm }
       OPTIONS := { -V[ersion] | -s[tatistics] | -d[etails] | -r[esolve] |
                    -h[uman-readable] | -iec | -j[son] | -p[retty] |
                    -f[amily] { inet | inet6 | mpls | bridge | link } |
                    -4 | -6 | -M | -B | -0 |
                    -l[oops] { maximum-addr-flush-attempts } | -br[ief] |
                    -o[neline] | -t[imestamp] | -ts[hort] | -b[atch] [filename] |
                    -rc[vbuf] [size] | -n[etns] name | -N[umeric] | -a[ll] |
                    -c[olor]}
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ip google.com
Object "google.com" is unknown, try "ip help".
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ^C
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ ss -tulnp | grep 8080
sai_meghanaa@LAPTOP-MA8Q2RTS:~$
```

Implement S3 Bucket Logging and Monitoring Using AWS CloudTrail:






S3
Ask Amazon Q
Asia Pacific (Sydney)
Just Ship It (864886597730)
AccountFullAccessRole/94586438-50a1-7023-02f4-...
CloudTrail > Event history > PutBucketVersioning
CloudTrail
Dashboard
Data event coverage
New
Event history
Insights
Trails
Lake
Dashboards
Query
Event data stores
Integrations
Settings
Pricing
Documentation
PutBucketVersioning Info
Details Info
Event time
October 15, 2026, 13:03:22 (UTC+05:30)
User name
94586438-50a1-7023-02f4-3ceead3d35c0
Event name
PutBucketVersioning
Event source
s3.amazonaws.com
AWS access key
ASIA4SX2CFBRO3WETCJB
Source IP address
14.99.219.164
Event ID
8482ef11-4de6-4d5e-a886-4cc8267ab830
Request ID
P1GJKXYG5ZBMVVF1
AWS region
ap-southeast-2
Error code
-
Read-only
false
Resources referenced (1) Info
Resources referenced describes the name or ID of resources that were read or changed by an event
Resource type
Resource name
AWS Config resource timeline
AWS::S3::Bucket
megha-access-monitor-bucket
Enable AWS Config resource recording
Event record copied
Event record Info
Copy


Search
[Alt+S]
Asia Pacific (Sydney)
Just Ship It (864886597730)
AccountFullAccessRole/94586438-50a1-7023-02f4-...
Amazon S3 > Buckets > my-cloudtrail-audit-logs-2026 > AWSLogs/ > 864886597730/ > CloudTrail/ > ap-southeast-2/ > 2026/ > 10/ > 15/
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Storage Lens
Batch Operations
15/
Copy S3 URI
Objects
Properties
Objects (3)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
864886597730_CloudTrail_ap-southeast-2_20261015T0735Z_oxnDTB1BONZFbJLw.json.gz
gz
October 15, 2026, 13:02:16 (UTC+05:30)
2.5 KB
Standard
864886597730_CloudTrail_ap-southeast-2_20261015T0740Z_NrHezVaDAccWezpX.json.gz
gz
October 15, 2026, 13:07:18 (UTC+05:30)
9.1 KB
Standard
October 15, 2026, 13:12:40


Amazon S3 > Buckets
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Buckets
General purpose buckets
All AWS Regions
Directory buckets
General purpose buckets (2) Info
Copy ARN
Empty
Delete
Create bucket
Buckets are containers for data stored in S3.
Find buckets by name
Name
AWS Region
Creation date
megha-access-monitor-bucket
Asia Pacific (Sydney) ap-southeast-2
October 15, 2026, 12:48:59 (UTC+05:30)
my-cloudtrail-audit-logs-2026
Asia Pacific (Sydney) ap-southeast-2
October 15, 2026, 12:54:29 (UTC+05:30)

Implement EC2 Monitoring and Automated Alerting Using CloudWatch, SNS, SQS, and Email:




Search
[Alt+S]
Asia Pacific (Sydney)
Just Ship It (864886597730)
AccountFullAccessRole/94586438-50a1-7023-02f4-...
CloudWatch > Alarms
CloudWatch
Favorites and recents
Ingestion
Dashboards
Alarms 1 0 0
AI Operations
GenAI Observability
Application Signals (APM)
Infrastructure Monitoring
Logs
Log Management New
Log Analytics New
Log Anomalies
Some subscriptions are pending confirmation
Amazon SNS doesn't send messages to an endpoint until the subscription is confirmed
View SNS Subscriptions
Alarms
Mute rules
Alarms (1)
Clear selection
Create composite alarm
Actions
Create alarm
Filter alarms
Quick filters
Name
State
Actions
Actions muted
Last state update (UTC)
Condition
ec2-cpu-alarm
In alarm
Actions enabled
-
2026-10-15 08:12:53
CPUUtiliza
minutes

Search
[Alt+S]
Asia Pacific (Sydney)
Just Ship It (864886597730)
AccountFullAccessRole/94586438-50a1-7023-02f4-...
CloudWatch > Metrics
CloudWatch
Favorites and recents
AI Operations
GenAI Observability
Application Signals (APM)
Infrastructure Monitoring
Logs New
Metrics
Query Studio
Classic metrics
Explorer
Streams
Network Monitoring
Metrics Info
CPUUtilization
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Actions
Investigate
Line
No data available.
Try adjusting the dashboard time range.
05:00 05:15 05:30 05:45 06:00 06:15 06:30 06:45 07:00 07:15 07:30 07:45
CPUUtilization
Browse (16)
Multi source query
Graphed metrics (1)
Options
Source
Add math
Add query
Add dynamic label
Info
Statistic: Average
Period: 5 minutes
Clear graph
Label
Details
Statistic
Period
Y axis
Actions
CPUUtilization
EC2 • CPUUtilization • InstanceId: i-0f6d5
Average
5 minu...