
Linux 10 commands:



```
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ nl file.txtx
nl: file.txtx: No such file or directory
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ nl file.txt
     1  This is file
     2  sfdcdjf
     3  sdfnvsdf
     4  vsfbvsf
     5  vsf
     6  vgv sfrrv
     7   s'fv s
     8  'svdfv
     9  sfv
    10  sfvs
    11  fv s
    12  dfvsfdvs
    13  f
    14  vsrf
    15  vsfv



    16  vsrfv
    17  srf
    18  v



    19  vsfdgvt sr
    20  gvf srfv sgvsfd




    21  s
    22  gv
    23  sgv sfvsfvrvrstgb
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ wc file.txt
 32  32 175 file.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ wc -l file.txt
32 file.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ wc -w file.txt
```



```
sfv
sfvs
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ tail -f file.txtx
tail: cannot open 'file.txtx' for reading: No such file or directory
tail: no files remaining
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ tail -f file.txt

vsfdgvt sr
gvf srfv sgvsfd




s
gv
sgv sfvsfvrvrstgb
hj
jhvbs
dfhvhdf
hvdbfh
^C
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ nano file.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ tail -n 50 app.log | grep "File"
tail: cannot open 'app.log' for reading: No such file or directory
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ tail -n 50 file.txt | grep "File"
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ tail file.txt | grep "File"
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ head file.txt | grep "File"
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ head file.txt | grep "file"
This is file
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ tail -f file.txt > output.log
hello
^C
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ tac output.log
sgv sfvsfvrvrstgb
gv
s



gvf srfv sgvsfd
```

```
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ tree project
project
└── src
    └── main

3 directories, 0 files
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ touch file.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ vi file.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ tac file.txt
This is file
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ less file.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ more file.txt
This is file
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ nano file.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ nano file.txt
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ tac file.txt
sgv sfvsfvrvrstgb
gv
s




gvf srfv sgvsfd
vsfdgvt sr



v
srf
vsrfv


vsfv
vsrf
f
dfvsfdvs
fv s
sfvs
sfv
'svdfv
```

```
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.6.87.2-microsoft-standard-WSL2 x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro


 System information as of Wed Oct 14 09:31:47 UTC 2026

  System load:  0.48               Processes:             74
  Usage of /:   0.2% of 1006.85GB  Users logged in:       0
  Memory usage: 5%                 IPv4 address for eth0: 172.21.239.148
  Swap usage:   0%


 * Canonical Workshop gives developers fast, composable, reproducible, and
   secure developer environments that are perfect for agentic workflows.


   https://ubuntu.com/workshop


This message is shown once a day. To disable it please create the
/home/sai_meghanaa/.hushlogin file.
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ mkdir -p project/src/main
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ tree project
Command 'tree' not found, but can be installed with:
sudo snap install tree  # version 2.1.3+pkg-5852, or
sudo apt  install tree  # version 2.1.1-2ubuntu3.24.04.2
See 'snap info tree' for additional versions.
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sudo apt install treee
[sudo] password for sai_meghanaa:
sudo: a password is required
sai_meghanaa@LAPTOP-MA8Q2RTS:~$ sudo apt install tree
[sudo] password for sai_meghanaa:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following NEW packages will be installed:
  tree
0 upgraded, 1 newly installed, 0 to remove and 148 not upgraded.
Need to get 47.4 kB of archives.
After this operation, 111 kB of additional disk space will be used.
Get:1 http://archive.ubuntu.com/ubuntu noble-updates/universe amd64 tree amd64 2.1.1-2ubuntu3.24.04.2 [47.4 kB]
Fetched 47.4 kB in 1s (37.2 kB/s)
```



Docker Container Creation — WordPress and MySQL:





ubuntu@ip-172-31-45-145: ~
"Attachable": false,
"Ingress": false,
"ConfigFrom": {
"Network": ""
},
"ConfigOnly": false,
"Options": {},
"Labels": {},
"Containers": {
"11d313dad4840053102086fac357c440c108a90fc0717820f465bbccaf812e84": {
"Name": "wordpress-app",
"EndpointID": "32fe57f307d653443c1fc078e34afb97657114f6fe45e5833e61d77ddd82b5e1",
"MacAddress": "0e:7b:8b:32:fe:ed",
"IPv4Address": "172.18.0.3/16",
"IPv6Address": ""
},
"f311e23b015ec622bcc3af5393122dc4b076f7a4b65505d2437732aee7acb017": {
"Name": "mysql-db",
"EndpointID": "3e171fcf12db7ed1b03f1d1f7c366c47f98f82b44eb845a604c3816c06759b3d",
"MacAddress": "ea:54:36:b3:d8:4c",
"IPv4Address": "172.18.0.2/16",
"IPv6Address": ""
}
},
"Status": {
"IPAM": {
"Subnets": {
"172.18.0.0/16": {
"IPsInUse": 5,
"DynamicIPsAvailable": 65531
}
}
}
}
}
}
ubuntu@ip-172-31-45-145:~$ sudo docker exec wordpress-app printenv WORDPRESS_DB_HOST
mysql-db:3306
ubuntu@ip-172-31-45-145:~$ sudo docker exec wordpress-app printenv WORDPRESS_DB_NAME
wordpress
ubuntu@ip-172-31-45-145:~$ sudo docker exec wordpress-app printenv WORDPRESS_DB_USER
wpuser
ubuntu@ip-172-31-45-145:~$ docker ps
permission denied while trying to connect to the docker API at unix:///var/run/docker.sock
ubuntu@ip-172-31-45-145:~$ sudo docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
11d313dad484 wordpress:latest "docker-entrypoint.s…" 8 minutes ago Up 8 minutes 0.0.0.0:8080->80/tcp, [::]:8080->80/tcp wordpress-app
f311e23b015e mysql:8.4 "docker-entrypoint.s…" 12 minutes ago Up 12 minutes 3306/tcp, 33060/tcp mysql-db
ubuntu@ip-172-31-45-145:~$


Not secure
3.27.29.236:8080/wp-admin/install.php
Select a default language
English (United States)
Afrikaans
አማርኛ
Aragonés
العربية
العربية المغربية
অসমীয়া
گؤنئی آذربایجان
Azərbaycan dili
Беларуская мова
Български
বাংলা
Bosanski
Català
Català (Valencià)
Cebuano
Čeština
Cymraeg
Dansk
Deutsch (Österreich)
Continue

Create and Modify a Dockerfile:





```
See 'docker exec --help' for more information
ubuntu@ip-172-31-45-145:~/docker-utilities$ sudo docker exec -it b8699f62afe1 /bin/bash
root@b8699f62afe1:/# php
bash: php: command not found
root@b8699f62afe1:/# php-cli
bash: php-cli: command not found
root@b8699f62afe1:/# exit
exit
ubuntu@ip-172-31-45-145:~/docker-utilities$ sudo docker exec -it d3bfle87e472 /bin/bash
Error response from daemon: No such container: d3bfle87e472
ubuntu@ip-172-31-45-145:~/docker-utilities$ sudo docker exec -it d3bf1e87e472 /bin/bash
root@d3bf1e87e472:/# php

^C
root@d3bf1e87e472:/# php --version
PHP 8.3.6 (cli) (built: Sep  2 2026 12:56:02) (NTS)
Copyright (c) The PHP Group
Zend Engine v4.3.6, Copyright (c) Zend Technologies
    with Zend OPcache v8.3.6, Copyright (c), by Zend Technologies
root@d3bf1e87e472:/# unzip
bash: unzip: command not found
root@d3bf1e87e472:/#
```