

# Cucumber Report

17 Nov 2025, 10:10:26 am

**Start : Nov 17, 10:09:18.216 am**

**End : Nov 17, 10:10:22.852 am**

**Duration : 1 m 4.636 s**

Features







PASSED - 0  
FAILED - 2  
SKIPPED - 0

Scenarios

PASSED - 0  
FAILED - 4  
SKIPPED - 0

Steps

PASSED - 3  
FAILED - 4  
SKIPPED - 12




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Login Feature</u>	1 m 4.636 s	2	0	2	0	8	3	2	3
<u>Register Feature</u>	46.022 s	2	0	2	0	11	0	2	9

#	Feature Name	Scenario Name
1	<u>Login Feature</u>	<u>To perform successful login for the user</u>
2		<u>To perform successful login for the user</u>
3	<u>Register Feature</u>	<u>To validate that Error message is displayed when performing register with Mandatory fields as empty</u>
4		<u>To perform successful registration for the user</u>

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@positive		3	0	3	0	2	0	2	0
@LoginUser		2	0	2	0	1	0	1	0
@allTCRun		4	0	4	0	2	0	2	0
@negative		1	0	1	0	1	0	1	0
@register		1	0	1	0	1	0	1	0
@registerUser		1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Login Feature</u>	2	0	2	0	1 m 4.636 s
2	<u>Register Feature</u>	2	0	2	0	46.022 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>Login Feature</u>	<u>To perform successful login for the user</u>	4	0	1	3	47.183 s
2		<u>To perform successful login for the user</u>	4	3	1	0	17.420 s
3	<u>Register Feature</u>	<u>To validate that Error message is displayed when performing register with Mandatory fields as empty</u>	4	0	1	3	33.190 s
4		<u>To perform successful registration for the user</u>	7	0	1	6	12.692 s

## Login Feature




### To perform successful login for the user








#	Step / Hook Details	Status	Duration
	BEFORE - StepDefs.CucumberHooks.scenarioLog(io.cucumber.java.Scenario)  Executing Scenario: To perform successful login for the user	PASSED	0.018 s
1	<p>Given navigate to URL "https://ecommerce-playground.lambdatest.io/"</p> <pre>com.microsoft.playwright.PlaywrightException: Object doesn't exist: request@fd0242b3a604da5da3af5bd03e235509 at com.microsoft.playwright.impl.Connection.getExistingObject(Connection.java:195) at com.microsoft.playwright.impl.BrowserContextImpl.handleEvent(BrowserContextImpl.java:744) at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:295) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.navigateImpl(FrameImpl.java:419) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:930) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:43) at com.microsoft.playwright.Page.navigate(Page.java:5491) at Commom.HeaderSection.launchURL(HeaderSection.java:20) at StepDefs.StepDefinitions.navigate_to_url(StepDefinitions.java:31) at ?.navigate to URL "https://ecommerce-playground.lambdatest.io/"(file:///H:/Prasanth/IdeaProjects/PlaywrightSimpleProject/)</pre>	FAILED	0.184 s

#	Step / Hook Details	Status	Duration
	<p>PlaywrightProject/src/test/resources/features/login.feature:6)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - StepDefs.CucumberHooks.afterStep()</p> <p>After Step: To validate that Error message is displayed when performing register with Mandatory fields as empty</p> <pre>com.microsoft.playwright.PlaywrightException: Object doesn't exist: request@d0cbf5e9f659e1d687272893b5b6fefc at com.microsoft.playwright.impl.Connection.getExistingObject(Connection.java:195) at com.microsoft.playwright.impl.BrowserContextImpl.handleEvent(BrowserContextImpl.java:744) at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:295) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.PageImpl.screenshotImpl(PageImpl.java:1207) at com.microsoft.playwright.impl.PageImpl.screenshot(PageImpl.java:1162) at com.microsoft.playwright.Page.screenshot(Page.java:6756) at StepDefs.DriverInstansiation.takeScreenshot(DriverInstansiation.java:57) at StepDefs.CucumberHooks.afterStep(CucumberHooks.java:31)</pre>	FAILED	0.048 s
2	And click Login button	SKIPPED	0.004 s
3	When login with the credentials "koushik350@gmail.com" and "Pass123\$"	SKIPPED	0.002 s
4	Then the user should get navigated to MyAccount Page	SKIPPED	0.015 s
	<p>AFTER - StepDefs.CucumberHooks.teardown(io.cucumber.java.Scenario)</p> <p>After Executing Scenario: To perform successful login for the user</p> <p>To perform successful login for the user - Screenshot</p> 	PASSED	18.902 s

To perform successful login for the user




#	Step / Hook Details	Status	Duration
	BEFORE - StepDefs.CucumberHooks.scenarioLog(io.cucumber.java.Scenario)  Executing Scenario: To perform successful login for the user	PASSED	0.001 s
1	Given navigate to URL "https://ecommerce-playground.lambdatest.io/"  Launched URL is :https://ecommerce-playground.lambdatest.io/	PASSED	5.723 s
	AFTER_STEP - StepDefs.CucumberHooks.afterStep()  After Step: To perform successful login for the user  To perform successful login for the user - Image  	PASSED	0.600 s
2	And click Login button  AFTER_STEP - StepDefs.CucumberHooks.afterStep()  After Step: To perform successful login for the user  To perform successful login for the user - Image  	PASSED	2.000 s
3	When login with the credentials "abcdef@ghijkl.com" and "ABCDEFG"  Login Email : abcdef@ghijkl.com	PASSED	0.823 s
	AFTER_STEP - StepDefs.CucumberHooks.afterStep()  After Step: To perform successful login for the user	PASSED	0.246 s

#	Step / Hook Details	Status	Duration
	To perform successful login for the user - Image 		
4	Then the user should get navigated to MyAccount Page My Account Page is displayed - false <pre>java.lang.AssertionError: My Account Page is displayed   at org.junit.Assert.fail(Assert.java:89)   at org.junit.Assert.assertTrue(Assert.java:42)   at StepDefs.StepDefinitions.the_user_should_get_navigated_to_my_account_page(StepDefinitions.java:88)   at ?.the user should get navigated to MyAccount Page(file:///H:/Prasanth/IdeaProjects/PlaywrightSimpleProject/PlaywrightProject/src/test/resources/features/login.feature:9) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.050 s
	AFTER_STEP - StepDefs.CucumberHooks.afterStep() After Step: To perform successful login for the user To perform successful login for the user - Image 	PASSED	0.145 s
	AFTER - StepDefs.CucumberHooks.teardown(io.cucumber.java.Scenario) After Executing Scenario: To perform successful login for the user To perform successful login for the user - Screenshot 	PASSED	1.480 s

## Register Feature




To validate that Error message is displayed when performing register with Mandatory fields as empty



#	Step / Hook Details	Status	Duration
	BEFORE - StepDefs.CucumberHooks.scenarioLog(io.cucumber.java.Scenario)  Executing Scenario: To validate that Error message is displayed when performing register with Mandatory fields as empty	PASSED	0.021 s
1	Given navigate to URL "https://ecommerce-playground.lambdatest.io/"  com.microsoft.playwright.PlaywrightException: Object doesn't exist: artifact@2f899e84ec1d86e1f3eb2a0d80bb06f6 at com.microsoft.playwright.impl.Connection.getExistingObject(Connection.java:195) at com.microsoft.playwright.impl.PageImpl.handleEvent(PageImpl.java:224) at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:295) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.navigateImpl(FrameImpl.java:419) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:930) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:43) at com.microsoft.playwright.Page.navigate(Page.java:5491) at Commom.HeaderSection.launchURL(HeaderSection.java:20) at StepDefs.StepDefinitions.navigate_to_url(StepDefinitions.java:31) at ?.navigate to URL "https://ecommerce-playground.lambdatest.io/"(file:///H:/Prasanth/IdeaProjects/PlaywrightSimpleProject/)	FAILED	0.120 s

#	Step / Hook Details	Status	Duration
	PlaywrightProject/src/test/resources/features/register.feature:6 * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefs.CucumberHooks.afterStep()  After Step: To validate that Error message is displayed when performing register with Mandatory fields as empty To validate that Error message is displayed when performing register with Mandatory fields as empty - Image	PASSED	2.928 s
2	And click Register	SKIPPED	0.000 s
3	When click Continue button with empty mandatory fields	SKIPPED	0.015 s
4	Then Error message should get displayed	SKIPPED	0.001 s
	AFTER - StepDefs.CucumberHooks.teardown(io.cucumber.java.Scenario)  After Executing Scenario: To validate that Error message is displayed when performing register with Mandatory fields as empty  com.microsoft.playwright.PlaywrightException: Cannot find command to respond: 5 at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:246) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.PageImpl.screenshotImpl(PageImpl.java:1207) at com.microsoft.playwright.impl.PageImpl.screenshot(PageImpl.java:1162) at StepDefs.DriverInstansiation.takeFullPageScreenshot(DriverInstansiation.java:62) at StepDefs.CucumberHooks.teardown(CucumberHooks.java:40)	FAILED	2.040 s

### To perform successful registration for the user



#	Step / Hook Details	Status	Duration
	BEFORE - StepDefs.CucumberHooks.scenarioLog(io.cucumber.java.Scenario)  Executing Scenario: To perform successful registration for the user	PASSED	0.002 s
1	Given navigate to URL "https://ecommerce-playground.lambdatest.io/"  com.microsoft.playwright.PlaywrightException: Playwright connection closed at com.microsoft.playwright.impl.PipeTransport.poll(PipeTransport.java:65) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:208) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.navigateImpl(FrameImpl.java:419) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:930) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:43) at com.microsoft.playwright.Page.navigate(Page.java:5491) at Commom.HeaderSection.launchURL(HeaderSection.java:20) at StepDefs.StepDefinitions.navigate_to_url(StepDefinitions.java:31) at ?.navigate to URL "https://ecommerce-playground.lambdatest.io/"(file:///H:/Prasanth/IdeaProjects/PlaywrightSimpleProject/PlaywrightProject/src/test/resources/features/register.feature:13) * Not displayable characters are replaced by '?'.  AFTER_STEP - StepDefs.CucumberHooks.afterStep()  After Step: To perform successful registration for the user	FAILED	4.451 s
	com.microsoft.playwright.PlaywrightException: Playwright connection closed at com.microsoft.playwright.impl.PipeTransport.send(PipeTransport.java:50) at com.microsoft.playwright.impl.Connection.internalSendMessage(Connection.java:171) at com.microsoft.playwright.impl.Connection.sendMessageAsync(Connection.java:135) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.PageImpl.screenshotImpl(PageImpl.java:1207) at com.microsoft.playwright.impl.PageImpl.screenshot(PageImpl.java:1162) at com.microsoft.playwright.Page.screenshot(Page.java:6756) at StepDefs.DriverInstansiation.takeScreenshot(DriverInstansiation.java:57) at StepDefs.CucumberHooks.afterStep(CucumberHooks.java:31)	FAILED	0.003 s
2	And click Register	SKIPPED	0.001 s
3	When fill all the fields with the respective details	SKIPPED	0.000 s
4	And click on Register button	SKIPPED	0.001 s
5	Then the user registration should be successsful	SKIPPED	0.001 s
6	And click on Continue button in resgistration page	SKIPPED	0.002 s
7	Then the user should get navigaed to MyAccount Page	SKIPPED	0.000 s
	AFTER - StepDefs.CucumberHooks.teardown(io.cucumber.java.Scenario)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<p>After Executing Scenario: To perform successful registration for the user</p> <p>com.microsoft.playwright.PlaywrightException: Playwright connection closed at com.microsoft.playwright.impl.PipeTransport.send(PipeTransport.java:50) at com.microsoft.playwright.impl.Connection.internalSendMessage(Connection.java:171) at com.microsoft.playwright.impl.Connection.sendMessageAsync(Connection.java:135) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.PageImpl.screenshot(PageImpl.java:1207) at com.microsoft.playwright.impl.PageImpl.screenshot(PageImpl.java:1162) at StepDefs.DriverInstansiation.takeFullPageScreenshot(DriverInstansiation.java:62) at StepDefs.CucumberHooks.teardown(CucumberHooks.java:40)</p>		