

# Neural Networks & Deep Learning: ICP5

Name: Sai Priyanka Narra

ID:700741613

```
import pandas as pd #Basic packages for creating dataframes and loading dataset
import numpy as np

import matplotlib.pyplot as plt #Package for visualization

import re #importing package for Regular expression operations

from sklearn.model_selection import train_test_split #Package for splitting the data

from sklearn.preprocessing import LabelEncoder #Package for conversion of categorical to Numerical

from keras.preprocessing.text import Tokenizer #Tokenization
from tensorflow.keras.preprocessing.sequence import pad_sequences #Add zeros or crop based on the length
from keras.models import Sequential #Sequential Neural Network
from keras.layers import Dense, Embedding, LSTM, SpatialDropout1D #For Layers in Neural Network
from keras.utils.np_utils import to_categorical
```

```
from google.colab import drive
drive.mount('/content/gdrive')
```

Mounted at /content/gdrive

The provided code is setting up the environment for building a deep learning model for text classification using Keras and TensorFlow, including data preprocessing and tokenization.

```
import pandas as pd

# Load the dataset as a Pandas DataFrame
dataset = pd.read_csv('/content/gdrive/My Drive/Sentiment.csv')

# Select only the necessary columns 'text' and 'sentiment'
mask = dataset.columns.isin(['text', 'sentiment'])
data = dataset.loc[:, mask]

# Keeping only the necessary columns
data['text'] = data['text'].apply(lambda x: x.lower())
data['text'] = data['text'].apply(lambda x: re.sub('[^a-zA-Z0-9\s]', '', x))
```

The code loads a dataset from a CSV file, filters and extracts only the 'text' and 'sentiment' columns, converts the text to lowercase, and removes special characters from the text in the 'text' column.

# Neural Networks & Deep Learning: ICP5

Name: Sai Priyanka Narra

ID:700741613

```
for idx, row in data.iterrows():
    row[0] = row[0].replace('rt', ' ') #Removing Retweets
    max_fatures = 2000
    tokenizer = Tokenizer(num_words=max_fatures, split=' ') #Maximum words is 2000 to tokenize sentence
    tokenizer.fit_on_texts(data['text'].values)
    X = tokenizer.texts_to_sequences(data['text'].values) #taking values to feature matrix
    X = pad_sequences(X) #Padding the feature matrix

embed_dim = 128 #Dimension of the Embedded Layer
lstm_out = 196 #Long short-term memory (LSTM) Layer neurons
def createmodel():
    model = Sequential() #Sequential Neural Network
    model.add(Embedding(max_fatures, embed_dim,input_length = X.shape[1])) #input dimension 2000 Neurons, output dimension 128
    model.add(LSTM(lstm_out, dropout=0.2, recurrent_dropout=0.2)) #Drop out 20%, 196 output Neurons, recurrent dropout 20%
    model.add(Dense(3,activation='softmax')) #3 output neurons[positive, Neutral, Negative], softmax as activation
    model.compile(loss = 'categorical_crossentropy', optimizer='adam',metrics = ['accuracy']) #Compiling the model
    return model
# print(model.summary())
labelencoder = LabelEncoder() #Applying Label Encoding on the label matrix
integer_encoded = labelencoder.fit_transform(data['sentiment']) #fitting the model
y = to_categorical(integer_encoded)
X_train, X_test, Y_train, Y_test = train_test_split(X,y, test_size = 0.33, random_state = 42) #67% training data, 33% test data
batch_size = 32 #Batch size 32
model = createmodel() #Function call to Sequential Neural Network
model.fit(X_train, Y_train, epochs = 1, batch_size=batch_size, verbose = 2) #verbose the higher, the more messages
score,acc = model.evaluate(X_test,Y_test,verbose=2,batch_size=batch_size) #evaluating the model
print(score)
print(acc)

291/291 - 42s - loss: 0.8306 - accuracy: 0.6441 - 42s/epoch - 144ms/step
144/144 - 3s - loss: 0.7514 - accuracy: 0.6791 - 3s/epoch - 22ms/step
0.7513718008995056
0.6791175007820129
```

The code performs sentiment analysis on text data using LSTM-based deep learning. It tokenizes, pads, and preprocesses the data, builds the model with an Embedding and LSTM layer, compiles it, trains, and evaluates it on a test set, printing the loss and accuracy.

# Neural Networks & Deep Learning: ICP5

Name: Sai Priyanka Narra

ID:700741613

```
print(model.metrics_names) #metrics of the model
['loss', 'accuracy']

#1. Save the model and use the saved model to predict on new text data (ex, "A lot of good things are happening. We are respe

model.save('sentimentAnalysis.h5') #Saving the model

from keras.models import load_model #Importing the package for importing the saved model
model = load_model('sentimentAnalysis.h5') #Loading the saved model

print(integer_encoded)
print(data['sentiment'])

[1 2 1 ... 2 0 2]
0      Neutral
1      Positive
2      Neutral
3      Positive
4      Positive
...
13866   Negative
13867   Positive
13868   Positive
13869   Negative
13870   Positive
Name: sentiment, Length: 13871, dtype: object
```

The code prints the model's metrics names, saves the sentiment analysis model to a file, then loads the saved model. It prints the integer-encoded sentiment labels and the corresponding original sentiment labels from the dataset.

```
# Predicting on the text data
sentence = ['A lot of good things are happening. We are respected again throughout the world, and that is a great thing.@real
sentence = tokenizer.texts_to_sequences(sentence) # Tokenizing the sentence
sentence = pad_sequences(sentence, maxlen=28, dtype='int32', value=0) # Padding the sentence
sentiment_probs = model.predict(sentence, batch_size=1, verbose=2)[0] # Predicting the sentence text
sentiment = np.argmax(sentiment_probs)

print(sentiment_probs)
if sentiment == 0:
    print("Neutral")
elif sentiment < 0:
    print("Negative")
elif sentiment > 0:
    print("Positive")
else:
    print("Cannot be determined")

1/1 - 0s - 270ms/epoch - 270ms/step
[0.72844136 0.10584743 0.16571125]
Neutral
```

# Neural Networks & Deep Learning: ICP5

Name: Sai Priyanka Narra

ID:700741613

The code takes a text sentence, tokenizes and preprocesses it, uses the trained sentiment analysis model to predict its sentiment probabilities, and then prints the sentiment label as either "Neutral," "Negative," or "Positive" based on the highest probability.

```
#2. Apply GridSearchCV on the source code provided in the class

from keras.wrappers.scikit_learn import KerasClassifier #importing Keras classifier
from sklearn.model_selection import GridSearchCV #importing Grid search CV

model = KerasClassifier(build_fn=createmodel,verbose=2) #initiating model to test performance by applying multiple hyper para
batch_size=[10, 20, 40] #hyper parameter batch_size
epochs=[1, 2] #hyper parameter no. of epochs
param_grid={'batch_size':batch_size, 'epochs':epochs} #creating dictionary for batch size, no. of epochs
grid = GridSearchCV(estimator=model, param_grid=param_grid) #Applying dictionary with hyper parameters
grid_result= grid.fit(X_train,Y_train) #Fitting the model
# summarize results
print("Best: %f using %s" % (grid_result.best_score_, grid_result.best_params_)) #best score, best hyper parameters

744/744 - 89s - loss: 0.8275 - accuracy: 0.6466 - 89s/epoch - 120ms/step
186/186 - 3s - loss: 0.7607 - accuracy: 0.6676 - 3s/epoch - 18ms/step
744/744 - 82s - loss: 0.8253 - accuracy: 0.6473 - 82s/epoch - 111ms/step
186/186 - 3s - loss: 0.7795 - accuracy: 0.6676 - 3s/epoch - 15ms/step
744/744 - 86s - loss: 0.8231 - accuracy: 0.6434 - 86s/epoch - 116ms/step
186/186 - 2s - loss: 0.7761 - accuracy: 0.6686 - 2s/epoch - 13ms/step
744/744 - 84s - loss: 0.8271 - accuracy: 0.6425 - 84s/epoch - 113ms/step
186/186 - 2s - loss: 0.7908 - accuracy: 0.6738 - 2s/epoch - 12ms/step
744/744 - 84s - loss: 0.8205 - accuracy: 0.6451 - 84s/epoch - 113ms/step
186/186 - 2s - loss: 0.7877 - accuracy: 0.6615 - 2s/epoch - 12ms/step
Epoch 1/2
744/744 - 88s - loss: 0.8231 - accuracy: 0.6426 - 88s/epoch - 119ms/step
Epoch 2/2
744/744 - 83s - loss: 0.6856 - accuracy: 0.7103 - 83s/epoch - 112ms/step
186/186 - 2s - loss: 0.7281 - accuracy: 0.6859 - 2s/epoch - 13ms/step
Epoch 1/2
744/744 - 85s - loss: 0.8195 - accuracy: 0.6469 - 85s/epoch - 114ms/step
Epoch 2/2
744/744 - 82s - loss: 0.6761 - accuracy: 0.7093 - 82s/epoch - 110ms/step
186/186 - 2s - loss: 0.7433 - accuracy: 0.6773 - 2s/epoch - 13ms/step
```

The code uses Keras Classifier and GridSearchCV from scikit-learn to perform hyperparameter tuning for the sentiment analysis model. It tests different combinations of batch sizes and number of epochs on the training data and finds the best combination that results in the highest score.

GIT HUB LINK: [https://github.com/SaiPriyankaNarra/700741613\\_NNDL\\_ICP5.git](https://github.com/SaiPriyankaNarra/700741613_NNDL_ICP5.git)

VIDEO LINK:

[https://drive.google.com/file/d/1I6WGca3IsP4LKCicuEq2FrRN\\_F36ffa/view?usp=sharing](https://drive.google.com/file/d/1I6WGca3IsP4LKCicuEq2FrRN_F36ffa/view?usp=sharing)

Neural Networks & Deep Learning: ICP5

Name: Sai Priyanka Narra

ID:700741613