2022-2026-CSE-B

### Aim:

Write a program to sort (Ascending order) the given elements using merge sort technique.

At the time of execution, the program should print the message on the console as:

```
Enter array size :
```

For example, if the user gives the input as:

```
Enter array size : 5
```

Next, the program should print the following message on the console as:

```
Enter 5 elements :
```

if the user gives the input as:

```
Enter 5 elements : 34 67 12 45 22
```

then the program should print the result as:

```
Before sorting the elements are : 34 67 12 45 22 After sorting the elements are : 12 22 34 45 67
```

**Note:** Do use the **printf()** function with a **newline** character (\\n).

### **Source Code:**

#### MergeSortMain.c

```
#include<stdio.h>
#include<conio.h>
void merge(int[],int ,int,int);
void display(int[],int);
void splitAndMerge(int[],int,int);
void main(){
   int arr[15],i,n;
   printf("Enter array size : ");
   scanf("%d",&n);
   printf("Enter %d elements : ",n);
   for(i=0;i<n;i++) {
      scanf("%d",&arr[i]);
   }
   printf("Before sorting the elements are : ");
   display(arr,n);
   splitAndMerge(arr,0,n-1);
   printf("After sorting the elements are : ");
   display(arr,n);
void display(int arr[], int n) {
   int i;
   for(i=0;i<n;i++)</pre>
   printf("%d ",arr[i]);
   printf("\n");
```

```
void merge(int arr[15],int low, int mid, int high) {
   int i=low,h=low,j=mid+1,k,temp[15];
   while(h<=mid&&j<=high)</pre>
   {
      if(arr[h]<=arr[j])</pre>
         temp[i]=arr[h];
         h++;
      }
      else
      {
         temp[i]=arr[j];
         j++;
      }
      i++;
   }
   if(h>mid)
      for(k=j;k<=high;k++)</pre>
         temp[i]=arr[k];
         i++;
      }
   }
   else
      for(k=h; k<=mid; k++){</pre>
         temp[i] = arr[k];
         i++;
      }
   for(k=low;k<=high;k++){</pre>
      arr[k]=temp[k];
   }
void splitAndMerge(int arr[15],int low,int high) {
   if(low<high) {</pre>
      int mid=(low+high)/2;
      splitAndMerge(arr,low,mid);
      splitAndMerge(arr,mid+1,high);
      merge(arr,low,mid,high);
   }
```

# Execution Results - All test cases have succeeded!

# Test Case - 1 User Output Enter array size : 5 Enter 5 elements : 34 67 12 45 22 Before sorting the elements are : 34 67 12 45 22 After sorting the elements are : 12 22 34 45 67

Test Case - 2
User Output
Enter array size : 8
Enter 8 elements : 77 55 22 44 99 33 11 66
Before sorting the elements are : 77 55 22 44 99 33 11 66
After sorting the elements are : 11 22 33 44 55 66 77 99

Test Case - 3
User Output
Enter array size : 5
Enter 5 elements : -32 -45 -67 -46 -14
Before sorting the elements are : -32 -45 -67 -46 -14
After sorting the elements are : -67 -46 -45 -32 -14