
Design an Airline Management System

An Airline Management System is a managerial software which targets to control all operations of an airline. Airlines provide transport services for their passengers. They carry or hire aircraft for this purpose. All operations of an airline company are controlled by their airline management system.

This system involves the scheduling of flights, air ticket reservations, flight cancellations, customer support, and staff management. Daily flights updates can also be retrieved by using the system.



System Requirements

We will focus on the following set of requirements while designing the Airline Management System:

1. Customers should be able to search for flights for a given date and source/destination airport.
2. Customers should be able to reserve a ticket for any scheduled flight. Customers can also build a multi-flight itinerary.
3. Users of the system can check flight schedules, their departure time, available seats, arrival time, and other flight details.
4. Customers can make reservations for multiple passengers under one itinerary.
5. Only the admin of the system can add new aircrafts, flights, and flight schedules. Admin can cancel any pre-scheduled flight (all stakeholders will be notified).
6. Customers can cancel their reservation and itinerary.

7. The system should be able to handle the assignment of pilots and crew members to flights.
8. The system should be able to handle payments for reservations.
9. The system should be able to send notifications to customers whenever a reservation is made/modified or there is an update for their flights.


Use case diagram

We have five main Actors in our system:

- **Admin**: Responsible for adding new flights and their schedules, canceling any flight, maintaining staff-related work, etc.
- **Front desk officer**: Will be able to reserve/cancel tickets.
- **Customer**: Can view flight schedule, reserve and cancel tickets.
- **Pilot/Crew**: Can view their assigned flights and their schedules.
- **System**: Mainly responsible for sending notifications regarding itinerary changes, flight status updates, etc.

Here are the top use cases of the Airline Management System:

- **Search Flights**: To search the flight schedule to find flights for a suitable date and time.
- **Create/Modify/View reservation**: To reserve a ticket, cancel it, or view details about the flight or ticket.
- **Assign seats to passengers**: To assign seats to passengers for a flight instance with their reservation.
- **Make payment for a reservation**: To pay for the reservation.
- **Update flight schedule**: To make changes in the flight schedule, and to add or remove any flight.
- **Assign pilots and crew**: To assign pilots and crews to flights.





Class diagram

Here are the main classes of our Airline Management System:

- **Airline**: The main part of the organization for which this software has been designed. It has attributes like ‘name’ and an airline code to distinguish the airline from other airlines.
- **Airport**: Each airline operates out of different airports. Each airport has a name, address, and a unique code.


- **Aircraft**: Airlines own or hire aircraft to carry out their flights. Each aircraft has attributes like name, model, manufacturing year, etc.
- **Flight**: The main entity of the system. Each flight will have a flight number, departure and arrival airport, assigned aircraft, etc.
- **FlightInstance**: Each flight can have multiple occurrences; each occurrence will be considered a flight instance in our system. For example, if a British Airways flight from London to Tokyo (flight number: BA212) occurs twice a week, each of these occurrences will be considered a separate flight instance in our system.
- **WeeklySchedule and CustomSchedule**: Flights can have multiple schedules and each schedule will create a flight instance.
- **FlightReservation**: A reservation is made against a flight instance and has attributes like a unique reservation number, list of passengers and their assigned seats, reservation status, etc.
- **Itinerary**: An itinerary can have multiple flights.
- **FlightSeat**: This class will represent all seats of an aircraft assigned to a specific flight instance. All reservations of this flight instance will assign seats to passengers through this class.
- **Payment**: Will be responsible for collecting payments from customers.
- **Notification**: This class will be responsible for sending notifications for flight reservations, flight status update, etc.



<<enumeration>>
FlightStatus
Active
Scheduled
Delayed
Departed
Landed
InAir
Arrived
Canceled
Diverted
Unknown
<<enumeration>>
PaymentStatus
Unpaid
Pending
Completed
Failed
Declined
Cancelled
Abandoned
Settling
Settled
Refunded
<<enumeration>>
ReservationStatus
Requested
Pending
Confirmed
Checked-in
Canceled
Abandoned
<<enumeration>>
SeatClass
Economy
EconomyPlus
PreferredEconomy
Business
FirstClass
<<enumeration>>
SeatType
Regular
Accessible
EmergencyExit
ExtraLegRoom
<<enumeration>>
AccountStatus
Active
Closed
Canceled
Blacklisted
Blocked
<<dataType>>
Address
streetAddress: string
city: string
state: string
zipcode: string
country: string
WeeklySchedule
dayOfWeek: int
departureTime : Time
CustomSchedule
customDate: date
departureTime : Time
Flight
flightNumber: string
departure: Airport
arrival: Airport
durationInMinutes: int
getInstances(): list<FlightInstance>
cancel(): bool
addFlightSchedule(): bool
lands on/departs from
contains
Airport
name: string
address: Address
code : string
getFlights(): list<Flight>
Account
id: string
password: string
status: AccountStatus
resetPassword(): bool
Airline
name: string
code: string
getFlights(): list<Flight>
Admin
addAircraft(): bool
addFlight(): bool
blockUser(): bool
Extends
Person
name: string
address: Address
email: string
phone: string
FlightInstance
departureTime : Time
gate: string
status: FlightStatus
cancel(): bool
updateStatus(): void
assigned to
Crew
getFlights(): list<FlightInstance>
Pilot
getFlights(): list<FlightInstance>
FrontDeskOfficer
createItenerary():bool
Aircraft
name: string
modal: string
manufacturingYear : int
getFlights(): list<Flight>
against
Customer
frequentFlyerNumber: string
getItineraries() : list<Itinerary>
creates
Seat
seatNumber: string
type: SeatType
class: SeatClass
getSeatType(): SeatType
FlightSeat
fare: float
reservationNumber: string
getFare(): float
FlightReservation
reservationNumber: string
flight: FlightInstance
seatMap: map<Passenger, FlightSeat>
status: ReservationStatus
getPassengers(): list<Passenger>
Itinerary
startingAirport: Airport
finalAirport: Airport
creationDate: date
getReservations(): list<FlightReservation>
makeReservation(): bool
mkePayment(): bool
Payment
paymentID: int
amount: double
status: PaymentStatus
makeTransaction(): bool
CreditCardTransaction
nameOnCard: string
CheckTransaction
bankName: string
checkNumber: string
CashTransaction
cashTendered: double
EmailNotification
email: string
PostalNotification
address: Address
SmsNotification
email: string
Notification
notificationId: int
createdOn: date
content: string
send(): bool
for
Passenger
name: string
passportNumber: string
dateOfBirth: date
getPassportNumber(): string




Activity diagrams


- **Reserve a ticket**: Any customer can perform this activity. Here are the steps to reserve a ticket:


Customer or front desk officer opens the search flight page
Customer add the search criteria, dates, seat class (e.g., economy etc.), and number of passengers
System searcsh flights for dates and number of passengers
Is there any flight available?
[no]
Tell customer about the unavailability of flights
Search again?
[yes]
[yes]
[no]
System shows a list of available flights
Customer selects a filght
See if it is an existing customer?
[no]
[yes]
Find customer details
Add passenger's details
Register new customer
Customer chooses seats for each passenger
Ask how customer would like to pay for the reservation?
Credit card
Cash
Check



- **Cancel a reservation**: Any customer can perform this activity. Here are the set of steps to cancel a reservation:


Customer or front desk officer inputs the last name of any passenger and the reservation number
System searches reservation of the customer
Check if the customer has a valid reservation?
[no]
Show error
Search again?
[yes]
[yes]
Customer selects to cancel the reservation
[no]
System cancels the reservation and updates the flight instances
Check if the customer is cancelling before the cancel deadline?
[no]
[yes]
Issue refund
No refund is issued
Ask how customer would like to have detail of the cancellation?
Print
Email



Code

Here is the code for major classes.

Enums and Constants: Here are the required enums, data types, and constants:

```java
public enum FlightStatus{
   ACTIVE,
   SCHEDULED,
   DELAYED,
   DEPARTED,
   LANDED,
   IN_AIR,
   ARRIVED,
   CANCELLED,
   DIVERTED,
   UNKNOWN
   }

   public enum PaymentStatus{
   UNPAID,
   PENDING,
   COMPLETED,
   FILLED,
   DECLINED,
   CANCELLED,
   ABANDONED,
   SETTLING,
   SETTLED,
   REFUNDED
```

Account, Person, Customer and Passenger: These classes represent the different people that interact with our system:

```java
// For simplicity, we are not defining getter and setter functions. The reader can
// assume that all class attributes are private and accessed through their respective
// public getter method and modified only through their public setter method.

public class Account {
private String id;
private String password;
private AccountStatus status;

public boolean resetPassword();
}

```

```java
public abstract class Person {
private String name;
private Address address;
private String email;
private String phone;

private Account account;
}

public class Customer extends Person {
private String frequentFlyerNumber;
```

Airport, Aircraft, Seat and FlightSeat: These classes represent the top-level classes of the system:

```java
public class Airport {
private String name;
private Address address;
private String code;

public List<Flight> getFlights();
}

public class Aircraft {
private String name;
private String model;
private int manufacturingYear;
private List<Seat> seats;

public List<FlightInstance> getFlights();
}

public class Seat {
private String seatNumber;
private SeatType type;
private SeatClass _class;
}

public class FlightSeat extends Seat {
```

Flight Schedule classes, Flight, FlightInstance, FlightReservation, Itinerary: Here are the classes related to flights and reservations:

```java
public class WeeklySchedule {
   private int dayOfWeek;
   private Time departureTime;
 }

 public class CustomSchedule {
   private Date customDate;
   private Time departureTime;
 }

 public class Flight {
   private String flightNumber;
   private Airport departure;
   private Airport arrival;
   private int durationInMinutes;

   private List<WeeklySchedules> weeklySchedules;
   private List<CustomSchedules> customSchedules;
   private List<FlightInstance> flightInstances;
 }
```

```
22    public class FlightInstance {
23      private Date departureTime;
24      private String gate;
```

...

← Previous

Design An ATM

Next →

Design Blackjack And A Deck Of Cards

Mark as Completed