My Calendar I (medium)

Problem Statement

Given a 2D array `nums` of size `N x 2`.

- **nums[i] = [start$_i$, end$_i$]**, where start$_i$ is the starting time of the event and end$_i$ is the ending time of the event.

For each `nums[i]`, determine if a requested booking time conflicts with any existing bookings.

Return a boolean array of size `N`, representing whether the booking can be done in the given time interval.

Examples

1. **Example 1**:
   - Input: nums = [[10, 20], [15, 25], [20, 30]]
   - Expected Output: `[true, false, true]`
   - Justification: The first event is booked successfully. The second event overlaps with the first one and is rejected. The third event starts when the first event ends, so it's booked successfully.
2. **Example 2**:
   - Input: [[5, 10], [10, 15], [5, 15]]
   - Expected Output: `[true, true, false]`
   - Justification: The first and second events are booked without overlap. The third event overlaps with both the first and second, so it's rejected.
3. **Example 3**:
   - Input: [[8, 13],[13, 17], [17, 20]]
   - Expected Output: `[true, true, true]`
   - Justification: All events are booked without any overlap, as each event starts exactly when the previous one ends.

Try it yourself

Try solving this question here:

Java

```java
import java.util.TreeSet;
import java.util.ArrayList;
import java.util.List;

public class Solution {


    public static List<Boolean> book(int[][] nums) {
        List<Boolean> results = new ArrayList<>();
        // ToDo: Write Your Code Here.
        return results;
    }
}

```

Test Case | Run Code Result | Stdout

[[10, 20], [15, 25], [20, 30]]

Use Example Testcases | Run | Submit