Clone Graph (medium)

Problem Statement

Given a reference of a node in a connected undirected graph, return a deep copy (clone) of the graph. Each node in the graph contains a value (`int`) and a list (`List[Node]`) of its neighbors.

Example 1:

Input:

```
    1--2
    |  |
    4--3
```

Expected Output:

```
    1--2
    |  |
    4--3
```

Explanation: The graph has four nodes with the following connections:


- Node `1` is connected to nodes `2` and `4`.
- Node `2` is connected to nodes `1` and `3`.
- Node `3` is connected to nodes `2` and `4`.
- Node `4` is connected to nodes `1` and `3`.

Example 2:

Input:

```
    1--2
   /    \
  5      3
         |
         4
```

Expected Output:




Explanation: The graph consists of five nodes with these connections:


- Node `1` is connected to nodes `2` and `5`.
- Node `2` is connected to nodes `1` and `3`.
- Node `3` is connected to nodes `2` and `4`.
- Node `4` is connected to node `3`.
- Node `5` is connected to node `1`.

Example 3:

Input:



Expected Output:



Explanation: The graph has six nodes with the following connections:

- Node `1` is connected to nodes `2` and `4`.
- Node `2` is connected to nodes `1` and `3`.
- Node `3` is connected to nodes `2` and `6`.
- Node `4` is connected to nodes `1` and `5`.
- Node `5` is connected to nodes `4` and `6`.
- Node `6` is connected to nodes `3` and `5`.

Try it yourself

Try solving this question here:

Java

```java
import java.util.*;

//    public static class GraphNode {
//         public int val;
//         public List<GraphNode> neighbors;

//         public GraphNode() {
//             val = 0;
//             neighbors = new ArrayList<GraphNode>();
//         }

//         public GraphNode(int _val) {
//             val = _val;
//             neighbors = new ArrayList<GraphNode>();
//         }

//         public GraphNode(int _val, ArrayList<GraphNode> _neighbors) {
//             val = _val;
//             neighbors = _neighbors;
//         }
//     }

class Solution {
    public GraphNode cloneGraph(GraphNode node) {
```

Test Case | Run Code Result | Stdout

```
[[2],[1]]
```

Use Example Testcases | Run | Submit

← Previous

Solution: Construct Binary Tree From Preorder And Inorder Traversal

Next →

Solution: Clone Graph

Mark as Completed