'K' Closest Points to the Origin (easy)

Problem Statement

Given an array of points in a 2D plane, find 'K' closest points to the origin.

Example 1:

```
Input: points = [[1,2],[1,3]], K = 1
Output: [[1,2]]
Explanation: The Euclidean distance between (1, 2) and the origin is
sqrt(5).
The Euclidean distance between (1, 3) and the origin is sqrt(10).
Since sqrt(5) < sqrt(10), therefore (1, 2) is closer to the origin.
```

Example 2:

```
Input: point = [[1, 3], [3, 4], [2, -1]], K = 2
Output: [[1, 3], [2, -1]]
```

Try it yourself

Try solving this question here:

Java

```java
import java.util.*;

/*class Point {
  int x;
  int y;

  public Point(int x, int y) {
    this.x = x;
    this.y = y;
  }

  public int distFromOrigin() {
    // ignoring sqrt
    return (x * x) + (y * y);
  }
}*/


class Solution {

  public List<Point> findClosestPoints(Point[] points, int k) {
```

Test Case | Run Code Result | Stdout

[[1,2],[1,3]]
1

Use Example Testcases | Run | Submit

← Previous

Solution: Lowest Common Ancestor Of A Binary Search Tree

Next →

Solution: 'K' Closest Points To The Origin

Mark as Completed