Custom Sort String (medium)

Problem Statement

You are given two strings `pattern` and `text`. It is given that all characters of the `pattern` string are unique.

Rearrange the characters of the `text` string based on the characters' order in `pattern` string. In other words, if a character `a` occurs before a character `b` in the `pattern` string, then `a` should occur before `b` in the output string.

Characters in `text` that do not appear in `pattern` should be appended at the end of the rearranged string in their original order.

Examples

1. **Example 1**:
   - **Input**: `pattern = "xy", text = "yyzx"`
   - **Expected Output**: `"xyyz"`
   - **Justification**: In 'pattern', the order is 'x', 'y'. In the `text`, 'x' appears once, 'y' twice, and 'z' doesn't appear. So, we put `z` at the end of the string. Thus, the output string is `xzyy`.
2. **Example 2**:
   - **Input**: `pattern = "abc", text = "aabbcc"`
   - **Expected Output**: `"aabbcc"`
   - **Justification**: Here, the 'text' already follows the order 'a', 'b', 'c' as specified in 'pattern', so the order remains 'aabbcc'.
3. **Example 3**:
   - **Input**: `pattern = "mno", text = "onomon"`
   - **Expected Output**: `"mnnooo"`
   - **Justification**: According to 'pattern', 'm' comes first, then 'n', then 'o'. Rearranging 'text' in this order results in 'm' once, 'n' twice, followed by 'o' thrice, hence 'mnnooo'.

Try it yourself

Try solving this question here:

Java

```java
import java.util.*;

public class Solution {
    public String customSortString(String pattern, String text) {
        // ToDo: Write Your Code Here.
        return "";
    }
}

```

Test Case | Run Code Result | Stdout

```
"cba"
"abcd"
```

Use Example Testcases | Run | Submit

← Previous
Solution: Maximum Swap

Next →
Solution: Custom Sort String

Mark as Completed