# Merge Similar Items (easy)

## Problem Statement

Given two 2D arrays of item-value pairs, named `items1` and `items2`.

- **item[i] = [value$_i$, weight$_i$]**, where each value$_i$ in these arrays is unique within its own array and is paired with a weight$_i$.

Combine these arrays such that if an item appears in both, its values are summed up. The final merged array should be sorted based on the value$_i$.

### Examples

1. **Example 1**:
   - **Input**: `items1 = [[1,2],[4,3]]`, `items2 = [[2,1],[4,3],[3,4]]`
   - **Expected Output**: `[[1,2],[2,1],[3,4],[4,6]]`
   - **Justification**: Item 1 has value 2 in `items1` and doesn't exist in `items2`, item 2 has value 1 in `items2`, item 4 is summed up.
2. **Example 2**:
   - **Input**: `items1 = [[5,5]]`, `items2 = [[5,10]]`
   - **Expected Output**: `[[5,15]]`
   - **Justification**: Item 5 exists in both arrays, so their values are summed.
3. **Example 3**:
   - **Input**: `items1 = [[1,1],[2,2]]`, `items2 = [[3,3]]`
   - **Expected Output**: `[[1,1],[2,2],[3,3]]`
   - **Justification**: All items are unique across `items1` and `items2`, so they remain unchanged.

## Try it yourself

Try solving this question here:

Java

```java
import java.util.*;

public class Solution {
    public List<List<Integer>> mergeSimilarItems(int[][] items1, int[][] items2) {
        List<List<Integer>> result = new ArrayList<>();
        // ToDo: Write Your Code Here.
        return result;
    }
}
```

Test Case | Run Code Result | Stdout

```
[[1,1],[4,5],[3,8]]
[[3,1],[1,5]]
```

Use Example Testcases | Run | Submit