

FACILITIES MAN — Perplexity Computer Handover

Audience: Perplexity Computer agents and human operators continuing this project

Site: <https://www.facilitiesman.com.au>

Repo: <https://github.com/SaiThota2026/FMwebapp>

Vercel project: f-mwebapp (sai-thota-s-projects)

Handover date: 2026-09-17

Local workspace: C:\Users\Sai_PrintPOP\Desktop\FMWebApp\FMwebapp

Owner / engineer: PrintPOP (Sai)

0. How to use this document

1. Read **§1 Current state** for the live snapshot.
2. Read **§2 Chronology** for everything done from the start of this Cursor session arc.
3. Use **§3 Inventory** as the technical map of the codebase.
4. Use **§4–§6** for images, placeholders, and crawlability.
5. Use **§7–§9** for deploy, constraints, and next actions.
6. Machine-readable site maps for agents live at:
 - <https://www.facilitiesman.com.au/llms.txt>
 - <https://www.facilitiesman.com.au/llms-full.txt>
 - <https://www.facilitiesman.com.au/sitemap.xml>
 - <https://www.facilitiesman.com.au/sitemap/> (HTML)
 - <https://www.facilitiesman.com.au/site-index.json>
 - <https://www.facilitiesman.com.au/robots.txt>

Master planning source: Perplexity master SEO/content PDF provided by the owner (Downloads\New file pp.pdf / "newfile"). Tier 1 launch → Tier 2 expand → Tier 3 later metros/shells were implemented against that document.

1. Current state (snapshot)

Metric	Value
Total indexable marketing pages	57
Images in Option C library	418 unique PNGs in public/images/content/
Min images per page	≥ 3 (audit min 3, avg ~6.8, max 28)
Image binary duplicates	0 (each file unique bytes + unique basename)
Framework	Next.js 16.2.6 App Router, React 19.2.4 , TypeScript, Tailwind v4
DB	Supabase PostgreSQL via Prisma 7 (DATABASE_URL pooler + DIRECT_URL)
Contact leads	Written to Prisma Lead model (source: WEBSITE_CONTACT)
Trailing slashes	Enabled (next.config.ts → trailingSlash: true)
React Compiler	Enabled

GA4	G-D26DLPW4CN
Brand	FACILITIES MAN — ABN 72 697 453 937 — phone 0450 924 377 — support@facilitiesman.com.au
Primary region	Newcastle / Hunter / Lake Macquarie / Central Coast NSW; metros Sydney, Brisbane, Melbourne added

1.1 Page count breakdown

Group	Count	Notes
Static hubs / singles	13	/, about, certifications, reviews, case-studies, sitemap, services, locations, industries, faq, blog, contact, privacy
Service detail pages	14	6 core + 8 Phase 2
Location pages	12	9 Hunter-region + Sydney + Brisbane + Melbourne
Industry pages	5	
Blog posts	5	MDX
Location × service combos	8	5 regional + 3 Sydney
Total	57	

1.2 What is intentionally NOT finished

Owner-supplied placeholders remain (see `docs/PLACEHOLDERS_CHECKLIST.md` + PDF). Do **not** invent:

- Public liability \$ amount, PI cover, insurance PDF, ISO target dates
- Founder legal name / real headshot identity claims beyond current copy
- Fake Google reviews or `AggregateRating` JSON-LD
- Fabricated case studies

Case studies + reviews pages are **shells** ready for real content.

2. Chronology — everything finished from the beginning of this work arc

Dates are Australia/Sydney (session timestamps). Earlier Phase 1/2 site scaffolding already existed on `main` (`feat: complete Phase 2 site expansion and deploy-ready polish`). This arc continued from `infra` + `images` through `master-doc` completion.

Phase A — Hosting & database (2026-09-16)

1. **Wired project to Vercel** (`f-mwebapp`).
2. **Wired Supabase PostgreSQL:**
 - Prisma schema + `src/lib/prisma.ts` (Prisma 7 + `@prisma/adapters-pg`)
 - `.env.example` documents `DATABASE_URL` (transaction pooler :6543) and `DIRECT_URL` (session/direct :5432)
 - `prisma/seed.ts` upserts services + locations from TypeScript data
 - Contact form → `createWebsiteLead()` in `src/lib/leads.ts`

3. Owner requested **local-first workflow**: develop on localhost; push/deploy live only when explicitly asked.
4. Passwords were rotated during setup; **never store credentials in docs/repo**. Use Vercel/Supabase dashboards + local `.env.local` only.

Phase B — Image strategy (2026-09-16)

1. Audited all image placeholders for context.
2. Chose **Option C**: one unique photorealistic content image per slot via `contentImg(basename)` → `/images/content/{basename}.png`.
3. Constraint: **no page may have fewer than 3 images**, including blog posts.
4. Built shot list tooling:
 - `scripts/image-shot-list.mjs` → `scripts/image-shot-list.json` (**418** entries)
 - `scripts/validate-content-img-refs.mjs`
 - `scripts/copy-generated-assets.mjs`
5. Generated images with Cursor `GenerateImage` (photorealistic, NSW commercial context, no text/logos/watermarks).
6. Pilot: homepage batch, then **all remaining slots** filled and copied into `public/images/content/`.

Phase C — Layout regressions & Contained Section System (2026-09-16 → 2026-09-17)

1. An intermediate layout pass broke mobile and heading alignment (commercial cleaning).
2. Owner requested revert to “images generated and loaded” baseline, then a proper redesign.
3. Screenshots provided; alignment of pictures/headings/body fixed iteratively.
4. Owner rejected incremental tweaks → approved **Contained Section System**:
 - `SectionPanel`, `FeaturePanel`, `FeatureCardGrid`
 - CSS: `.fm-container`, `.fm-section-stack`, `.fm-panel`, `.fm-panel-pad`, `.fm-section-heading`
 - Design principle: each major block in a contained panel; consistent structure across templates
5. FAQ accordion on desktop fixed to **full container width** (removed `max-w-3xl` constraint).

Phase D — Master document alignment (2026-09-17)

1. Located Perplexity master PDF (`Downloads\New file pp.pdf`).
2. Clarified stage: end of Tier 2 with Tier 3 gaps.
3. Confirmed combo pages already existed for selected pairs (e.g. `/locations/newcastle/office-cleaning/`).
4. **Finished remaining master-doc Tier 3 work**:
 - `/about/certifications/`
 - `/reviews/` (shell; GBP URL placeholder)
 - `/case-studies/` (shell)
 - `/sitemap/` HTML sitemap + `SiteNavigationElement` schema
 - Location pages: Sydney, Brisbane, Melbourne
 - Sydney combos: commercial-cleaning, strata-cleaning, facilities-management
 - Nav/footer via `COMPANY_LINKS` / `LOCATIONS` in `src/lib/site.ts`
 - Schema helpers in `src/lib/schema.ts`
 - Tier-3 image queue (58) generated + copied; shot list total **418**
5. Created `docs/PLACEHOLDERS_CHECKLIST.md` (+ PDF export).
6. Fixed `src/lib/leads.ts` TypeScript predicate typing so `tsc` passes.

Phase E — Handover + AI crawlability + live deploy (2026-09-17)

1. This document (`docs/PERPLEXITY_COMPUTER_HANDOVER.md`).

- 2. Explicit AI-bot allow rules in robots generation, `llms.txt` , `llms-full.txt` , `site-index.json` , head link to `llms.txt` .
- 3. Push to GitHub `main` and Vercel production deploy.

3. Technical inventory

3.1 Stack

Layer	Choice
App	Next.js 16 App Router only (no Pages Router; no <code>src/app/api</code> routes)
UI	React 19, Tailwind 4, Inter + Plus Jakarta Sans
Content	TypeScript modules in <code>src/data/*</code> + MDX blog in <code>src/content/blog/</code>
DB	Prisma 7 → PostgreSQL (Supabase)
SEO sitemap	<code>next-sitemap</code> ON postbuild
Hosting	Vercel

3.2 Important config files

File	Role
<code>next.config.ts</code>	<code>reactCompiler: true, trailingSlash: true</code>
<code>next-sitemap.config.js</code>	XML sitemap + robots.txt policies (including AI bots)
<code>prisma/schema.prisma</code>	User, Job, Service, Lead, Location, Content
<code>prisma.config.ts</code>	Prisma CLI URL selection
<code>src/lib/site.ts</code>	Brand, services, locations, industries, company links
<code>src/lib/content-images.ts</code>	<code>contentImg()</code>
<code>src/lib/home-images.ts</code>	Homepage image map
<code>src/lib/page-visuals.ts</code>	Visual label strings
<code>src/lib/schema.ts</code>	JSON-LD builders (no <code>AggregateRating</code>)
<code>src/lib/metadata.ts</code>	<code>createPageMetadata()</code>
<code>src/lib/leads.ts</code>	Lead creation
<code>src/lib/prisma.ts</code>	DB client
<code>src/app/actions/contact.ts</code>	Server action for quote form
<code>AGENTS.md</code> / <code>CLAUDE.md</code>	Cursor/Next agent rules (read Next docs under <code>node_modules/next/dist/docs/</code> for this version)

3.3 Route map (all trailing-slash)

Static (13)

- /
- /about/
- /about/certifications/
- /reviews/
- /case-studies/
- /sitemap/
- /services/
- /locations/
- /industries/
- /faq/
- /blog/
- /contact/
- /privacy-policy/

Services (14) — /services/{slug}/

commercial-cleaning , strata-cleaning , facilities-management , office-cleaning , grounds-maintenance , industrial-cleaning , medical-cleaning , childcare-cleaning , window-cleaning , carpet-cleaning , pressure-washing , warehouse-cleaning , sanitary-washroom-services , maintenance-trades

Locations (12) — /locations/{slug}/

newcastle , maitland , lake-macquarie , hunter-valley , central-coast , cessnock , port-stephens , singleton , muswellbrook , sydney , brisbane , melbourne

Combos (8) — /locations/{location}/{service}/

Location	Service
maitland	commercial-cleaning
lake-macquarie	strata-cleaning
newcastle	office-cleaning
newcastle	industrial-cleaning
hunter-valley	facilities-management
sydney	commercial-cleaning
sydney	strata-cleaning
sydney	facilities-management

Industries (5) — /industries/{slug}/

strata-body-corporate , healthcare , education-childcare , commercial-property , government

Blog (5) — /blog/{slug}/

- what-is-facilities-management
- industrial-cleaning-safety-nsw

- `how-often-office-cleaning`
- `strata-cleaning-checklist`
- `how-to-choose-commercial-cleaning-newcastle`

3.4 UI system (Contained)

Component	Path
SectionPanel	<code>src/components/ui/SectionPanel.tsx</code>
FeaturePanel	<code>src/components/ui/FeaturePanel.tsx</code>
FeatureCardGrid	<code>src/components/ui/FeatureCardGrid.tsx</code>
ImagePlaceholder	<code>src/components/ui/ImagePlaceholder.tsx</code>
PageHero	<code>src/components/layout/PageHero.tsx</code>
CtaSection / FaqAccordion / LinkCard / ProcessSteps / TrustStrip / RevealOnScroll / JsonLd	<code>src/components/ui/*</code>

Tokens in `src/app/globals.css` : brand offwhite, gold `#d68511` , dark `#11161b` , teal `#12787b` , cream `#fbf9f3` .

3.5 Forms & leads

- UI: `src/components/contact/QuoteForm.tsx`
- Action: `submitContactForm` in `src/app/actions/contact.ts`
- Persistence: `createWebsiteLead` → Prisma `Lead`
- Optional webhook: `CONTACT_FORM_ENDPOINT` (if set, POST after DB write)
- Fields: `fullName`, `businessName`, `phone`, `email`, `siteAddress`, `frequency`, `services[]`, `additionalInfo`, `privacyAccepted`

3.6 Scripts

Script	Purpose
<code>scripts/image-shot-list.mjs</code>	Rebuild shot list JSON
<code>scripts/image-shot-list.json</code>	418 slot definitions + prompts
<code>scripts/validate-content-img-refs.mjs</code>	Ensure <code>contentImg()</code> refs exist
<code>scripts/copy-generated-assets.mjs</code>	Copy generated PNGs into public
<code>scripts/list-tier3-images.mjs</code> / <code>`tier3-*.json`</code>	<code>mjs`</code>
<code>scripts/qa-audit.mjs</code> / <code>phase2-qc.mjs</code> / <code>final-qa.mjs</code> / <code>check-rendered-meta.mjs</code>	QA helpers

4. Image system (Option C) — details agents must not break

1. Prefer `contentImg("basename")` — never invent ad-hoc remote URLs for content slots.
2. Files live only under `public/images/content/{basename}.png` .

- 3. Shot list is source of truth for prompts/aspect; keep basename stable.
- 4. Homepage uses `HOME_IMAGE_SRC` from `src/lib/home-images.ts` .
- 5. Templates wire hero/section/card/map/region slots by naming convention, e.g.:
 - `services-{slug}-hero|section-1|section-2|section-3|areas`
 - `locations-{slug}-hero|region|section-local|section-industries|cluster-*|card-*`
 - `combos-{loc}-{service}-hero|body|region|section-1`
 - `blog-{slug}-hero|mid|sidebar`
- 6. If a `src` is missing, `ImagePlaceholder` shows a dashed `[PLACEHOLDER – label]` box (UI fallback — not the same as copy placeholders).
- 7. About page references `about-location-{slug}` for all locations; metro about cards for sydney/brisbane/melbourne may be absent while about still has ≥ 3 images from founder/walkthrough/compliance + regional cards.

5. Placeholders checklist (owner action)

Full tickable list: `docs/PLACEHOLDERS_CHECKLIST.md` and `docs/PLACEHOLDERS_CHECKLIST.pdf` .

Priority A (compliance trust): insurance \$ amount (Footer, Home, `home.ts`, Certifications), PI confirm, insurance issue date, PDF link, ISO 9001/14001/45001 target dates.

Priority B: founder name + headshot on home; named bio on about.

Priority C: Google review text/stars, GBP review URL, reviews embed, home trust band, certification badge graphic.

Priority D: CTA copy leftover in `CtaSection.tsx` .

Priority E: real case studies; metro “Local Case Reference” blocks when earned.

Search: `rg "PLACEHOLDER|TRUST PLACEHOLDER" src --glob "{ts,tsx,mdx}"`

6. AI / Perplexity Computer crawlability

6.1 Policy

The business **wants** Perplexity Computer agents and other AI agents to crawl and cite the public marketing site. Training/search bots are explicitly **Allowed** in robots policies. Disallowed only: `/api/` , `/admin/` (reserved; no public app routes there today).

6.2 Files

URL	Purpose
<code>/robots.txt</code>	Generated by next-sitemap; Allow AI bots + *
<code>/llms.txt</code>	Curated LLM entry map (llmstxt.org style)
<code>/llms-full.txt</code>	Expanded page inventory for agents
<code>/site-index.json</code>	Machine-readable JSON of all 57 routes + metadata
<code>/sitemap.xml</code>	XML sitemap index
<code>/sitemap/</code>	Human HTML sitemap

6.3 Explicitly allowed user-agents (robots)

Including but not limited to: `PerplexityBot` , `Perplexity-User` , `GPTBot` , `OAI-SearchBot` , `ChatGPT-User` , `ClaudeBot` , `anthropic-ai` , `Claude-Web` , `Google-Extended` , `Googlebot` , `bingbot` , `Applebot` , `Applebot-Extended` , `CCBot` , `Bytespider` , `meta-externalagent` .

6.4 Agent operating tips

- Prefer HTML pages + JSON-LD already embedded.
 - Prefer `/llms.txt` then deep links; use `/site-index.json` for exhaustive enumeration.
 - Do not invent `AggregateRating` or testimonials.
 - Quote form posts via the Contact page UI / server action — not a public REST lead API.
 - Respect trailing slashes on all URLs.
-

7. Local development & deploy

7.1 Local

```
npm install
# configure .env.local with DATABASE_URL + DIRECT_URL
npx prisma db push
npm run db:seed
npm run dev
# http://localhost:3000
```

7.2 Deploy (when asked)

```
git push origin main
npx vercel --prod --yes
```

Or rely on Vercel Git integration after push.

7.3 Env on Vercel

Must set `DATABASE_URL` (and ideally `DIRECT_URL` if CLI runs in CI). Optional: `CONTACT_FORM_ENDPOINT` .

Never commit `.env` , `.env.local` , or database passwords.

8. Hard constraints & product rules

1. **No fake reviews / `AggregateRating`** until verified GBP reviews exist.
 2. **Placeholders stay placeholders** until owner supplies real values.
 3. **Do not deploy** unless the owner explicitly asks (this handover deploy was explicitly requested).
 4. Next.js 16 APIs may differ from training data — read `node_modules/next/dist/docs/` before changing framework usage (`AGENTS.md`).
 5. Keep Contained Section System patterns; do not regress to free-floating messy sections.
 6. Keep ≥ 3 unique content images per page.
 7. Prefer TypeScript content modules over inventing a CMS unless scoped.
-

9. Recommended next actions for Perplexity Computer

1. Clear Priority A–C placeholders with owner-supplied facts; update every listed file.
2. Connect real GBP reviews embed + URL; only then consider AggregateRating schema.
3. Publish first real case study; remove empty-state shell copy.
4. Optionally expand more location×service combos if SEO plan requires denser coverage (master doc Tier logic).
5. Re-run `npm run build` after content changes so `next-sitemap` refreshes XML.
6. Run `node scripts/validate-content-img-refs.mjs` after image/slot changes.
7. Run `node scripts/final-qa.mjs` against production base URL for title/H1/canonical/JSON-LD smoke checks.
8. Confirm custom domain DNS still points at current Vercel production deployment.

10. Related documents in-repo

Document	Path
Placeholders checklist (MD)	<code>docs/PLACEHOLDERS_CHECKLIST.md</code>
Placeholders checklist (PDF)	<code>docs/PLACEHOLDERS_CHECKLIST.pdf</code>
This handover	<code>docs/PERPLEXITY_COMPUTER_HANDOVER.md</code>
Agent rules	<code>AGENTS.md</code> , <code>CLAUDE.md</code>
Shot list	<code>scripts/image-shot-list.json</code>

11. Contact constants (public)

Name: FACILITIES MAN

ABN: 72 697 453 937

Phone: 0450 924 377 (+61450924377)

Email: support@facilitiesman.com.au

URL: https://www.facilitiesman.com.au

Address line: Newcastle, NSW, Australia

Hours: Monday–Saturday, 7am–7pm

GA4: G-D26DLPW4CN

End of handover. Prefer this file + `/LLms.txt` + `/site-index.json` as the agent onboarding pack.