Pizza Sales Report

INTRODUCTION

This project, titled "Pizza Sales Report," involved using SQL queries to analyze and solve various questions related to pizza sales. The focus was on retrieving and calculating key metrics such as the total number of orders, revenue generated, and identifying popular pizza types and sizes. The project also delved into analyzing the distribution of orders by time and category, providing a comprehensive overview of the sales patterns in the pizza business.

QUESTIONS

- Retrieve the total number of orders placed.
- Calculate the total revenue generated from pizza sales.
- Identify the highest-priced pizza.
- Identify the most common pizza size ordered.
- List the top 5 most ordered pizza types along with their quantities
- Join the necessary tables to find the total quantity of each pizza category ordered.
- Determine the distribution of orders by hour of the day.
- Join relevant tables to find the category-wise distribution of pizzas.
- Group the orders by date and calculate the average number of pizzas ordered per day.
- Determine the top 3 most ordered pizza types based on revenue.

Retrieve the total number of orders placed.

```sql
SELECT
    COUNT(order_id) AS total_orders
FROM
    orders;
```

Result Grid

	total_orders
▶	21350

Calculate the total revenue generated from pizza sales.

```sql
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS total_revenue
FROM
    order_details
        JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id
```

Result Grid

total_revenue
817860.05

Identify the highest-priced pizza.

```sql
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

Result Grid | Filter Rc

name	price
The Greek Pizza	35.95

Identify the most common pizza size ordered.

```sql
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC
LIMIT 1;
```



	size	order_count
▶	L	18526

List the top 5 most ordered pizza types along with their quantities.

```sql
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

Result Grid | Filter Rows:

name	quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

Join the necessary tables to find the total quantity of each pizza category ordered.

```sql
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

Result Grid

category	quantity
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

Determine the distribution of orders by hour of the day.

```sql
SELECT
    HOUR(time) AS hours, COUNT(order_id) AS couny_id
FROM
    orders
GROUP BY HOUR(time);
```

Result Grid

hours	couny_id
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28
10	8
9	1

Join relevant tables to find the category-wise distribution of pizzas.

```sql
SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```

Result Grid | Filter Rov

category	COUNT(name)
Chicken	6
Classic	8
Supreme	9
Veggie	9

Group the orders by date and calculate the average number of pizzas ordered per day.

```sql
SELECT
    ROUND(AVG(quantity), 0) AS avg_quantity
FROM
    (SELECT
        orders.date, SUM(order_details.quantity) AS quantity
    FROM
        orders
    JOIN order_details ON orders.order_id = order_details.order_id
    GROUP BY orders.date) AS order_quantity;
```

Result Grid

	avg_quantity
▶	138

Determine the top 3 most ordered pizza types based on revenue.

```sql
SELECT
    pizza_types.name,
    ROUND(SUM(order_details.quantity * pizzas.price),
            1) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

Result Grid | Filter Rows:

name	revenue
The Thai Chicken Pizza	43434.2
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5

THANK YOU