HTML5 – Day – 1 Hands On – Badam Sai Vikas Reddy

Problem 1

Problem Statement:

1. Create a basic HTML page with proper structure (DOCTYPE, head, body)
2. Add a heading and a paragraph introducing yourself
3. Create an unordered list showing your hobbies
4. Create an ordered list showing daily routine steps
5. Create a simple table showing:
    - Student Name
    - Subject
    - Marks

Source Code:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>About MySelf</title>
</head>
<body>

    <h1>My New Web Page</h1>
    <p>
       My name is Sai Vikas Reddy, Currently I am learning full stack development.
    </p>

    <h2>My Hobbies</h2>
    <ul>
       <li>martial arts </li>
       <li>travelling</li>
       <li>Cricket</li>
    </ul>

     <h2>My Daily Routine</h2>
   <ol>
       <li>Wake up early</li>
       <li>Exercise</li>
       <li>Work</li>
       <li>Spend time with family</li>
       <li>Go to sleep</li>
   </ol>
     <h2>Student Details</h2>
   <table border="1">
       <tr>
           <th>Student Name</th>
           <th>Subject</th>
           <th>Marks</th>
       </tr>
       <tr>
           <td>Saivikas Reddy</td>
```

```html
            <td>Saivikas Reddy</td>
            <td>HTML</td>
            <td>85%</td>
        </tr>
        <tr>
            <td>Syam</td>
            <td>CSS</td>
            <td>90%</td>
        </tr>
        <tr>
            <td>Sandeep</td>
            <td>JavaScript</td>
            <td>88%</td>
        </tr>
    </table>
    </body>
</html>
```

Output



Explanation:

This code creates a simple personal webpage. It shows a welcome heading, a short introduction about me, My hobbies in bullet points, My daily routine in numbered form, and a table with student details like Name, Subject, and Marks.

Problem 2

Problem Statement:

A small restaurant wants a basic menu webpage to display their offerings online before moving to a full website.

Requirements:

Create an HTML page that displays:

1. Restaurant Name (Heading)
2. About the Restaurant (Paragraph)
3. Menu Categories (Unordered List)
4. Price List (Table)

Technical Constraints

- Use proper **HTML boilerplate**
- Use at least **5 HTML elements**
- Use **HTML attributes** such as border, title, align
- Use:
    - <table>, <tr>, <th>, <td>
    - <ul> and <li>

Learning Outcome

You should be able to:

- Build a complete HTML page structure
- Use tables for structured data
- Use lists for grouped information

Source Code:

```html
<!DOCTYPE html>
<html>
<head>
    <title>Spicy Delight Restaurant</title>
</head>
<body>

    <h1 title="Welcome to Spicy Venue">Spicy Venue Restaurant</h1>

    <p title="Spicy Venue">
        Spicy Venue Restaurant offers a variety of delicious Indian dishes prepared
        with fresh ingredients and authentic spices.

    </p>

    <h2>Menu Categories</h2>
    <ul title="Food Categories">
        <li>Breakfast</li>
        <li>Main Course</li>
        <li>Beverages</li>
        <li>Desserts</li>
    </ul>

    <h2>Price List</h2>
    <table border="1" title="Restaurant Price List">
        <tr>
            <th>Item Name</th>
            <th>Category</th>
            <th>Price </th>
        </tr>
        <tr>
            <td>Paneer Butter Masala</td>
            <td>Main Course</td>
            <td>220 rs</td>
        </tr>
        <tr>
            <td>Veg Biryani</td>
            <td>Main Course</td>
            <td>180 rs</td>
        </tr>
        <tr>
            <td>Masala Dosa</td>
            <td>Breakfast</td>
            <td>90 rs</td>
        </tr>
        <tr>
            <td>Cold Coffee</td>
            <td>Beverages</td>
            <td>120 rs</td>
        </tr>
    </table>

</body>
</html>
```

Output:



Explanation:

This code creates a simple restaurant webpage for **Spicy Venue Restaurant**. It shows the restaurant name, a short welcome message, menu categories in bullet points, and a table with item names, categories, and prices.

Problem 3

Problem Statement:

You are building a **simple webpage for personal use** to plan your weekly grocery shopping. The page should clearly show **priority items** and **optional items**, so it's easy to decide what to buy first.

Requirements

Create an HTML webpage that includes:

1. A **page title**:
   Weekly Grocery Checklist
2. A **main heading** displaying the same title.
3. An **Ordered List** showing **high-priority grocery items**, such as:
   - Rice
   - Milk
   - Vegetables
   - Cooking Oil
4. An **Unordered List** showing **optional or non-essential items**, such as:
   - Snacks
   - Ice cream
   - Soft drinks

Technical Constraints

- Use proper **HTML boilerplate**:
  - <!DOCTYPE html>
  - <html>, <head>, <body>

- Use:
    - <ol> and <ul> correctly
    - <li> for each item
- Add at least **one HTML attribute** (example: title)
- Ensure **proper indentation and readability**

Learning Outcome

You will be able to:

- Create structured content using HTML lists
- Choose the correct list type based on real-world requirements
- Understand how HTML represents **logical order and grouping**
- Build confidence in writing basic but meaningful HTML pages

Source Code:

- 

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Weekly Grocery Checklist</title>
</head>
<body>

    <h1 title="Plan for weakly grocery shopping">Weekly Grocery Checklist</h1>

    <h2>High-Priority Items</h2>
    <ol>
        <li>Rice</li>
        <li>Milk</li>
        <li>Vegetables</li>
        <li>Cooking Oil</li>
    </ol>
    <h2>Optional Items</h2>
    <ul>
        <li>Snacks</li>
        <li>Ice cream</li>
        <li>Soft drinks</li>
    </ul>

</body>
</html>
```

Output:

Explanation:

This code creates a simple webpage for a **Weekly Grocery Checklist**. It shows a main heading, then high-priority items in a numbered list, and Optional items in bullet points.

Problem 4

Problem Statement:

A company wants a **basic onboarding page** for new employees that HR can later style using CSS.

Requirements Use

Semantic HTML:

- <header> → Company name & welcome message
- <section> → Employee details
- <article> → Company policies
- <footer> → Contact information

Content Structure

1. **Employee Information (Table)**
    - Employee ID
    - Name
    - Department
    - Joining Date
2. **Company Policies (Ordered List)**
    - Working hours
    - Leave policy
    - Code of conduct
3. **Facilities Provided (Unordered List)**
    - Laptop
    - Internet access
    - Training materials

Technical Constraints

- Use **semantic tags only** (no for layout)
- Add **meaningful attributes** (title, lang, etc.)
- Proper indentation & readability

Learning Outcome

Learners should be able to:

- Explain **why semantic HTML matters**
- Differentiate between structural and non-structural tags
- Build readable, SEO-friendly HTML

Source Code:

- 

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="description" content="Employee onboarding page for new employees">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Employee Onboarding</title>
</head>

<body>

    <header>
        <h1 title="Company Name">Recroit Technologies Pvt. Ltd.</h1>
        <p title="Welcome Message">
            Welcome to our organization! We are excited to have you on board.
        </p>
    </header>
    <section>
        <h2>Employee Information</h2>

        <table border="1" title="Employee Details Table">
            <thead>
                <tr>
                    <th>Employee ID</th>
                    <th>Name</th>
                    <th>Department</th>
                    <th>Joining Date</th>
                </tr>
            </thead>
            <tbody>
                <tr>
                    <td>EMP001</td>
                    <td>Saivikas Reddy</td>
                    <td>Software Development</td>
                    <td>16-Feb-2026</td>
                </tr>
            </tbody>
```

```html
        </table>
    </section>
    <article>
        <h2>Company Policies</h2>

        <ol>
            <li>Working hours: 9:00 AM to 6:00 PM (Monday to Friday)</li>
            <li>Leave policy: 18 paid leaves per year</li>
            <li>Code of conduct: Maintain professionalism and respect</li>
        </ol>

        <h3>Facilities Provided</h3>
        <ul>
            <li>Laptop</li>
            <li>Internet access</li>
            <li>Training materials</li>
        </ul>
    </article>

    <footer>
        <h2>Contact Information</h2>
        <p>Email: hr@recroittechnologies.com</p>
        <p>Phone: +91 9876543210</p>
        <p>&copy; 2026 Recroit Technologies Pvt. Ltd. All rights reserved.</p>
    </footer>
</body>
</html>
```

Output:



Explanation:

This code creates a simple company webpage for **Recroit Technologies Company**. It shows a header with the company name, a table displaying employee details, company policies in a numbered list, facilities in bullet points, and a contact email in the footer.

Problem 5

Problem Statement:

A college wants to create a **basic informational webpage** for one of its departments (e.g., Computer Science, Information Technology).
The page will be used by **students and parents** to understand faculty details, subjects offered, and the weekly timetable before the site is enhanced with CSS and backend features.

Requirements

Create an HTML webpage that includes the following sections:

1. **Header**
    - Department Name
    - College Name
2. **Section 1: Faculty Details**
    - Display faculty information in a **table** with columns:
        - Faculty Name
        - Designation
        - Subject Handled
3. **Section 2: Subjects Offered**
    - Display the list of subjects using an **unordered list**
4. **Section 3: Weekly Timetable**
    - Display timetable details in a **table** with columns:
        - Day
        - Subject
        - Time Slot

5. **Footer**
    - College address
    - Contact information

Technical Constraints

- Use proper **HTML document structure**:
    - <!DOCTYPE html>
    - <html>, <head>, <body>
- Use **semantic HTML elements**:
    - <header>, <section>, <footer>
- Use:
    - <table>, <tr>, <th>, <td>
    - <ul> and <li>
- Add meaningful **HTML attributes** such as lang or title
- Avoid CSS and JavaScript (HTML only)

Learning Outcome

You will be able to:

- Build real-world HTML pages with structured content
- Understand how semantic HTML improves readability and maintenance
- Organize information logically using tables and lists
- Prepare HTML content that is ready for CSS styling and backend integration

Source Code:

index.html ...\task2.html | contact.html | task1.html Day1.html | task2.html Day1.html | task3.html Day1.html | task4.html Day1.html | task5.html

Day1.html > task5.html > html > body > section > table

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="description" content="Information about the Computer Science Department">
    <title>Computer Science Department - GHR College</title>
</head>
<body>

    <header>
        <h1>Computer Science Department</h1>
        <h2>GHR College of Engineering</h2>
    </header>

    <section>
        <h3>Faculty Details</h3>
        <table border="1" title="Faculty Information Table">
            <tr>
                <th>Faculty Name</th>
                <th>Designation</th>
                <th>Subject Handled</th>
                </tr>
            <tr>
                <td>Dr. Rajesh Kumar</td>
                <td>Professor</td>
                <td>Data Structures</td>
            </tr>
            <tr>
                <td>Ms. Anitha Reddy</td>
                <td>Associate Professor</td>
                <td>Database Management Systems</td>
            </tr>
            <tr>
                <td>Mr. Suresh Babu</td>
                <td>Assistant Professor</td>
                <td>Web Technologies</td>
            </tr>
    </table>
</section>
<section>
    <h3>Subjects Offered</h3>
    <ul title="List of Subjects Offered">
        <li>Programming in C</li>
        <li>Object-Oriented Programming (Java)</li>
        <li>Data Structures</li>
        <li>Database Management Systems</li>
        <li>Operating Systems</li>
    </ul>
</section>

<section>
    <h3>Weekly Timetable</h3>
    <table border="1" title="Weekly Timetable">
        <tr>
            <th>Day</th>
            <th>Subject</th>
            <th>Time Slot</th>
        </tr>
        <tr>
            <td>Monday</td>
            <td>Data Structures</td>
            <td>9:00 AM - 10:00 AM</td>
        </tr>
        <tr>
            <td>Tuesday</td>
            <td>Database Management Systems</td>
            <td>10:00 AM - 11:00 AM</td>
        </tr>
```

```html
            <tr>
                <td>Wednesday</td>
                <td>Web Technologies</td>
                <td>11:00 AM - 12:00 PM</td>
            </tr>
            <tr>
                <td>Thursday</td>
                <td>Operating Systems</td>
                <td>9:00 AM - 10:00 AM</td>
            </tr>
            <tr>
                <td>Friday</td>
                <td>Java Programming</td>
                <td>10:00 AM - 11:00 AM</td>
                </tr>
        </table>
    </section>

    <footer>
        <p><strong>Address:</strong> GHR College of Engineering, Kukatpally, Hyderabad, Telangana, India</p>
        <p><strong>Contact:</strong> info@ghrcollege.edu | +91 9876543210</p>
    </footer>

</body>
</html>
```

Output:



Explanation:

This code creates a simple webpage for a Computer Science Department. It shows the college name, faculty details in a table, subjects offered in a bullet list, a weekly timetable in another table, and contact information at the bottom.