

- 1- mohammed said Alshandoodi
2- said sultan alsharji

Scenario 11: Pharmacy

Prescription	Type
id	Number
prescriptionDate	String
customerName	String
medicines	List[Medicine]

addMedicine → Add medicine to prescription.

calculateTotalCost → Sum cost of all medicines.

markCompleted → Mark prescription as collected.

Medicine	Type
id	Number
name	String
dosage	String
quantity	Number
manufacturer	Manufacturer

updateStock → Change available quantity.

getDetails → Show medicine information.

Manufacturer	Type
--------------	------

id	Number
name	String
country	String
contactNumber	String

upplyMedicine→ Supply medicine to pharmacy.

=====EX=====

Prescription	Value
id	12
prescriptionDate	12/02/2001
customerName	Omar
medicines	List[Medicine1]

Medicine	Value
id	1
name	Panadol
dosage	100 gram
quantity	2
manufacturer	Cpanadol

Manufacturer 1	Value
----------------	-------

id	2
name	Cpanadol
country	Oman
contactNumber	92156247

Scenario 12: Football League

League	Type
id	Number
leagueName	String
teams	List[Team]
matches	list[match]

addTeam → Add team to league.

scheduleMatc → Create match between teams.

showStandings → Display league ranking.

Team	type
id	Number
teams name	String
coach	String
squad	List[Player]

addPlayer → Add player to squad.

countPlayers → Count players in team.

player	type
--------	------

id	Number
fullname	str
age	num
postion	String

updateStats → Update goals/cards/etc.

changePosition → Update playing position.

match	type
id	Number
matchDate	String
homeTeam	team
awayTeam	team
Time	String

startMatch → Start match.

recordScore → Save match score.

endMatch → Finish match.

=====EX=====

League	value
id	2
leagueName	Premier League
teams	List[Team1, Team2]
matches	list[match1,match2]

Team 1	value
--------	-------

id	1
teams name	Chelsea
coach	Said
squad	List[Player1]

player1	value
id	1
fullname	Said
age	28
postion	Defender

match1	value
id	3
matchDate	28/06/2026
homeTeam	Barcelona
awayTeam	Chelsea
Time	8:20 PM

Scenario 13: Hotel Booking

Reservation	type
id	Number
checkInDate	String
nights	String
guest	guest
room	room
checkOutDate	String
services	List[Service]

`createReservation` → Add reservation.

`checkAvailableRooms` → Show free rooms.

Guest	type
id	Number
fullName	String
passportNumber	String
phoneNumber	String

`assignRoom` → Link room to reservation.

`addService` → Add extra service charge.

`calculateBill` → Sum room + services.

Room	type
id	Number
roomNumber	String
roomType	String
nightlyRate	Number

`markOccupied` → Set room as occupied.

markAvailable → Set room as free.

Service	type
id	Number
serviceName	String
charge	Number

addCharge → Add service fee.

===== EX=====

Reservation	value
id	3
checkInDate	23/02/2021
nights	5
guest	guest
room	room
checkOutDate	28/02/2021
services	List[Service]

Guest	value
id	33
fullName	Said Sultan
passportNumber	1455234124
phoneNumber	921512341

Room	value
------	-------

id	11
roomNumber	25
roomType	VIP
nightlyRate	45

Service	value
id	15
serviceName	breakFast
charge	10

Scenario 14: Online Course Platform

Course	type
id	Number
courseName	String
instructor	String
modules	List[Module]

addModule → Add module to course.

calculateDuration → Sum lesson durations.

Module	type
--------	------

id	Number
moduleName	String
lessons	List[Lesson]

addLesson → Add lesson to module.

countLessons → Count lessons.

Lesson	type
id	Number
lessonTitle	String
videoURL	String
durationMinutes	Number

playVideo → Start lesson video.

getLength → Return lesson duration.

=====EX=====

Course	value
id	10
courseName	OOP
instructor	Mr.Mohammed

Module	value
--------	-------

id	1
moduleName	Introduction to code
lessons	List[Lesson]

Lesson	value
id	2
lessonTitle	Alphabit
videoURL	https://google.com
durationMinutes	23

Scenario 15: Bank Account

Customer	type
id	Number
fullName	String
phoneNumber	String
accounts	List[Account]

`openAccount` → Create new bank account.

`closeAccount` → Close account.

Account	type
id	Number
accountNumber	String
balance	Number
accountType	String
transactions	List[Transaction1]

`deposit` → Add money to balance.

`withdraw` → Remove money from balance.

`checkBalance` → Show current balance.

`addTransaction` → Save transaction record.

Transaction	type
id	Number
transactionDate	String
amount	Number
transactionType	String

`recordTransaction` → Store transaction details.

getSummary → Show transaction summary.

=====EX=====

Customer	value
id	501
fullName	Said Al Sharji
phoneNumber	1300
accounts	List[Account1]

Account 1	value
id	1001
accountNumber	12341234234
balance	1234
accountType	Saving
transactions	List[Transaction1]

Transaction	value
id	1
transactionDate	12/2/2001
amount	100
transactionType	Deposit