

| Feature        |              |   | Scer | nario |   | Step |   |   |   |
|----------------|--------------|---|------|-------|---|------|---|---|---|
| Name           | Duration     | T | P    | F     | S | T    | P | F | S |
| Error Handling | 1 m 14.863 s | 1 | 0    | 1     | 0 | 9    | 5 | 1 | 3 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name   | Scenario Name   |
|---|----------------|---|
| 1 | Error Handling | Intentionally provide incorrect payment information and check error handling. |


| TAG         | Scenario |   |   |   | Feature |   |   |   |  |
|-------------|----------|---|---|---|---------|---|---|---|--|
| Name        | T        | P | F | S | T       | P | F | S |  |
| @US09_TC002 | 1        | 0 | 1 | 0 | 1       | 0 | 1 | 0 |  |
| @US09       | 1        | 0 | 1 | 0 | 1       | 0 | 1 | 0 |  |

FEATURES SUMMARY -- 5 --



| # | Feature Name   | T | P | F | S | Duration     |  |
|---|----------------|---|---|---|---|--------------|--|
| 1 | Error Handling | 1 | 0 | 1 | 0 | 1 m 14.863 s |  |

SCENARIOS SUMMARY -- 6 -




| # | Feature Name   | Scenario Name   | T | P | F | S | Duration     |
|---|----------------|---|---|---|---|---|--------------|
| 1 | Error Handling | Intentionally provide incorrect payment information and check error handling. | 9 | 5 | 1 | 3 | 1 m 14.855 s |

DETAILED SECTION -- 7 --

## **Error Handling**

| FAILED            | DURATION - 1 m 14.863 s | Scenarios |   | Steps     |   |
|-------------------|-------------------------|-----------|---|-----------|---|
|                   |                         | Total - 1 |   | Total - 9 |   |
| / 11:12:03.823 AM | /// 11:13:18.686 AM /   | Pass - 0  | 1 | Pass - 5  | 9 |
|                   |                         | Fail - 1  | • | Fail - 1  |   |
|                   |                         | Skip - 0  |   | Skip - 3  |   |
|                   |                         |           |   |           |   |

## Intentionally provide incorrect payment information and check error handling.



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigates to "url"   | PASSED | 11.208 s |
| 2 | Given User enters destination on the search box   | PASSED | 31.059 s |
| 3 | When User clicks on Search button   | PASSED | 11.593 s |
| 4 | And User clicks on View Deal button of the Hotel information box  | PASSED | 5.418 s  |
| 5 | And Website switches to another tab   | PASSED | 0.091 s  |
| 6 | And User selects a room and clicks on Quick Book button   | FAILED | 15.401 s |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[@data-translations-id='viewDeal'])[1]"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.0', revision: 'e5a96349ce' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.1.1', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3bd6ccd5129373da0e51a01b475d4337, findElement {using=xpath, value=(//span[@data-translations-id='viewDeal'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: /var/folders/dx/_5n2rkg91gn}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51598/devtoo, se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3bd6ccd5129373da0e51a01b475d4337 |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  |         |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)                   |         |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)           |         |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   |         |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   |         |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)                          |         |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)                                   |         |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)                                    |         |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  |         |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)                            |         |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)                                  |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  |         |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)                                |         |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)  |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)  |         |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)                          |         |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)                    |         |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source)   |         |          |
|   | at project.stepDefinitions.US_09_Error_Handling.user_selects_a_room_and_clicks_on_quick_book_button(US_09_Error_Handling.java:90)    |         |          |
|   | at ?.User selects a room and clicks on Quick Book button(file:///Users/betul/Documents/GitHub/trivago/./src/test/resources/features/ |         |          |
|   | US_09_Error_Handling.feature:22)   |         |          |
|   | * Not displayable characters are replaced by '?'.  |         |          |
| 7 | And User clicks Continue button on the pop-up message box  | SKIPPED | 0.003 s  |
| 8 | And User enters invalid card number  | SKIPPED | 0.001 s  |
| 9 | Then User should see the error message under card number box   | SKIPPED | 0.001 s  |