


Feature Scenario			Step						
Name	Duration	T	P	F	S	T	P	F	S
skill comparision for each students	58.146 s	3	0	3	0	9	6	3	0

Tag		Scer	nario		Feature			
Name	T P F S			T	P	F	S	
@college	1	0	1	0	1	0	1	0
@tag	3	0	3	0	1	0	1	0
@district	1	0	1	0	1	0	1	0
@state	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	skill comparision for each students	3	0	3	0	58.146 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	skill comparision for each students	skill comparision in college level	3	2	1	0	17.068 s
2	skill comparision for each students	skill comparision in district level	3	2	1	0	21.801 s
3	skill comparision for each students	skill comparision in state level	3	2	1	0	19.226 s

DETAILED SECTION -- 6 --

skill comparision for each students

FAILED	DURATION - 58.146 s	Scenarios		Steps	
		Total - 3		Total - 9	
/ 3:57:20.321 pm /	// 3:58:18.467 pm /	Pass - 0	3	Pass - 6	 q
		Fail - 3	1 3	Fail - 3	
		Skip - 0		Skip - 0	


skill comparision in college level



#	Step / Hook Details	Status	Duration
1	Given login with student url	PASSED	1.230 s
2	When login with students in "college" and skill comparision	PASSED	13.595 s
3	Then logout dashboard	FAILED	0.059 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//* [@href='http://maplogik.com/index.php/student/logout"]"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.2.0', revision: '86eb611648' System info: host: 'LAPTOP-QTKHLG1M', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [13dd5ed4e51b5fd58ba36885ce1a6f9a, findElement {using=xpath, value=//*[@href='http://maplogik.com/index.php/student/logout"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7, userDataDir: C:\Users\SAIPAV-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64381}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64381/devtoo, se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 13dd5ed4e51b5fd58ba36885ce1a6f9a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:566)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:384)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:376)		
	at utilities.Utiliesclass.waitForElementClickable(Utiliesclass.java:29)		
	at pageLocators.LoginExcelReadClass.logOut(LoginExcelReadClass.java:105)		
	at stepDefinition.StepDefinitionCollege.logout_dashboard(StepDefinitionCollege.java:58)		
	at ?.logout dashboard(file:///C:/Users/SAI%20PAVEEN/eclipse-workspace/CucumberMaplogikProject/src/test/java/featurefile/		
	featurecomparision.feature:10)		
	* Not displayable characters are replaced by '?'.		

skill comparision in district level




#	Step / Hook Details	Status	Duration
1	Given login with student url	PASSED	1.322 s
2	When login with multiple students in "district" and skill comparision	PASSED	18.833 s
3	Then logout dashboard	FAILED	0.037 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@href='http://maplogik.com/index.php/student/logout']"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.2.0', revision: '86eb611648' System info: host: 'LAPTOP-QTKHLG1M', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1'		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d0d8562184ef720f4d77e8a62bdf525d, findElement {using=xpath,		
	value=//*[@href='http://maplogik.com/index.php/student/logout']}] Capabilities {acceptInsecureCerts: false, browserName: chrome,		
	browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7, userDataDir:		
	C:\Users\SAIPAV~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64442}, javascriptEnabled: true,		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:		
	ws://localhost:64442/devtoo, se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d0d8562184ef720f4d77e8a62bdf525d		
	at jdk.internal.reflect.GeneratedConstructorAccessor10.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:566)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:384)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:376)		
	at utilities.Utiliesclass.waitForElementClickable(Utiliesclass.java:29)		
	at pageLocators.LoginExcelReadClass.logOut(LoginExcelReadClass.java:105)		
	at stepDefinition.StepDefinitionCollege.logout_dashboard(StepDefinitionCollege.java:58)		
	at ?.logout dashboard(file:///C:/Users/SAI%20PAVEEN/eclipse-workspace/CucumberMaplogikProject/src/test/java/featurefile/		
	featurecomparision.feature:17)		
	* Not displayable characters are replaced by '?'.		

skill comparision in state level



DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
1	Given login with student url	PASSED	1.187 s
2	When login students in "state" and skill comparision	PASSED	16.405 s
3	Then logout dashboard	FAILED	0.082 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"/#{@href='http://maplogik.com/index.php/student/logout]"} (Session info: chrome=103.0.5060.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: *4.2.0", revision: *86eb611648' System info: host: LAPTOP-QTRHLG1M", is: 192.168.0.102", os.name: 'Windows 10", os.arch': 'amd64', os.version: *14.2.0", revision: *86eb611648' System info: host: LAPTOP-QTRHLG1M", is: 192.168.0.102", os.name: 'Windows 10", os.arch': 'amd64', os.version: *14.2.0", revision: *170.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [be04d6b699ecfc200ca3821de618ad0f, findElement (using=xpath, value=//*@pthef='http://maplogik.com/index.php/student/logouty"]) (2pablities (acceptinsecure-Certs: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7, userDataDir: C.UsersiSAIPAV~11AppDatalat} goog:chromeOptions: (debugger/address: localhost:64486), javascripticabled: frue, horwork-ornoretionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformMame: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:64486/devtoo, se.cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: frue) Session ID: be04d6b699ecfc200ca3821de618ad0f at jdk.internal.reflect.DelegatingConstructorAccessor10.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(VihCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:23) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpRespons		