CerosL1 Ledger

Online double-entry accounting

STANDARD OPERATING PROCEDURE

How the CerosL1 Ledger Works as a System

Architecture, transaction flow, controls and the day-to-day procedures for operating the online ledger (Supabase + Vercel).

DOCUMENT NO.	**CL1-SOP-001**
REVISION	**Rev. 1.0**
EFFECTIVE DATE	**5 November 2026**
SYSTEM	**CerosL1 Web (PWA) v1.0.0**
APPLIES TO	**Owners, Admins, Viewers, System Administrator**
STATUS	**Approved for use**

Contents

Contents 2

1. Purpose, Scope and Definitions 3

1.1 Purpose . . . 3
1.2 Scope . . . 3
1.3 Definitions . . . 3

2. Roles and Responsibilities 4

3. System Architecture 5

3.1 Data held by the system . . . 5

4. How a Transaction Flows Through the System 7

4.1 Invoice and bill lifecycle . . . 7
4.2 Automatic posting rules . . . 7

5. Built-in Controls 9

6. Operating Procedures 10

SOP-01 Initial System Setup . . . 10
SOP-02 User Access: Sign Up, Sign In, Password Reset . . . 10
SOP-03 Company Setup and Member Access . . . 11
SOP-04 Maintaining Contacts . . . 11
SOP-05 Sales Invoice Cycle . . . 12
SOP-06 Supplier Bill Cycle . . . 12
SOP-07 Banking: Accounts, Spending, Receipts and Transfers . . . 13
SOP-08 Manual Journals and Reversals . . . 13
SOP-09 Chart of Accounts Maintenance . . . 14
SOP-10 Data Migration by CSV Import . . . 14
SOP-11 Month-End Review and Reporting . . . 15
SOP-12 Audit Log Review . . . 15
SOP-13 Installing the App and Working Offline . . . 16
SOP-14 Maintenance, Updates and Backups . . . 16

7. Troubleshooting 17

Appendix A. Default Chart of Accounts 18

Appendix B. CSV Import Format . . . 18
Appendix C. Revision History . . . 19

1. Purpose, Scope and Definitions

1.1 Purpose

This Standard Operating Procedure (SOP) explains how the CerosL1 Ledger operates as a complete system - what each component does, how a business transaction travels from a user's screen to the general ledger, which controls protect the books, and the exact steps staff follow for each routine task. It is the reference for training new users, for day-to-day bookkeeping, and for the person who maintains the hosting.

1.2 Scope

- The online CerosL1 web application (PWA) hosted on **Vercel**, with login and data on **Supabase**.
- All companies (organisations) created in the system and every user who is a member of one.
- Sales invoices, supplier bills, contacts, banking, manual journals, chart of accounts, CSV import, reports and the audit log.
- Out of scope: the legacy desktop/Mac package (local SQLite, Ngrok tunnels, admin access code), payroll and inventory costing.

1.3 Definitions

Term	Meaning in CerosL1
Company	A separate set of books (organisation). Users can belong to several companies and switch between them.
Member / Role	A user's access to one company: **Owner**, **Admin** or **Viewer**.
Document	A sales **invoice** or supplier **bill** with line items, tax and a status.
Journal entry	A dated, balanced posting to the general ledger (total debits = total credits).
Posting	Writing a journal entry. In CerosL1 only database functions can post - never the screen directly.
Reversal	A new entry that mirrors an earlier one (debits and credits swapped) so its effect becomes zero.
System account	An account the engine relies on (Bank, Accounts Receivable, Accounts Payable, VAT, Sales, Expenses, Opening Balance Equity). It cannot be archived.
RLS	Row-Level Security - database rules that only return or change rows of companies the user belongs to.
PWA	Progressive Web App - a website that can be installed like an app and opens its screens offline.

2. Roles and Responsibilities


Access is granted per company. The same person can be an Owner in one company and a Viewer in another. The database enforces these permissions, so hiding a button is never the only protection.

Role	Can do	Cannot do	Typical holder
Owner	Everything an Admin can, plus: rename company and change currency, add/remove members, change roles.	Remove or demote the last remaining Owner.	Business owner, finance director
Admin	Create and approve invoices and bills, record payments, void, post and reverse journals, manage contacts, accounts, bank accounts and tax rates, import CSV.	Manage members or company details.	Bookkeeper, accountant
Viewer	Read every screen, run and export reports, download PDFs, view the audit log.	Create, change, approve, pay, void or delete anything.	Auditor, manager, external adviser
System Administrator	Maintains the Supabase project and Vercel deployment, runs schema updates, monitors backups.	Use the *service_role* key in the app or share it.	IT staff / developer

CONTROL Segregation of duties: where staff numbers allow, the person who enters a bill should not be the only person who approves and pays it. Use the audit log (SOP-12) to evidence who approved and who paid.

3. System Architecture

CerosL1 has three cooperating parts. The website contains no stored data; all records live in the Supabase database, and every accounting rule is enforced inside that database.



Component	What it is	What it does in the system
User device (PWA)	Any modern browser, or the installed app on Windows, macOS, Android or iOS.	Shows the screens, checks forms (e.g. journal balance) for convenience, and sends requests. The service worker caches the app shell so it opens offline, but never caches ledger data.
Vercel	Static web hosting with HTTPS and a global CDN.	Serves index.html, app.js, styles.css, icons and config.js. At each deploy, scripts/build-config.mjs writes config.js from the SUPABASE_URL and SUPABASE_ANON_KEY environment variables.
Supabase Auth	Managed user accounts.	Handles sign-up, email confirmation, sign-in, password resets and issues a signed session token that identifies the user on every database request.
Supabase Database	PostgreSQL with the CerosL1 schema (supabase/schema.sql).	Stores all companies and books. Row-Level Security limits every query to the user's companies. Posting functions validate and write balanced journal entries in a single transaction, and record the audit log.

3.1 Data held by the system

Table	Contents
organizations / org_members	Companies, base currency, and who belongs to each with which role.
accounts	Chart of accounts per company (code, name, category, system key, active flag).
contacts	Customers and suppliers (name, email, phone, TIN, address).
tax_rates	Tax rates per company (default: VAT 12%, Zero-rated, VAT Exempt).
documents / document_lines	Invoices and bills with their line items, totals, amount paid and status.

Table	Contents
payments	Each payment against an invoice or bill, the bank account used and its journal entry.
bank_accounts	Bank, cash and credit-card accounts, each linked to its own ledger account.
journal_entries / journal_lines	The general ledger: every posting with its source (Manual, Invoice, Bill, Payment, Import, Opening, Reversal).
audit_logs	Who did what and when, with key details.


4. How a Transaction Flows Through the System

Every change that affects the books follows the same path. Using "approve an invoice" as the example:

Step	Where	What happens
1	Screen	The Admin opens the invoice and clicks **Approve & post**.
2	Browser to Supabase	The app calls the database function approve_document with the user's session token.
3	Database - permission	The function confirms the user is an Owner or Admin of that invoice's company. Otherwise: "You do not have permission to change this company's books."
4	Database - validation	Checks the invoice is a Draft and its total is above zero.
5	Database - posting	Builds the journal (Dr Accounts Receivable, Cr Sales per account, Cr VAT Payable), verifies debits equal credits, and writes it.
6	Database - status and audit	Sets the invoice to Awaiting payment, links the journal entry, and writes an audit log record.
7	Commit	All of steps 3-6 succeed together or none of them are saved (one database transaction).
8	Screen	The app shows a confirmation, refreshes the list and reopens the invoice with its new status.

CONTROL Because the rules live in the database, the same protections apply whether a request comes from the app, an installed PWA, or any other tool using the public key. A user cannot bypass them by editing the web page.

4.1 Invoice and bill lifecycle



4.2 Automatic posting rules

The engine posts the following entries. Users never type these lines; they are generated from the document or banking screen.

Event	Debit	Credit
Invoice approved	Accounts Receivable (total incl. tax)	Sales / line accounts (net) and VAT Payable (output tax)
Payment received on invoice	Chosen bank account	Accounts Receivable
Bill approved	Expense / line accounts (net) and VAT Payable (input tax)	Accounts Payable (total incl. tax)
Bill paid	Accounts Payable	Chosen bank account

Event	Debit	Credit
Invoice or bill voided	Mirror of the original entry	Mirror of the original entry (same date as original)
Spend money	Chosen account (e.g. expense)	Bank account
Receive money	Bank account	Chosen account (e.g. other income)
Transfer	Receiving bank account	Sending bank account
Bank opening balance (bank/cash)	Bank account	Opening Balance Equity
Card opening balance (amount owed)	Opening Balance Equity	Credit-card liability account
Manual journal / CSV import	As entered by the user	As entered by the user

5. Built-in Controls

The following rules are enforced by the database and were verified by automated tests before release. Staff do not need to perform them manually, but should understand them when an action is refused.

#	Control	Effect when breached
C1	Every journal must balance and have at least two lines with amounts.	Posting refused: "Journal does not balance: debits X vs credits Y."
C2	A journal line is either a debit or a credit, never both; no negative amounts.	Posting refused.
C3	Posted entries cannot be edited or deleted; they are reversed or voided instead.	Direct changes are denied by the database.
C4	Only Drafts can be approved or deleted. Paid documents cannot be voided.	Action refused with an explanatory message.
C5	Payments cannot exceed the amount still due.	"Payment exceeds the amount due of ..."
C6	Document numbers are unique per company (auto: INV-1001, BILL-1001...).	"Invoice number ... already exists."
C7	Due date cannot be before the issue date; at least one line item is required.	Save refused.
C8	System accounts and bank-linked accounts cannot be archived.	Save refused.
C9	A journal can be reversed once only; document journals must be voided from the document.	Action refused.
C10	CSV imports are all-or-nothing.	If any entry fails, no imported entry is saved.
C11	Users only see and change companies they belong to; Viewers are read-only.	Rows are hidden or the change is refused.
C12	A company always keeps at least one Owner.	"A company must keep at least one owner."
C13	Every create, approve, pay, void, reverse, import and membership change is written to the audit log.	Permanent record of who and when.

NOTE Contacts that appear on any invoice or bill cannot be deleted, so historic documents always keep their customer or supplier.

6. Operating Procedures

Each procedure states who performs it, when, what is needed first, the steps, and the expected result. Screen names are shown in **bold**; the left-hand menu groups them under Overview, Business, Accounting and Company.

SOP-01 Initial System Setup

Purpose	Stand up a new CerosL1 environment.
Responsible	System Administrator
Trigger / frequency	Once, at go-live (repeat step 3 for schema updates).
Before you start	Supabase account, Vercel account, the CerosL1-Web project folder.

Procedure

1. Create a Supabase project. Record the region and the database password in the company password manager.
2. In Supabase **SQL Editor**, paste the full contents of supabase/schema.sql and click **Run**. Confirm "Success".
3. In **Project Settings > API**, copy the Project URL and the *anon / publishable* key. Never copy the service_role key into the app.
4. In Vercel, import the project (Root Directory: CerosL1-Web) and add environment variables SUPABASE_URL and SUPABASE_ANON_KEY. Deploy.
5. In Supabase **Authentication > URL Configuration**, set the Site URL and Redirect URLs to the Vercel address.
6. Open the Vercel address, create the first user account, confirm the email, and create the first company.

Expected result

The sign-in page loads over HTTPS; the first user becomes Owner of a company that already has a chart of accounts, three tax rates and one bank account.

> **IMPORTANT** If the app shows "Connect your Supabase project", the environment variables were not present at build time. Add them and redeploy.

SOP-02 User Access: Sign Up, Sign In, Password Reset

Purpose	Give a person secure access to the system.
Responsible	Every user
Trigger / frequency	New starter; forgotten password.
Before you start	A work email address the user can receive mail at.

Procedure

1. Open the CerosL1 address and click **Create an account**. Enter email and a password of at least 8 characters.
2. Open the confirmation email and click the link; then sign in.

3. Forgotten password: click **Forgot password?**, enter the email, open the reset link and choose a new password in the dialog.
4. To change a known password: **Settings > Change password**.
5. Sign out on shared computers using **Sign out** at the bottom of the menu.

Expected result

The user can sign in. A new user with no membership sees "Set up your first company" until an Owner adds them (SOP-03).

SOP-03 Company Setup and Member Access

Purpose	Create a company and control who can use it.
Responsible	Owner
Trigger / frequency	New company; staff joins, changes job or leaves.
Before you start	The person has already completed SOP-02.

Procedure

1. To create a company: company switcher at the top > **+ New company**, or **Settings > New company**. Enter name and base currency.
2. To add a member: **Settings > Members > Add member**; enter their sign-up email and choose Viewer, Admin or Owner.
3. To change a role: **Change role** beside the member. To remove access: **Remove**.
4. Leavers must be removed on their last working day. Review the member list quarterly.
5. To rename the company or change display currency: **Settings > Company** (Owner only).

Expected result

The member sees the company in their switcher with the assigned role badge; the change appears in the **Audit log**.

> **IMPORTANT** Currency is a display setting only. Changing it does not convert any amounts.

SOP-04 Maintaining Contacts

Purpose	Keep customer and supplier records accurate.
Responsible	Admin
Trigger / frequency	Before first invoice/bill to a new party; on detail changes.
Before you start	Name, email, phone, TIN and address of the party.

Procedure

1. Open **Contacts** > **New contact**. Choose Customer or Supplier and complete the details.
2. A contact can also be created from the **+** button beside the customer/supplier field while writing an invoice or bill.
3. To edit, click the contact row, change details and **Save**.
4. Delete only contacts created in error; contacts used on documents cannot be deleted.

Expected result

The contact appears in the list and in invoice/bill drop-downs; the Outstanding column shows unpaid balances.

SOP-05 Sales Invoice Cycle

Purpose	Bill a customer and record the money received.
Responsible	Admin
Trigger / frequency	Goods delivered or services rendered; payment received.
Before you start	Customer exists (SOP-04). Correct tax rate known.

Procedure

1. Open **Invoices > New invoice**. Choose the customer. Leave the number blank for automatic numbering.
2. Set issue and due dates (due defaults to 30 days). Add the customer's PO in Reference if any.
3. Enter each line: description, quantity, unit price, revenue account, tax rate. Check subtotal, tax and total.
4. Click **Save draft** if it needs review, or **Save & approve** to post it to the ledger immediately.
5. Reviewer opens the draft, checks it and clicks **Approve & post**.
6. Click **Download PDF** and send the PDF to the customer.
7. When money arrives: open the invoice > **Receive payment**; enter amount, date, deposit account and bank reference.
8. If an approved, unpaid invoice was wrong: **Void** it and raise a corrected invoice.

Expected result

Status moves Draft > Awaiting payment > Paid. Overdue invoices show an amber "Overdue" badge and appear on the Dashboard.

SOP-06 Supplier Bill Cycle

Purpose	Record what the business owes and pay it on time.
Responsible	Admin
Trigger / frequency	Supplier bill received; payment run.
Before you start	Supplier exists (SOP-04). Original bill on hand.

Procedure

1. Open **Bills > New bill**. Choose the supplier. Enter the supplier's bill number in Number (or leave blank).
2. Enter lines with the expense or asset account and input tax, matching the supplier's document exactly.
3. Save as draft; a second person checks against the original and clicks **Approve & post**.
4. Weekly, open **Reports > Aged Payables** to plan payments.
5. After paying through the bank: open the bill > **Pay bill**; enter amount, date, paying account and reference.

Expected result

Accounts Payable rises on approval and falls on payment. Paid bills show "Paid"; part-paid bills show the remaining amount due.

SOP-07 Banking: Accounts, Spending, Receipts and Transfers

Purpose	Keep cash records complete.
Responsible	Admin
Trigger / frequency	New bank/cash/card account; any bank movement not linked to an invoice or bill.
Before you start	Bank statement or receipt.

Procedure

1. To add an account: **Banking > Add bank account**; name, kind (Bank, Cash, Credit card), opening balance and its date.
2. For a bank charge, petty-cash purchase or other spend: **Spend / receive / transfer** > **Spend**; choose account paid from, the expense account, amount, date and description.
3. For money in that is not an invoice payment (e.g. interest, owner capital): use **Receive**.
4. For moving money between own accounts: use **Transfer**.
5. Click a bank card to view its running balance and compare the closing figure to the bank statement.

Expected result

Each movement creates a balanced journal; the bank card balance equals the statement balance at the statement date.

CONTROL Monthly: the bank balance on the Banking screen must agree to the bank statement. Investigate and correct any difference before closing the month (SOP-11).

SOP-08 Manual Journals and Reversals

Purpose	Record adjustments that have no invoice, bill or bank screen.
Responsible	Admin (accountant)
Trigger / frequency	Accruals, depreciation, corrections, reclassifications.
Before you start	Supporting calculation or document.

Procedure

1. Open **Journals > New manual journal**. Enter date, reference and a clear narration.
2. Add lines: account, description, debit or credit. Typing in one column clears the other.
3. Confirm the footer reads "Balanced" before clicking **Post journal**.
4. To undo a manual, imported or opening entry: open it from **Journals** > **Reverse entry**.
5. Entries created by invoices, bills or payments cannot be reversed here - void the document instead (SOP-05/06).

Expected result

The entry appears in Journals with source MANUAL. A reversed entry is marked "Reversed" and its mirror entry has source REVERSAL.

SOP-09 Chart of Accounts Maintenance

Purpose	Keep the account list fit for reporting.
Responsible	Admin
Trigger / frequency	New type of income, expense, asset or liability.
Before you start	Agreed account code and name.

Procedure

1. Open **Chart of accounts > New account**; enter a unique code, name, type and description.
2. To rename or re-code: click **Edit**. The type cannot change after creation.
3. To retire an unused account: **Edit** > untick Active. Archived accounts keep their history but cannot be used for new manual or imported postings.
4. Click any account row to see its transactions and running balance; **Export CSV** for analysis.

Expected result

Accounts are grouped as Assets, Liabilities, Equity, Revenue and Expenses with live balances.

SOP-10 Data Migration by CSV Import

Purpose	Bring historic journals into CerosL1.
Responsible	Admin
Trigger / frequency	Go-live or catch-up of historic records.
Before you start	CSV with columns Date, Account, Debit, Credit (optional Reference, Description, Type).

Procedure

1. Open **Import CSV**. Use **Download sample CSV** as a template if needed.
2. Prepare rows so that consecutive lines for one transaction add up to zero (debits = credits). Dates as YYYY-MM-DD or MM/DD/YYYY.
3. Choose the file. Review the preview: number of entries, total debits, problems list, and the "New accounts to create" table.
4. Correct any listed problem in the spreadsheet and re-select the file until the badge shows "Ready".
5. Check the type proposed for each new account, then click **Import**.
6. Run **Reports > Trial Balance** and agree totals to the source system.

Expected result

All entries are posted with source IMPORT, or none are if any entry fails. New accounts are created with codes from 1600/2600/3600/4600/7000 upward.

SOP-11 Month-End Review and Reporting

Purpose	Produce reliable monthly figures.
Responsible	Admin prepares; Owner reviews
Trigger / frequency	First five working days after month end.
Before you start	All bills, invoices and bank movements for the month entered.

Procedure

1. Agree each bank, cash and card balance to its statement (SOP-07).
2. Review **Invoices** and **Bills** tabs for old Drafts; approve, correct or delete them.
3. Post accruals and other adjustments as manual journals (SOP-08).
4. Run **Trial Balance** as of month end; total debits must equal total credits.
5. Run **Balance Sheet**; the note must read "Assets equal liabilities plus equity".
6. Run **Profit & Loss** for the month and year to date; run **Aged Receivables** and **Aged Payables**.
7. Export each report with **Export PDF** and file them in the month-end folder; the Owner reviews and signs off.

Expected result

A signed month-end pack: Trial Balance, Balance Sheet, P&L, aged reports and bank reconciliations.

> **NOTE** Aged reports use current outstanding amounts. Run them on or shortly after the "as of" date for an accurate snapshot.

SOP-12 Audit Log Review

Purpose	Detect unusual or unauthorised activity.
Responsible	Owner
Trigger / frequency	Monthly, and whenever something looks wrong.
Before you start	Owner access.

Procedure

1. Open **Audit log** (latest 300 events) and **Export CSV** for a full record of the period.
2. Check: who approved and who paid bills; voids and reversals and their reasons; member additions and role changes; imports.
3. Follow up any action by an unexpected person and record the outcome.

Expected result

Every material action can be traced to a named user and time.

SOP-13 Installing the App and Working Offline

Purpose	Give users a desktop or home-screen app.
Responsible	Every user
Trigger / frequency	Optional, once per device.
Before you start	A supported browser (Chrome, Edge, Safari, Firefox for viewing).

Procedure

1. Chrome/Edge: click the install icon in the address bar or **Settings > Install app**.
2. iPhone/iPad (Safari): Share > **Add to Home Screen**. Android: browser menu > **Install app**.
3. When offline, an **Offline** badge appears. Screens open, but data cannot be loaded or saved until the connection returns.

Expected result

CerosL1 opens in its own window with the CerosL1 icon; updates arrive automatically on the next online launch.

IMPORTANT No transaction is queued while offline. If a save fails with "You appear to be offline", re-enter it once connected.

SOP-14 Maintenance, Updates and Backups

Purpose	Keep the platform secure and recoverable.
Responsible	System Administrator
Trigger / frequency	Each release; monthly checks.
Before you start	Admin access to Supabase and Vercel.

Procedure

1. Deploy app changes by pushing to the connected Git repository; Vercel builds and publishes automatically. Confirm the site loads.
2. When schema.sql changes, re-run the whole file in the Supabase SQL Editor (it is safe to re-run) before deploying the app.
3. Confirm Supabase backups are enabled for the plan in use; on the free plan, export data regularly (Supabase dashboard database backup or reports/CSV exports).
4. Review Supabase **Authentication > Users** monthly and remove accounts of people who have left.
5. Rotate the database password if it may have been exposed; never commit .env files or the service_role key.

Expected result

The live system runs the latest approved version, data can be restored, and only current staff can sign in.

7. Troubleshooting

Messages come from the system controls in section 5. Read the message first - it states what to fix.

Message or symptom	Cause	Action
Connect your Supabase project	config.js has no Supabase URL/key.	System Administrator sets the Vercel environment variables and redeploys (SOP-01).
Could not load your workspace	Schema not run, or network problem.	Run schema.sql; check the connection; click Retry.
You do not have permission to change this company's books	User is a Viewer or not a member.	Owner changes the role if appropriate (SOP-03).
Journal does not balance	Debits and credits differ.	Correct the amounts until the footer shows Balanced.
Payment exceeds the amount due	Amount higher than outstanding.	Enter the outstanding amount or less; record any excess separately.
Only draft documents can be approved	Document already approved, paid or voided.	Open the document to check its status.
This document can no longer be voided	Document is paid or already voided.	Post a correcting manual journal or credit-type entry with the accountant.
No CerosL1 account uses ...	Person has not signed up.	Ask them to complete SOP-02, then add them again.
A company must keep at least one owner	Removing/demoting the last Owner.	Add another Owner first.
That code or number is already in use	Duplicate account code or document number.	Choose a different code or number.
Record is still used elsewhere in the books	Deleting a contact used on documents.	Keep the contact; edit its details instead.
Confirmation or reset email not received	Spam filter, wrong address, or redirect URL not set.	Check spam; System Administrator checks Auth URL configuration and email settings.
You appear to be offline	No internet connection.	Reconnect and repeat the action.

Appendix A. Default Chart of Accounts

Created automatically for every new company. Accounts marked as system accounts are used by the posting engine.

Code	Account	Type	System use
1000	Business Bank Account	Asset	BANK - default bank account
1100	Accounts Receivable	Asset	AR - invoices
1200	Inventory	Asset	
1300	Prepayments	Asset	
1500	Equipment	Asset	
2000	Accounts Payable	Liability	AP - bills
2100	VAT Payable	Liability	VAT - input and output tax
2500	Loans Payable	Liability	
3000	Owner Equity	Equity	
3100	Opening Balance Equity	Equity	OPENING - opening balances
3200	Retained Earnings	Equity	
4000	Sales Revenue	Revenue	SALES - default invoice line
4100	Service Revenue	Revenue	
4900	Other Income	Revenue	
5000	Cost of Goods Sold	Expense	
6000	Operating Expenses	Expense	EXPENSES - default bill line
6100	Rent	Expense	
6200	Utilities	Expense	
6300	Salaries & Wages	Expense	
6400	Travel & Meals	Expense	
6500	Office Supplies	Expense	
6800	Bank Fees	Expense	

Additional bank and cash accounts receive codes 1001-1099; credit cards 2301-2399.

Appendix B. CSV Import Format

Date	Reference	Description	Account	Type	Debit	Credit
2026-07-01	INV-1001	Product sales	Accounts Receivable	Asset	150000	0
2026-07-01	REV-1001	Recognised revenue	Sales Revenue	Revenue	0	150000

Rows are grouped in order into one entry until debits equal credits. Account matches an existing code or name (not case-sensitive); unknown names become new accounts of the given Type.

Appendix C. Revision History

Revision	Date	Description	Prepared by
1.0	5 November 2026	First issue for the online (Supabase + Vercel) CerosL1 Ledger.	System implementation team

Approval	Name	Signature	Date
Prepared by			
Reviewed by			
Approved by (Owner)			