





#### THÈSE DE DOCTORAT DE L'UNIVERSITÉ THE TOP UNIVERSITY

**Spécialité : Subject of the Thesis** École doctorale : Doctoral School Name

Réalisée au LABORATORY NAME

présentée par

#### A Good STUDENT

pour obtenir le grade de DOCTEUR DE L'UNIVERSITÉ THE TOP UNIVERSITY

Sujet de la thèse :

### Un Titre Interessant

Soutenue le 9 octobre 2019 devant le jury composé de :

François Pippo M. Rapporteur Μ. Alberto Paperino Rapporteur Anna Cerume Mme Examinateur Marianna Fireña Mme Examinateur Alessandro Del Piero Μ. Examinateur Mme Marcella Bellatrix Directrice de thèse

Dedication goes here. Dedicated to the right person.

### REMERCIEMENTS

Merci à maman et papa.

Finalement, je remercie chaleureusement les membres du jury pour avoir accepté d'être présents à la soutenance de cette thèse. Merci à Anna Cerume, Alessando Del Piero, Alberto Paperino, François Pippo, Marcella Bellatrix, Marianna Fireña.

### ACKNOWLEDGEMENTS

Thanks to mum and dad.

Finally, I would gratefully acknowledge all the members of the jury because the accepted to be part of the commitee for this thesis. Many thanks to Anna Cerume, Alessando Del Piero, Alberto Paperino, François Pippo, Marcella Bellatrix, Marianna Fireña.

### AN INTERESTING TITLE

#### ABSTRACT

English Abstract.

### UN TITRE INTERESSANT

### RÉSUMÉ

Resumée en Français.

### CONTENTS

	Intr	oducti	ion	1
1	An	Impor	etant Chapter	3
	1.1	Introd	luction and Motivations	3
2	ΑV	ery In	nportant Chapter	5
	2.1	Introd	luction and Motivations	5
	2.2	A Ver	y Important Section	5
		2.2.1	A Very Important Subsection	5
3	Rea	lly Im	portant Chapter	7
	3.1	Introd	luction and motivations	7
	3.2	Really	Important Section	7
		3.2.1	Really Important Subsection	7
		3.2.2	Really Important Subsection II	7
4	$Th\epsilon$	Most	Important Chapter	9
	4.1	Introd	luction and motivations	S
	4.2	The M	Nost Important Section	E
		4.2.1	The Most Important Subsection	S
	Cor	clusio	ns	11
$\mathbf{A}$	Ver	y impo	ortant appendix	13
	A.1	Very i	mportant section	13
В	An	even n	nore important appendix	15
	B 1	An eve	en more important section	1.5

 ${f x}$ 

$\mathbf{C}$	The	most	important appendix	17
	C.1	The m	nost important section	17
		C.1.1	The most important subsection	17
	C.2	The se	econd most important section	17
		C.2.1	The second most important subsection	17
		C.2.2	The almost important subsection	17
		C.2.3	The not so important subsection	17
		C.2.4	Another subsection	17
	Bib	liograp	ohy	19
	List	of Fig	gures	37

### Introduction

# AN IMPORTANT CHAPTER

1.1 Introduction and Motivations

# 2

### A VERY IMPORTANT CHAPTER

- 2.1 Introduction and Motivations
- 2.2 A VERY IMPORTANT SECTION
- 2.2.1 A VERY IMPORTANT SUBSECTION

# 3

### REALLY IMPORTANT CHAPTER

- 3.1 Introduction and motivations
- 3.2 REALLY IMPORTANT SECTION
- 3.2.1 REALLY IMPORTANT SUBSECTION
- 3.2.2 REALLY IMPORTANT SUBSECTION II

# 4

### THE MOST IMPORTANT CHAPTER

- 4.1 Introduction and motivations
- 4.2 The Most Important Section
- 4.2.1 The Most Important Subsection

THE MOST IMPORTANT SUBSUBSECTION

### Conclusions

Here the conclusions. Be careful and write this part with attention.

### STAR SECTION



### VERY IMPORTANT APPENDIX

#### A.1 VERY IMPORTANT SECTION

## B

### AN EVEN MORE IMPORTANT APPENDIX

B.1 AN EVEN MORE IMPORTANT SECTION

# C

### THE MOST IMPORTANT APPENDIX

C.1	THE MOST IMPORTANT SECTION
C.1.1	THE MOST IMPORTANT SUBSECTION
C.2	THE SECOND MOST IMPORTANT SECTION
C.2.1	THE SECOND MOST IMPORTANT SUBSECTION
C.2.2	THE ALMOST IMPORTANT SUBSECTION
C.2.3	THE NOT SO IMPORTANT SUBSECTION
C.2.4	Another subsection

#### **BIBLIOGRAPHY**

- [1] R. Franceschini, G. F. Giudice, P. P. Giardino, P. Lodone, and A. Strumia, *LHC bounds on large extra dimensions*, (2011).
- [2] D. CHOUDHURY AND K. GHOSH, Bounds on universal extra dimension from LHC run I and II data, Physics Letters B, 763 (2016), pp. 155 160.
- [3] S. Weinberg, A New Light Boson?, Phys. Rev. Lett., 40 (1978), pp. 223–226.
- [4] E. CREMMER AND B. JULIA, *The SO(8) Supergravity*, Nucl. Phys., B159 (1979), pp. 141–212.
- [5] E. CREMMER, B. JULIA, AND J. SCHERK, Supergravity Theory in Eleven-Dimensions, Phys. Lett., 76B (1978), pp. 409–412.
- [6] P. CANDELAS, G. T. HOROWITZ, A. STROMINGER, AND E. WITTEN, Vacuum Configurations for Superstrings, Nucl. Phys., B258 (1985), pp. 46–74.
- [7] E. CALABI AND X. CHEN, The space of kahler metrics ii, arXiv preprint math.DG/0108162, (1999).
- [8] S.-T. Yau, Calabi's conjecture and some new results in algebraic geometry, Proceedings of the National Academy of Sciences, 74 (1977), pp. 1798–1799.
- [9] N. HITCHIN, Generalized Calabi-Yau manifolds, Q. J. Math., 54 (2003), pp. 281–308.
- [10] M. GUALTIERI, Generalized complex geometry, Ph.D. thesis, Oxford University, PhD thesis, 2004.
- [11] M. Spivak, A comprehensive introduction to differential geometry, vol. II, Publish or Perish, 2 ed., January 1999.
- [12] D. D. JOYCE, Compact Manifolds with Special Holonomy, Oxford Mathematical Monographs, Oxford, UK, 2000.
- [13] D. Joyce, Lectures on special Lagrangian geometry, (2001).
- [14] M. GROSS, D. HUYBRECHTS, AND D. JOYCE, Calabi-Yau manifolds and related geometries: lectures at a summer school in Nordfjordeid, Norway, June 2001, Springer Science & Business Media, 2012.
- [15] W. Barth, C. Peters, and A. Ven, *Compact complex surfaces*, Ergebnisse der Mathematik und ihrer Grenzgebiete, Springer, 1984.
- [16] S. Kobayashi and K. Nomizu, Foundations of Differential Geometry, Vol.1 (Wiley Classics Library), Wiley-Interscience, 1996.

20 Bibliography

[17] M. Nakahara, Geometry, topology and physics, 2003. Bristol, UK: Hilger (1990) 505 p. (Graduate student series in physics).

- [18] V. Guillemin, *The integrability problem for G-structures*, Transactions of the American Mathematical Society, 116 (1965), pp. 544–560.
- [19] M. DE LEÓN AND M. EPSTEIN, On the integrability of second-order G-structures with applications to continuous theories of dislocations, Reports on Mathematical Physics, 33 (1993), pp. 419–436.
- [20] M. Crampin and G. Thompson, Affine bundles and integrable almost tangent structures, Mathematical Proceedings of the Cambridge Philosophical Society, 98 (1985), p. 61–71.
- [21] S. CHIOSSI AND S. SALAMON, *The Intrinsic torsion of SU(3) and G(2) structures*, in International Conference on Differential Geometry held in honor of the 60th Birthday of A.M. Naveira Valencia, Spain, May 8-14, 2001, 2002. [Submitted to: J. Diff. Geom.(2002)].
- [22] N. J. HITCHIN, The Geometry of Three-Forms in Six Dimensions, J. Diff. Geom., 55 (2000), pp. 547–576.
- [23] N. Steenrod, Topology of Fibre Bundles, Princeton University Press, 1951.
- [24] HATCHER, ALLEN, *Algebraic topology*, Cambridge University Press, Cambridge, New York, 2002. Autre(s) tirage(s): 2003,2004,2005,2006.
- [25] F. Borceux, Handbook of Categorical Algebra, Basic Category Theory (Encyclopedia of Mathematics and its Applications), Cambridge University Press, 1994.
- [26] S. Maclane, Homology (Classics in Mathematics), Springer, 1995.
- [27] B. Hajduk and R. Walczak, Presymplectic manifolds, 2009.
- [28] A. C. da Silva, Lectures on Symplectic Geometry (Lecture Notes in Mathematics), Springer, 2008.
- [29] A. Onishchik and E. Vinberg, Lie Groups and Lie Algebras III: Structure of Lie Groups and Lie Algebras (Encyclopaedia of Mathematical Sciences) (v. 3), Springer, 1994.
- [30] M. Berger, Sur les groupes d'holonomie homogènes de variétés à connexion affine et des variétés riemanniennes, 83 (1955).
- [31] J. Polchinski, String theory. Vol. 2: Superstring theory and beyond, Cambridge University Press, 2007.
- [32] K. Becker, M. Becker, and J. H. Schwarz, String theory and M-theory: A modern introduction, Cambridge University Press, 2006.
- [33] R. Blumenhagen, D. Lüst, and S. Theisen, *Basic concepts of string theory*, Theoretical and Mathematical Physics, Springer, Heidelberg, Germany, 2013.
- [34] J. Polchinski, *Tasi lectures on D-branes*, in Fields, strings and duality. Proceedings, Summer School, Theoretical Advanced Study Institute in Elementary Particle Physics, TASI'96, Boulder, USA, June 2-28, 1996, 1996, pp. 293–356.

[35] J. Polchinski, Dirichlet Branes and Ramond-Ramond charges, Phys. Rev. Lett., 75 (1995), pp. 4724–4727.

- [36] P. Brax and C. van de Bruck, Cosmology and brane worlds: A review, (2003).
- [37] D. J. Smith, Intersecting brane solutions in string and M theory, Class. Quant. Grav., 20 (2003), p. R233.
- [38] R. Harvey and H. B. Lawson, Jr., Calibrated geometries, Acta Math., 148 (1982), p. 47.
- [39] D. Joyce, Lectures on special Lagrangian geometry, (2001).
- [40] K. Becker, M. Becker, and A. Strominger, Five-branes, membranes and non-perturbative string theory, Nucl. Phys., B456 (1995), pp. 130–152.
- [41] K. Becker, M. Becker, D. R. Morrison, H. Ooguri, Y. Oz, and Z. Yin, Supersymmetric cycles in exceptional holonomy manifolds and Calabi-Yau 4 folds, Nucl. Phys., B480 (1996), pp. 225–238.
- [42] G. W. GIBBONS AND G. PAPADOPOULOS, Calibrations and intersecting branes, Commun. Math. Phys., 202 (1999), pp. 593–619.
- [43] J. P. GAUNTLETT, N. D. LAMBERT, AND P. C. WEST, Branes and calibrated geometries, Commun. Math. Phys., 202 (1999), pp. 571–592.
- [44] J. GUTOWSKI, G. PAPADOPOULOS, AND P. K. TOWNSEND, Supersymmetry and generalized calibrations, Phys. Rev., D60 (1999), p. 106006.
- [45] D. Martelli and J. Sparks, *G structures, fluxes and calibrations in M theory*, Phys. Rev., D68 (2003), p. 085014.
- [46] J. F. G. CASCALES AND A. M. URANGA, Branes on generalized calibrated submanifolds, JHEP, 11 (2004), p. 083.
- [47] L. Martucci and P. Smyth, Supersymmetric D-branes and calibrations on general N=1 backgrounds, JHEP, 11 (2005), p. 048.
- [48] K. S. Stelle, String theory, unification and quantum gravity, 2012.
- [49] C. N. Pope, Lectures on kaluza-klein theory.
- [50] M. J. Duff, B. E. W. Nilsson, and C. N. Pope, Kaluza-Klein Supergravity, Phys. Rept., 130 (1986), pp. 1–142.
- [51] M. R. DOUGLAS AND S. KACHRU, Flux compactification, (2006).
- [52] M. Graña, Flux compactifications in string theory: A Comprehensive review, Phys. Rept., 423 (2006), pp. 91–158.
- [53] R. Blumenhagen, B. Kors, D. Lust, and S. Stieberger, Fourdimensional String Compactifications with D-Branes, Orientifolds and Fluxes, Phys. Rept., 445 (2007), pp. 1–193.
- [54] A. Font and S. Theisen, *Introduction to string compactification*, Lect. Notes Phys., 668 (2005), pp. 101–181.

[55] S. B. GIDDINGS, S. KACHRU, AND J. POLCHINSKI, Hierarchies from fluxes in string compactifications, Phys. Rev., D66 (2002), p. 106006.

- [56] J. Polchinski and A. Strominger, New vacua for type II string theory, Phys. Lett., B388 (1996), pp. 736–742.
- [57] J. MICHELSON, Compactifications of type IIB strings to four-dimensions with nontrivial classical potential, Nucl. Phys., B495 (1997), pp. 127–148.
- [58] J. Scherk and J. H. Schwarz, *How to Get Masses from Extra Dimensions*, Nucl. Phys., B153 (1979), pp. 61–88.
- [59] T. Kaluza, On the Problem of Unity in Physics, Sitzungsber. Preuss. Akad. Wiss. Berlin (Math. Phys.), 1921 (1921), pp. 966–972.
- [60] O. Klein, Quantum Theory and Five-Dimensional Theory of Relativity. (In German and English), Z.Phys., 37 (1926), pp. 895–906.
- [61] V. Domcke, Moduli stabilisation, 2011.
- [62] A. Coimbra, C. Strickland-Constable, and D. Waldram, Supergravity as Generalised Geometry I: Type II Theories, JHEP, 1111 (2011), p. 091.
- [63] A. COIMBRA, C. STRICKLAND-CONSTABLE, AND D. WALDRAM, Supergravity as Generalised Geometry II:  $E_{d(d)} \times \mathbb{R}^+$  and M theory, (2012).
- [64] A. COIMBRA, C. STRICKLAND-CONSTABLE, AND D. WALDRAM, Generalised Geometry and type II Supergravity, Fortschritte der Physik, 69 (2012), pp. 1236– 1239.
- [65] A. COIMBRA, C. STRICKLAND-CONSTABLE, AND D. WALDRAM,  $E_{d(d)} \times \mathbb{R}^+$ Generalised Geometry, Connections and M theory, (2011).
- [66] P. Pires Pacheco and D. Waldram, M-theory, exceptional generalised geometry and superpotentials, JHEP, 09 (2008), p. 123.
- [67] O. LUNIN AND J. M. MALDACENA, Deforming field theories with  $U(1) \times U(1)$  global symmetry and their gravity duals, JHEP, 05 (2005), p. 033.
- [68] J. M. MALDACENA, The Large N limit of superconformal field theories and supergravity, Int. J. Theor. Phys., 38 (1999), pp. 1113–1133. [Adv. Theor. Math. Phys.2,231(1998)].
- [69] D. CASSANI, O. DE FELICE, M. PETRINI, C. STRICKLAND-CONSTABLE, AND D. WALDRAM, Exceptional generalised geometry for massive IIA and consistent reductions, JHEP, 08 (2016), p. 074.
- [70] E. O COLGAIN AND O. VARELA, Consistent reductions from D=11 beyond Sasaki-Einstein, Phys. Lett., B703 (2011), pp. 180–185.
- [71] E. Malek, Half-maximal consistent truncations using exceptional field theory, PoS, CORFU2016 (2017), p. 125.
- [72] A. COIMBRA AND C. STRICKLAND-CONSTABLE, Generalised structures for  $\mathcal{N} = 1$  ads backgrounds, (2015).

[73] A. COIMBRA AND C. STRICKLAND-CONSTABLE, Supersymmetric backgrounds, the killing superalgebra, and generalised special holonomy, (2016).

- [74] D. ROEST AND H. SAMTLEBEN, Twin Supergravities, Class. Quant. Grav., 26 (2009), p. 155001.
- [75] G. DALL'AGATA, G. VILLADORO, AND F. ZWIRNER, Type-IIA flux compactifications and N=4 gauged supergravities, JHEP, 08 (2009), p. 018.
- [76] G. Inverso, Electric-magnetic deformations of D=4 gauged supergravities, JHEP, 03 (2016), p. 138.
- [77] M. CVETIC, H. Lu, And C. N. Pope, Four-dimensional N=4, SO(4) gauged supergravity from D=11, Nucl. Phys., B574 (2000), pp. 761–781.
- [78] M. CVETIC, H. LU, AND C. N. POPE, Consistent warped space Kaluza-Klein reductions, half maximal gauged supergravities and  $\mathbb{CP}^n$  constructions, Nucl. Phys., B597 (2001), pp. 172–196.
- [79] F. Ciceri, G. Dibitetto, J. J. Fernandez-Melgarejo, A. Guarino, and G. Inverso, *Double Field Theory at SL(2) angles*, (2016).
- [80] E. Malek, 7-dimensional  $\mathcal{N}=2$  Consistent Truncations using SL(5) Exceptional Field Theory, (2016).
- [81] E. Malek, From Exceptional Field Theory to Heterotic Double Field Theory via K3, (2016).
- [82] L. J. Romans, Gauged N = 4 Supergravities in Five-dimensions and Their Magnetovac Backgrounds, Nucl. Phys., B267 (1986), pp. 433–447.
- [83] H. Lu, C. N. Pope, and T. A. Tran, Five-dimensional N=4, SU(2) x U(1) gauged supergravity from type IIB, Phys. Lett., B475 (2000), pp. 261–268.
- [84] J. T. Liu and P. Szepietowski, Supersymmetry of consistent massive truncations of IIB supergravity, Phys. Rev., D85 (2012), p. 126010.
- [85] P. HOXHA, R. R. MARTINEZ-ACOSTA, AND C. N. POPE, Kaluza-Klein consistency, Killing vectors, and Kahler spaces, Class. Quant. Grav., 17 (2000), pp. 4207–4240.
- [86] B. DE WIT, H. SAMTLEBEN, AND M. TRIGIANTE, The Maximal D=4 super-gravities, JHEP, 06 (2007), p. 049.
- [87] F. RICCIONI AND P. C. WEST, The E(11) origin of all maximal supergravities, JHEP, 07 (2007), p. 063.
- [88] M. CVETIC, G. W. GIBBONS, H. Lu, and C. N. Pope, Consistent group and coset reductions of the bosonic string, Class. Quant. Grav., 20 (2003), pp. 5161–5194.
- [89] D. S. Berman, E. T. Musaev, and D. C. Thompson, Duality Invariant Mtheory: Gauged supergravities and Scherk-Schwarz reductions, JHEP, 10 (2012), p. 174.
- [90] G. Aldazabal, M. Graña, D. Marqués, and J. A. Rosabal, Extended geometry and gauged maximal supergravity, JHEP, 06 (2013), p. 046.

[91] A. BAGUET, O. HOHM, AND H. SAMTLEBEN, Consistent Type IIB Reductions to Maximal 5D Supergravity, Phys. Rev., D92 (2015), p. 065004.

- [92] G. Inverso, Generalised scherk-schwarz reductions from gauged supergravity, (2017).
- [93] A. BAGUET, O. HOHM, AND H. SAMTLEBEN,  $E_{6(6)}$  Exceptional Field Theory: Review and Embedding of Type IIB, PoS, Corfu2014 (2015), p. 133.
- [94] F. CICERI, B. DE WIT, AND O. VARELA, IIB supergravity and the  $E_{6(6)}$  covariant vector-tensor hierarchy, JHEP, 04 (2015), p. 094.
- [95] B. DE WIT, H. NICOLAI, AND H. SAMTLEBEN, Gauged supergravities, tensor hierarchies, and m-theory, (2008).
- [96] E. Bergshoeff, I. D. Baetselier, and T. Nutma, E(11) and the embedding tensor, (2007).
- [97] P. P. COOK AND P. WEST, Charge multiplets and masses for e(11), (2008).
- [98] H. GODAZGAR, M. GODAZGAR, AND H. NICOLAI, Generalised geometry from the ground up, JHEP, 02 (2014), p. 075.
- [99] P. M. COWDALL, On gauged maximal supergravity in six-dimensions, JHEP, 06 (1999), p. 018.
- [100] A. BAGUET, C. N. POPE, AND H. SAMTLEBEN, Consistent Pauli reduction on group manifolds, Phys. Lett., B752 (2016), pp. 278–284.
- [101] H. Samtleben, Lectures on Gauged Supergravity and Flux Compactifications, Class. Quant. Grav., 25 (2008), p. 214002.
- [102] A. ASHMORE AND D. WALDRAM, Exceptional Calabi-Yau spaces: the geometry of  $\mathcal{N}=2$  backgrounds with flux, (2015).
- [103] A. ASHMORE, M. PETRINI, AND D. WALDRAM, The exceptional generalised geometry of supersymmetric AdS flux backgrounds, JHEP, 12 (2016), p. 146.
- [104] A. ASHMORE, M. GABELLA, M. GRAÑA, M. PETRINI, AND D. WALDRAM, Exactly marginal deformations from exceptional generalised geometry, JHEP, 01 (2017), p. 124.
- [105] A. Ashmore, Generalised geometry for supersymmetric flux backgrounds, Ph.D. thesis, Imperial College London, PhD thesis, 2016.
- [106] D. Green, Z. Komargodski, N. Seiberg, Y. Tachikawa, and B. Wecht, Exactly Marginal Deformations and Global Symmetries, JHEP, 06 (2010), p. 106.
- [107] E. MALEK AND H. SAMTLEBEN, Dualising consistent IIA/IIB truncations, JHEP, 12 (2015), p. 029.
- [108] N. HITCHIN, Generalized Calabi-Yau manifolds, Quart. J. Math., 54 (2003), pp. 281–308.
- [109] N. Hitchin, Lectures on generalized geometry, (2010).
- [110] N. HITCHIN, Lectures on special lagrangian submanifolds, (1999).

- [111] N. HITCHIN, Brackets, forms and invariant functionals, (2005).
- [112] M. Gualtieri, Generalized complex geometry, (2007).
- [113] G. R. CAVALCANTI, Reduction of metric structures on Courant algebroids. J. Symplectic Geom. 4 (2006), No. 3, 317-343, 2012.
- [114] G. R. CAVALCANTI, New aspects of the ddc-lemma, PhD thesis, Oxford U., 2005.
- [115] D. Baraglia, Generalized Geometry, Ph.D. thesis, Adelaide University, PhD thesis, 2007.
- [116] D. Baraglia, Leibniz algebroids, twistings and exceptional generalized geometry, (2011).
- [117] F. Witt, Special metric structures and closed forms, PhD thesis, Oxford U., 2005.
- [118] G. R. CAVALCANTI AND M. GUALTIERI, Generalized complex geometry and T-duality. A Celebration of the Mathematical Legacy of Raoul Bott (CRM Proceedings & Lecture Notes), American Mathematical Society, 2010, pp. 341-366. ISBN: 0821847775, 2011.
- [119] M. Gualtieri, Branes on poisson varieties, (2007).
- [120] Y. Kosmann-Schwarzbach, Courant Algebroids. A Short History, (2013).
- [121] T. COURANT, *Dirac manifolds*, Trans. Amer. Math. Soc., 319 (1990), pp. 631–661.
- [122] P. Severa and A. Weinstein, *Poisson geometry with a 3-form background*. Prog.Theor.Phys.Suppl. 144 (2001) 145-154, 2001.
- [123] T. J. COURANT AND A. WEINSTEIN, Beyond Poisson structures, in Action Hamiltoniennes de Groupes. Troisième Théorème de Lie, vol. 27 of Travaux en Cours, Paris, 1988, Hermann, pp. 39–49.
- [124] P. Koerber, Lectures on generalized complex geometry for physicists, (2010).
- [125] M. Graña, R. Minasian, M. Petrini, and A. Tomasiello, Generalized structures of N=1 vacua, JHEP, 0511 (2005), p. 020.
- [126] M. Grana, R. Minasian, A. Tomasiello, and M. Petrini, Supersymmetric backgrounds from generalized Calabi-Yau manifolds, Fortsch. Phys., 53 (2005), pp. 885–893.
- [127] M. Graña, R. Minasian, M. Petrini, and D. Waldram, *T-duality, Generalized Geometry and Non-Geometric Backgrounds*, JHEP, 0904 (2009), p. 075.
- [128] R. MINASIAN, M. PETRINI, AND A. ZAFFARONI, Gravity duals to deformed SYM theories and Generalized Complex Geometry, JHEP, 12 (2006), p. 055.
- [129] M. Zabzine, Lectures on Generalized Complex Geometry and Supersymmetry, Archivum Math., 42 (2006), pp. 119–146.

[130] U. LINDSTROM, R. MINASIAN, A. TOMASIELLO, AND M. ZABZINE, Generalized complex manifolds and supersymmetry, Commun. Math. Phys., 257 (2005), pp. 235–256.

- [131] A. COIMBRA, R. MINASIAN, H. TRIENDL, AND D. WALDRAM, Generalised geometry for string corrections, JHEP, 11 (2014), p. 160.
- [132] G. Dall'Agata and G. Inverso, On the Vacua of N=8 Gauged Supergravity in 4 Dimensions, Nucl. Phys., B859 (2012), pp. 70–95.
- [133] D. CASSANI AND A.-K. KASHANI-POOR, Exploiting N=2 in consistent coset reductions of type IIA, Nucl. Phys., B817 (2009), pp. 25–57.
- [134] A. GALLERATI, H. SAMTLEBEN, AND M. TRIGIANTE, The N > 2 supersymmetric AdS vacua in maximal supergravity, JHEP, 12 (2014), p. 174.
- [135] G. Dall'Agata, G. Inverso, and A. Marrani, Symplectic Deformations of Gauged Maximal Supergravity, JHEP, 07 (2014), p. 133.
- [136] G. Dall'Agata, G. Inverso, and M. Trigiante, Evidence for a family of SO(8) gauged supergravity theories, Phys. Rev. Lett., 109 (2012), p. 201301.
- [137] C. M. HULL AND N. P. WARNER, Noncompact Gaugings From Higher Dimensions, Class. Quant. Grav., 5 (1988), p. 1517.
- [138] M. CVETIC, H. LU, C. N. POPE, A. SADRZADEH, AND T. A. TRAN, Consistent SO(6) reduction of type IIB supergravity on S<sup>5</sup>, Nucl. Phys., B586 (2000), pp. 275–286.
- [139] H. NASTASE, D. VAMAN, AND P. VAN NIEUWENHUIZEN, Consistency of the  $AdS_7 \times S_4$  reduction and the origin of selfduality in odd dimensions, Nucl. Phys., B581 (2000), pp. 179–239.
- [140] B. DE WIT AND H. NICOLAI, The Consistency of the  $S^7$  Truncation in d = 11 Supergravity, Nucl. Phys., B281 (1987), p. 211.
- [141] B. DE WIT AND H. NICOLAI, d = 11 Supergravity With Local SU(8) Invariance, Nucl. Phys., B274 (1986), pp. 363–400.
- [142] H. NICOLAI, D=11 Supergravity With Local SO(16) Invariance, Phys. Lett., B187 (1987), pp. 316–320.
- [143] H. NICOLAI AND N. P. WARNER, The Structure of N=16 Supergravity in Two-dimensions, Commun. Math. Phys., 125 (1989), p. 369.
- [144] K. Koepsell, H. Nicolai, and H. Samtleben, An Exceptional geometry for D=11 supergravity?, Class. Quant. Grav., 17 (2000), pp. 3689–3702.
- [145] B. DE WIT AND H. NICOLAI, Hidden symmetries, central charges and all that, Class. Quant. Grav., 18 (2001), pp. 3095–3112.
- [146] P. S. Howe, N. D. Lambert, and P. C. West, A New massive type IIA supergravity from compactification, Phys. Lett., B416 (1998), pp. 303–308.
- [147] N. KALOPER AND R. C. MYERS, The Odd story of massive supergravity, JHEP, 05 (1999), p. 010.

[148] C. M. Hull and R. A. Reid-Edwards, Flux compactifications of string theory on twisted tori, Fortsch. Phys., 57 (2009), pp. 862–894.

- [149] C. M. Hull and R. A. Reid-Edwards, Flux compactifications of M-theory on twisted Tori, JHEP, 10 (2006), p. 086.
- [150] G. Dall'Agata and S. Ferrara, Gauged supergravity algebras from twisted tori compactifications with fluxes, Nucl. Phys., B717 (2005), pp. 223–245.
- [151] R. D'Auria, S. Ferrara, and M. Trigiante, E(7(7)) symmetry and dual gauge algebra of M-theory on a twisted seven-torus, Nucl. Phys., B732 (2006), pp. 389–400.
- [152] J. Scherk and J. H. Schwarz, *How to Get Masses from Extra Dimensions*, Nucl. Phys., B153 (1979), pp. 61–88.
- [153] C. M. Hull, Generalised Geometry for M-Theory, JHEP, 07 (2007), p. 079.
- [154] C. Hull and B. Zwiebach, Double Field Theory, JHEP, 09 (2009), p. 099.
- [155] C. M. Hull and P. K. Townsend, *Unity of superstring dualities*, Nucl. Phys., B438 (1995), pp. 109–137.
- [156] O. HOHM AND H. SAMTLEBEN, Exceptional field theory. II.  $E_{7(7)}$ , Phys. Rev., D89 (2014), p. 066017.
- [157] O. HOHM AND H. SAMTLEBEN, Exceptional Field Theory I:  $E_{6(6)}$  covariant Form of M-Theory and Type IIB, Phys. Rev., D89 (2014), p. 066016.
- [158] M. CVETIC, H. LU, AND C. N. POPE, Consistent Kaluza-Klein sphere reductions, Phys. Rev., D62 (2000), p. 064028.
- [159] O. HOHM AND S. K. KWAK, Massive Type II in Double Field Theory, JHEP, 11 (2011), p. 086.
- [160] E. Bergshoeff, Y. Lozano, and T. Ortin, Massive branes, Nucl. Phys., B518 (1998), pp. 363–423.
- [161] E. A. BERGSHOEFF, M. DE ROO, S. F. KERSTAN, T. ORTIN, AND F. RICCIONI, IIA ten-forms and the gauge algebras of maximal supergravity theories, JHEP, 07 (2006), p. 018.
- [162] A. SALAM AND E. SEZGIN, d = 8 supergravity, Nucl. Phys., B258 (1985), p. 284.
- [163] O. Varela,  $AdS_4$  solutions of massive IIA from dyonic ISO(7) supergravity, JHEP, 03 (2016), p. 071.
- [164] A. GUARINO AND O. VARELA, Dyonic ISO(7) supergravity and the duality hierarchy, JHEP, 02 (2016), p. 079.
- [165] M. Graña, J. Louis, A. Sim, and D. Waldram,  $E_{7(7)}$  formulation of N=2 backgrounds, JHEP, 07 (2009), p. 104.
- [166] O. Hohm and H. Samtleben, Consistent Kaluza-Klein Truncations via Exceptional Field Theory, JHEP, 01 (2015), p. 131.

[167] A. GUARINO AND O. VARELA, Consistent  $\mathcal{N}=8$  truncation of massive IIA on  $S^6$ , JHEP, 12 (2015), p. 020.

- [168] A. H. CHAMSEDDINE AND W. A. SABRA, D = 7 SU(2) gauged supergravity from D = 10 supergravity, Phys. Lett., B476 (2000), pp. 415–419.
- [169] D. CASSANI AND A. F. FAEDO, A Supersymmetric consistent truncation for conifold solutions, Nucl. Phys., B843 (2011), pp. 455–484.
- [170] R. Slansky, Group theory for unified model building, Physics Reports, 79 (1981), pp. 1 128.
- [171] D. CASSANI AND P. KOERBER, *Tri-Sasakian consistent reduction*, Journal of High Energy Physics, 2012 (2012).
- [172] T. C. Collins and G. Székelyhidi, Sasaki-Einstein metrics and K-stability, (2015).
- [173] A. Amariti and S. Franco, Free Energy vs Sasaki-Einstein Volume for Infinite Families of M2-Brane Theories, JHEP, 09 (2012), p. 034.
- [174] D. GIATAGANAS, String solutions in Sasaki-Einstein manifolds and their marginally deformed versions, Nucl. Phys. Proc. Suppl., 216 (2011), pp. 227–228.
- [175] E. O COLGAIN AND O. VARELA, Consistent reductions from D=11 beyond Sasaki-Einstein, Phys. Lett., B703 (2011), pp. 180–185.
- [176] J. T. Liu, P. Szepietowski, and Z. Zhao, Supersymmetric massive truncations of IIB supergravity on Sasaki-Einstein manifolds, Phys. Rev., D82 (2010), p. 124022.
- [177] M. HAZEWINKEL, Encyclopedia of mathematics, supplement i, 1997.
- [178] C. P. Boyer and K. Galicki, On sasakian-einstein geometry, (1998).
- [179] C. P. Boyer and K. Galicki, 3-Sasakian Manifolds, (1998).
- [180] Freund, Peter and Rubin, Mark, Dynamics of dimensional reduction, 97 (1984), pp. 233–235.
- [181] R. Stekolshchik, Notes on Coxeter Transformations and the McKay correspondence, (2005).
- [182] MCKAY, W. G. AND PATERA, J., Tables of representations of simple Lie algebras, Montrèal: Université de Montrèal, Centre de recherches mathèmatiques, 1990.
- [183] LAWSON, H. BLAINE JR., The Quantitative Theory of Foliations, American Mathematical Society, 1977.
- [184] ROBERT FEGER AND THOMAS W. KEPHART, LieART A Mathematica Application for Lie Algebras and Representation Theory, (2012).
- [185] K. Lee, C. Strickland-Constable, and D. Waldram, Spheres, generalised parallelisability and consistent truncations, (2014).

[186] D. Cassani, G. Dall'Agata, and A. F. Faedo, *Type IIB supergravity on squashed Sasaki-Einstein manifolds*, JHEP, 1005 (2010), p. 094.

- [187] J. P. GAUNTLETT AND O. VARELA, Universal Kaluza-Klein reductions of type IIB to N=4 supergravity in five dimensions, JHEP, 1006 (2010), p. 081.
- [188] J. P. GAUNTLETT, S. KIM, O. VARELA, AND D. WALDRAM, Consistent supersymmetric Kaluza-Klein truncations with massive modes, JHEP, 0904 (2009), p. 102.
- [189] D. Cassani and P. Koerber, *Tri-Sasakian consistent reduction*, JHEP, 1201 (2012), p. 086.
- [190] D. CASSANI, P. KOERBER, AND O. VARELA, All homogeneous N=2 M-theory truncations with supersymmetric AdS4 vacua, JHEP, 1211 (2012), p. 173.
- [191] J. Sparks, Sasaki-Einstein Manifolds, Surveys Diff. Geom., 16 (2011), pp. 265–324.
- [192] J. B. Etnyre, Introductory lectures on contact geometry, 2001.
- [193] J. LOUIS, H. TRIENDL, AND M. ZAGERMANN,  $\mathcal{N}=4$  supersymmetric  $AdS_5$  vacua and their moduli spaces, JHEP, 10 (2015), p. 083.
- [194] H. Triendl, Consistent truncations of M-theory for general SU(2) structures, (2015).
- [195] A. Guarino, D. L. Jafferis, and O. Varela, String Theory Origin of Dyonic N=8 Supergravity and Its Chern-Simons Duals, Phys. Rev. Lett., 115 (2015), p. 091601.
- [196] H. BOONSTRA, K. SKENDERIS, AND P. TOWNSEND, The domain wall / QFT correspondence, JHEP, 9901 (1999), p. 003.
- [197] M. CVETIC, H. LU, C. POPE, A. SADRZADEH, AND T. A. TRAN,  $S^3$  and  $S^4$  reductions of type IIA supergravity, Nucl.Phys., B590 (2000), pp. 233–251.
- [198] L. J. ROMANS, Massive N=2a Supergravity in Ten-Dimensions, Phys. Lett., B169 (1986), p. 374.
- [199] L. ROMANS, The F(4) Gauged Supergravity in Six-dimensions, Nucl. Phys., B269 (1986), p. 691.
- [200] M. CVETIC, H. Lu, and C. Pope, Gauged six-dimensional supergravity from massive type IIA, Phys.Rev.Lett., 83 (1999), pp. 5226–5229.
- [201] E. Bergshoeff, H. Samtleben, and E. Sezgin, *The Gaugings of Maximal* D=6 Supergravity, JHEP, 0803 (2008), p. 068.
- [202] A. Passias, A note on supersymmetric AdS<sub>6</sub> solutions of massive type IIA supergravity, JHEP, 1301 (2013), p. 113.
- [203] A. Passias, A. Rota, and A. Tomasiello, Universal consistent truncation for 6d/7d gauge/gravity duals, JHEP, 10 (2015), p. 187.
- [204] H. Samtleben and M. Weidner, The Maximal D=7 supergravities, Nucl.Phys., B725 (2005), pp. 383–419.

[205] U. Danielsson, G. Dibitetto, M. Fazzi, and T. Van Riet, A note on smeared branes in flux vacua and gauged supergravity, JHEP, 1404 (2014), p. 025.

- [206] P. Karndumri, N=2 SO(4) 7D gauged supergravity with topological mass term from 11 dimensions, JHEP, 1411 (2014), p. 063.
- [207] M. Bodner, A. C. Cadavid, and S. Ferrara, (2,2) vacuum configurations for type IIA superstrings: N=2 supergravity Lagrangians and algebraic geometry, Class. Quant. Grav., 8 (1991), pp. 789–808.
- [208] S. Ferrara and S. Sabharwal, Quaternionic Manifolds for Type II Superstring Vacua of Calabi-Yau Spaces, Nucl. Phys., B332 (1990), pp. 317–332.
- [209] L. Andrianopoli, M. Bertolini, A. Ceresole, R. D'Auria, S. Ferrara, P. Fre', and T. Magri, N=2 supergravity and n=2 super yang-mills theory on general scalar manifolds: Symplectic covariance, gaugings and the momentum map, (1996).
- [210] G. Dibitetto, J. J. Fernández-Melgarejo, and D. Marqués, All gaugings and stable de Sitter in D=7 half-maximal supergravity, (2015).
- [211] J. P. GAUNTLETT, D. MARTELLI, J. SPARKS, AND D. WALDRAM, Supersymmetric AdS(5) solutions of type IIB supergravity, Class.Quant.Grav., 23 (2006), pp. 4693–4718.
- [212] J. P. GAUNTLETT AND S. PAKIS, The Geometry of D=11 killing spinors, JHEP, 04 (2003), p. 039.
- [213] D. GAIOTTO, A. KAPUSTIN, N. SEIBERG, AND B. WILLETT, Generalized Global Symmetries, JHEP, 1502 (2015), p. 172.
- [214] E. Bergshoeff, R. Kallosh, T. Ortin, D. Roest, and A. Van Proeyen, New formulations of D=10 supersymmetry and D8-08 domain walls, Class.Quant.Grav., 18 (2001), pp. 3359–3382.
- [215] J. SCHON AND M. WEIDNER, Gauged N=4 supergravities, JHEP, 05 (2006), p. 034.
- [216] L. Magnin, Sur les algèbres de Lie nilpotentes de dimension ≤ 7, J. Geom. Phys., 3 (1986), p. 119.
- [217] M. Graña, R. Minasian, M. Petrini, and D. Waldram, *T-duality, Generalized Geometry and Non-Geometric Backgrounds*, JHEP, 04 (2009), p. 075.
- [218] M. Graña, R. Minasian, M. Petrini, and A. Tomasiello, A Scan for new N=1 vacua on twisted tori, JHEP, 05 (2007), p. 031.
- [219] C. Strickland-Constable, Subsectors, Dynkin Diagrams and New Generalised Geometries, (2013).
- [220] K. Lee, C. Strickland-Constable, and D. Waldram, New gaugings and non-geometry, (2015).
- [221] D. TSIMPIS, Massive IIA supergravities, JHEP, 10 (2005), p. 057.
- [222] I. V. LAVRINENKO, H. LU, AND C. N. POPE, Fiber bundles and generalized dimensional reduction, Class. Quant. Grav., 15 (1998), pp. 2239–2256.

[223] A. LE DIFFON AND H. SAMTLEBEN, Supergravities without an Action: Gauging the Trombone, Nucl. Phys., B811 (2009), pp. 1–35.

- [224] F. Ciceri, A. Guarino, and G. Inverso, The exceptional story of massive IIA supergravity, (2016).
- [225] C. M. Hull, A New Gauging of N=8 Supergravity, Phys. Rev., D30 (1984), p. 760.
- [226] C. M. Hull, Noncompact Gaugings of N=8 Supergravity, Phys. Lett., B142 (1984), p. 39.
- [227] C. M. Hull, More Gaugings of N=8 Supergravity, Phys. Lett., B148 (1984), pp. 297–300.
- [228] D. CASSANI, O. DE FELICE, M. PETRINI, C. STRICKLAND-CONSTABLE, AND D. WALDRAM, Exceptional generalised geometry for massive IIA and consistent reductions, JHEP, 08 (2016), p. 074.
- [229] O. DE FELICE AND J. GEIPEL, Generalised Calibrations in AdS backgrounds from Exceptional Sasaki-Einstein Structures, 1704.05949, (2017).
- [230] O. DE FELICE, P. NTOKOS, AND M. PETRINI, Leigh-Strassler exactly marginal deformations from Exceptional Structures, to appear, (2017).
- [231] A. ASHMORE, O. DE FELICE, AND P. NTOKOS, Exactly marginal deformations of massive IIA Chern-Simons dual, to appear, (2017).
- [232] D. CASSANI, O. DE FELICE, M. PETRINI, C. STRICKLAND-CONSTABLE, AND D. WALDRAM, Systematics of consistent truncations from generalised geometry, to appear, (2017).
- [233] D. V. Alekseevskii, *Absolute Parallelism*, Encyclopedia of Mathematics, (2011).
- [234] R. Bott and J. Milnor, On the parallelizability of the spheres, Bulletin of the American Mathematical Society, 64 (1958), pp. 87–89.
- [235] M. A. Kervaire, Non-Parallelisability of the n-sphere for n > 7, Proceedings of the National Academy of Sciences, 44 (1958), pp. 280–283.
- [236] J. F. Adams, On the non-existence of elements of Hopf invariant one, Bulletin of the American Mathematical Society, 64 (1958), pp. 279–282.
- [237] J. MILNOR, Analytic Proofs of the "Hairy Ball Theorem" and the Brouwer Fixed Point Theorem, The American Mathematical Monthly, 85 (1978), pp. pp. 521– 524.
- [238] M. Grana, R. Minasian, M. Petrini, and A. Tomasiello, Supersymmetric backgrounds from generalized Calabi-Yau manifolds, JHEP, 08 (2004), p. 046.
- [239] M. Grana, R. Minasian, M. Petrini, and A. Tomasiello, Generalized structures of N=1 vacua, JHEP, 11 (2005), p. 020.
- [240] M. Graña and P. Ntokos, Generalized geometric vacua with eight supercharges, JHEP, 08 (2016), p. 107.

[241] N. HITCHIN, Special holonomy and beyond, in Strings and geometry. Proceedings, Summer School, Cambridge, UK, March 24-April 20, 2002, 2002, pp. 159–175.

- [242] M. Marino, R. Minasian, G. W. Moore, and A. Strominger, *Nonlinear instantons from supersymmetric p-branes*, JHEP, 01 (2000), p. 005.
- [243] A. COIMBRA, C. STRICKLAND-CONSTABLE, AND D. WALDRAM, Supergravity as Generalised Geometry I: Type II Theories, JHEP, 11 (2011), p. 091.
- [244] A. COIMBRA, C. STRICKLAND-CONSTABLE, AND D. WALDRAM, Supergravity as Generalised Geometry II:  $E_{d(d)} \times \mathbb{R}^+$  and M theory, JHEP, 03 (2014), p. 019.
- [245] A. COIMBRA, C. STRICKLAND-CONSTABLE, AND D. WALDRAM,  $E_{d(d)} \times \mathbb{R}^+$  generalised geometry, connections and M theory, JHEP, 02 (2014), p. 054.
- [246] C. M. Hull, Generalised Geometry for M-Theory, JHEP, 07 (2007), p. 079.
- [247] L. Martucci and P. Smyth, Supersymmetric D-branes and calibrations on general N=1 backgrounds, JHEP, 11 (2005), p. 048.
- [248] L. Martucci, Electrified branes, JHEP, 02 (2012), p. 097.
- [249] J. EVSLIN AND L. MARTUCCI, D-brane networks in flux vacua, generalized cycles and calibrations, JHEP, 07 (2007), p. 040.
- [250] P. Koerber and L. Martucci, *D-branes on AdS flux compactifications*, JHEP, 01 (2008), p. 047.
- [251] P. Pires Pacheco and D. Waldram, M-theory, exceptional generalised geometry and superpotentials, JHEP, 09 (2008), p. 123.
- [252] J. Gutowski, G. Papadopoulos, and P. K. Townsend, Supersymmetry and generalized calibrations, Phys. Rev., D60 (1999), p. 106006.
- [253] J. F. G. CASCALES AND A. M. URANGA, Branes on generalized calibrated submanifolds, JHEP, 11 (2004), p. 083.
- [254] J. P. GAUNTLETT, D. MARTELLI, J. SPARKS, AND D. WALDRAM, Sasaki-Einstein metrics on  $S^2 \times S^3$ , Adv. Theor. Math. Phys., 8 (2004), pp. 711–734.
- [255] J. P. GAUNTLETT, D. MARTELLI, J. SPARKS, AND D. WALDRAM, Supersymmetric AdS(5) solutions of M theory, Class. Quant. Grav., 21 (2004), pp. 4335–4366.
- [256] J. P. GAUNTLETT, Branes, calibrations and supergravity, in Strings and geometry. Proceedings, Summer School, Cambridge, UK, March 24-April 20, 2002, 2003, pp. 79–126.
- [257] J. P. GAUNTLETT, E. O COLGAIN, AND O. VARELA, Properties of some conformal field theories with M-theory duals, JHEP, 02 (2007), p. 049.
- [258] M. Gabella, J. P. Gauntlett, E. Palti, J. Sparks, and D. Waldram, The Central charge of supersymmetric AdS(5) solutions of type IIB supergravity, Phys. Rev. Lett., 103 (2009), p. 051601.

[259] M. Gabella, J. P. Gauntlett, E. Palti, J. Sparks, and D. Waldram, AdS(5) Solutions of Type IIB Supergravity and Generalized Complex Geometry, Commun. Math. Phys., 299 (2010), pp. 365–408.

- [260] M. Gualtieri, Generalized complex geometry, PhD thesis, Oxford U., 2003.
- [261] E. J. HACKETT-JONES, D. C. PAGE, AND D. J. SMITH, Topological charges for branes in M theory, JHEP, 10 (2003), p. 005.
- [262] E. J. HACKETT-JONES AND D. J. SMITH, Type IIB Killing spinors and calibrations, JHEP, 11 (2004), p. 029.
- [263] D. Martelli and J. Sparks, G structures, fluxes and calibrations in M theory, Phys. Rev., D68 (2003), p. 085014.
- [264] E. Bergshoeff, R. Kallosh, T. Ortin, and G. Papadopoulos, *Kappa symmetry, supersymmetry and intersecting branes*, Nucl. Phys., B502 (1997), pp. 149–169.
- [265] E. Bergshoeff, M. De Roo, B. Janssen, and T. Ortin, *The Super D9-brane and its truncations*, Nucl. Phys., B550 (1999), pp. 289–302.
- [266] E. Bergshoeff, D. P. Sorokin, and P. K. Townsend, *The M5-brane Hamiltonian*, Nucl. Phys., B533 (1998), pp. 303–316.
- [267] O. BARWALD, N. D. LAMBERT, AND P. C. West, A Calibration bound for the M theory five-brane, Phys. Lett., B463 (1999), pp. 33–40.
- [268] P. Pasti, D. P. Sorokin, and M. Tonin, Covariant action for a D = 11 five-brane with the chiral field, Phys. Lett., B398 (1997), pp. 41–46.
- [269] P. Pasti, D. P. Sorokin, and M. Tonin, Duality symmetric actions with manifest space-time symmetries, Phys. Rev., D52 (1995), pp. R4277–R4281.
- [270] M. Perry and J. H. Schwarz, Interacting chiral gauge fields in sixdimensions and Born-Infeld theory, Nucl. Phys., B489 (1997), pp. 47–64.
- [271] E. WITTEN, Five-brane effective action in M theory, J. Geom. Phys., 22 (1997), pp. 103–133.
- [272] I. Martin and A. Restuccia, Duality symmetric actions and canonical quantization, Phys. Lett., B323 (1994), pp. 311–315.
- [273] T. Ortin, Gravity and strings, Cambridge Univ. Press, 2004.
- [274] A. Tomasiello, Generalized structures of ten-dimensional supersymmetric solutions, JHEP, 03 (2012), p. 073.
- [275] M. CEDERWALL, A. VON GUSSICH, B. E. W. NILSSON, P. SUNDELL, AND A. WESTERBERG, The Dirichlet super p-branes in ten-dimensional type IIA and IIB supergravity, Nucl. Phys., B490 (1997), pp. 179–201.
- [276] M. B. Green and J. H. Schwarz, Covariant Description of Superstrings, Phys. Lett., B136 (1984), pp. 367–370.
- [277] E. Bergshoeff and P. K. Townsend, *Super D-branes*, Nucl. Phys., B490 (1997), pp. 145–162.

[278] D. Marolf, L. Martucci, and P. J. Silva, Actions and Fermionic symmetries for D-branes in bosonic backgrounds, JHEP, 07 (2003), p. 019.

- [279] J. Hughes, J. Liu, and J. Polchinski, *Supermembranes*, Phys. Lett., B180 (1986), pp. 370–374.
- [280] D. Lust, P. Patalong, and D. Tsimpis, Generalized geometry, calibrations and supersymmetry in diverse dimensions, JHEP, 01 (2011), p. 063.
- [281] J. Hughes and J. Polchinski, Partially Broken Global Supersymmetry and the Superstring, Nucl. Phys., B278 (1986), pp. 147–169.
- [282] R. Harvey and H. B. Lawson, Jr., Calibrated geometries, Acta Math., 148 (1982), p. 47.
- [283] D. Joyce, Lectures on special Lagrangian geometry, (2001).
- [284] D. Martelli, J. Sparks, and S.-T. Yau, Sasaki-Einstein manifolds and volume minimisation, Commun. Math. Phys., 280 (2008), pp. 611–673.
- [285] M. GABELLA, D. MARTELLI, A. PASSIAS, AND J. SPARKS,  $\mathcal{N}=2$  supersymmetric  $AdS_4$  solutions of M-theory, Commun. Math. Phys., 325 (2014), pp. 487–525.
- [286] M. GABELLA, D. MARTELLI, A. PASSIAS, AND J. SPARKS, The free energy of  $\mathcal{N}=2$  supersymmetric AdS<sub>4</sub> solutions of M-theory, JHEP, 10 (2011), p. 039.
- [287] K. Becker, M. Becker, and A. Strominger, Five-branes, membranes and nonperturbative string theory, Nucl. Phys., B456 (1995), pp. 130–152.
- [288] K. Becker, M. Becker, D. R. Morrison, H. Ooguri, Y. Oz, and Z. Yin, Supersymmetric cycles in exceptional holonomy manifolds and Calabi-Yau 4 folds, Nucl. Phys., B480 (1996), pp. 225–238.
- [289] G. W. GIBBONS AND G. PAPADOPOULOS, Calibrations and intersecting branes, Commun. Math. Phys., 202 (1999), pp. 593–619.
- [290] J. P. GAUNTLETT, N. D. LAMBERT, AND P. C. WEST, Branes and calibrated geometries, Commun. Math. Phys., 202 (1999), pp. 571–592.
- [291] J. GUTOWSKI AND G. PAPADOPOULOS, *AdS calibrations*, Phys. Lett., B462 (1999), pp. 81–88.
- [292] P. K. TOWNSEND, PhreMology: Calibrating M-branes, Class. Quant. Grav., 17 (2000), pp. 1267–1276.
- [293] J. P. GAUNTLETT, N. KIM, D. MARTELLI, AND D. WALDRAM, Five-branes wrapped on SLAG three cycles and related geometry, JHEP, 11 (2001), p. 018.
- [294] J. P. GAUNTLETT, D. MARTELLI, S. PAKIS, AND D. WALDRAM, G structures and wrapped NS5-branes, Commun. Math. Phys., 247 (2004), pp. 421–445.
- [295] J. P. GAUNTLETT, D. MARTELLI, AND D. WALDRAM, Superstrings with intrinsic torsion, Phys. Rev., D69 (2004), p. 086002.
- [296] P. S. HOWE AND P. C. WEST, The Complete N=2, D=10 Supergravity, Nucl. Phys., B238 (1984), pp. 181–220.

[297] J. H. Schwarz, Covariant Field Equations of Chiral N=2 D=10 Supergravity, Nucl. Phys., B226 (1983), p. 269.

- [298] A. VAN PROEYEN, Tools for supersymmetry, Ann. U. Craiova Phys., 9 (1999), pp. 1–48.
- [299] J. Sanchez Loureda and D. J. Smith, Four-dimensional SYM probes in wrapped M5-brane backgrounds, JHEP, 06 (2006), p. 059.
- [300] R. G. Leigh and M. J. Strassler, Exactly marginal operators and duality in four-dimensional N=1 supersymmetric gauge theory, Nucl. Phys., B447 (1995), pp. 95–136.
- [301] K. Pilch and N. P. Warner, A New supersymmetric compactification of chiral IIB supergravity, Phys. Lett., B487 (2000), pp. 22–29.

## LIST OF FIGURES

## RÉSUMÉ

Resumée en Français.

## ABSTRACT

English Abstract.