



Grade 2



IT Department
Web Development

On-site 1

ON-SITE GUIDE
2025 - 2026

Part 1: Understand SRS

Software Requirements Specification (SRS)

- STRICT Template

1. Introduction

1.1 Purpose

This document outlines the requirements for developing the "STRICT" web template using **only HTML and CSS**, with a focus on:

- **Float** for layout
- **Position** for element placement
- **Media Queries** for responsive design

The document is intended for programming students as a beginner-level training project.

1.2 Target Audience

- Students who have completed HTML and CSS fundamentals
- Instructors supervising the project

1.3 Project Scope

- Develop a static web page based on the provided design
- **Focus on** practical application of:
 - Page layout using Float
 - Element positioning using Position
 - Making the design responsive for all devices

2. General Requirements

2.1 Project Description

Item	Description
Project Name	STRICT Template
Type	Static Web Page
Languages Used	HTML5, CSS3
Libraries/Frameworks	None (Bootstrap or other frameworks are prohibited)

2.2 Functional Requirements


ID	Requirement	Details
FR1	Valid HTML Structure	Structure must comply with HTML5 standards
FR2	Float-based Layout	Use float property for column layout
FR3	Positioning with Position	Use position for precise element placement (e.g., buttons)
FR4	Responsive Design	Use media queries to adapt to different screen sizes
FR5	Contact Form	Create a functional contact form

2.3 Non-Functional Requirements

ID	Requirement	Details
NFR1	Performance	Page must load quickly on different devices
NFR2	Compatibility	Must work on latest browser versions (Chrome, Firefox, Edge)
NFR3	Maintainability	The code must be organized and clear

3. Detailed Requirements Description

3.1 Page Structure



3.2 Main Sections

1. Header

- **Elements:** "STRICT" logo
- **Technical Requirements:**
 - Dark background (#333)
 - White text
 - Padding: 1rem

2. Banner Section

- **Elements:**
 - Main heading: "STRICT"
 - Descriptive paragraph
 - "Call to action" button
- **Technical Requirements:**
 - Light background (#f4f4f4)
 - Centered text (text-align: center)
 - Dark-colored button (#333)

3. Design Section

- **Elements:**
 - Heading: "Simple & pure design."
 - Descriptive paragraph
- **Technical Requirements:**
 - Max width: 800px
 - Horizontal auto margins (margin: 0 auto)

4. Features Section

- **Elements:** 3 columns (Features) each containing:
 - Heading
 - Descriptive paragraph

- **Technical Requirements:**

- Float-based layout (3 columns)
- Column width: 33.33%
- Padding: 1rem
- Clearfix to prevent float issues

5. Contact Section

- **Elements:**

- Heading: "Stay with us"
- Descriptive paragraph
- Contact form containing:
 - Full name field
 - Email field
 - Message field
 - "Subscribe Newsletter" checkbox
 - "Send" button

- **Technical Requirements:**

- Light background (#f4f4f4)
- "Send" button uses position: absolute

4. Responsive Design Requirements

4.1 Breakpoints

Screen Size	Actions
< 768px (Mobile)	- Convert columns to single column (width: 100%)
768px - 1024px (Tablet)	- Convert columns to two columns (width: 50%)
> 1024px (Desktop)	- Display three columns (width: 33.33%)

4.2 Additional Mobile Requirements

- Adjust font sizes for small screens
- "Send" button becomes block instead of position: absolute

5. Project Constraints

1. Prohibited:

- Flexbox or Grid (to ensure Float implementation)
- CSS frameworks like Bootstrap
- JavaScript

2. Allowed Only:


- HTML5
- CSS3 (Float, Position, Media Queries)

6. Project Delivery

Item	Details
Required Files	- HTML file - CSS file - Screenshot of final result
Delivery Method	Upload files to GitHub and share the link
Evaluation Criteria	- Code validity - Design accuracy - Responsiveness

Note: This document should serve as a reference for students during project implementation to ensure full understanding of requirements before coding begins.

Part 2: Convert UI Design to HTML and CSS Template Workshop



This workshop is designed for beginners with no prior experience in HTML or CSS.

Workshop Objectives:

- Understand the fundamental concepts of HTML and CSS.
- Convert a UI design mock-up into a basic HTML template.
- Apply CSS styles to achieve the visual design of the UI.
- Gain an introduction to responsive design principles.

Materials and Tools:

- Text editor (Visual Studio Code, Sublime Text,)
- Web browser (Chrome, Firefox ,)
- Sample UI design (provided or bring your own)

Workshop Deliverables:

- A basic HTML and CSS template that reflects the provided UI design (or yours).
- A foundational understanding of web development concepts.

Building the HTML Structure

- Exploring basic HTML elements (heading tags, paragraphs, sections, etc.).
- Constructing the core layout of the webpage using appropriate HTML elements.
- Adding placeholder content for text and images.
- Hands-on practice: Building the HTML structure for the UI design sample.


Styling with CSS

- Introduction to CSS syntax and selectors.
- Applying styles for fonts, colors, backgrounds, and borders.
- Understanding the box model for element styling.

- Implementing basic layout properties like padding, margin, and positioning.
- Hands-on practice: Styling the UI design sample using CSS.

Create Project directory and add:

- index.html file
- style.css file
- images folder



In Index File link style.css and change Title of page:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Unit 9 Project</title>
  <link rel="stylesheet" href="style.css">
</head>
```

```
<body>

</body>

</html>
```

Add Header Background

In Html:

```
<body>

<div class="header">
  </div> <!-- header -->
</body>
```


In Css:

```
*{
  margin: 0;padding: 0;
  box-sizing: border-box;
}
```

```
.container{
  width: 85%;
  margin: 0 auto;
}
```

```
.header{
  min-height: 100vh;
```

```
background: url(images/headerbg.png);  
background-position: center;  
background-size: cover;  
}
```



Coding NavBar


```
<div class="header">  
  <div class="nav">  
    <div class="container">  
  
      <div class="logo">  
        <a href="#">WE School</a>  
      </div><!-- logo -->  
  
      <div class="main-nav">  
        <ul>
```

```
<li><a href="#">Home</a></li>
<li><a href="#">About</a></li>
<li><a href="#">Icons</a></li>
<li><a href="#">Gallary</a></li>
<li><a href="#">Contact Us</a></li>
</ul>
</div><!-- main-nav-->
</div><!-- container -->
</div><!-- nav -->
</div> <!-- header -->
```

In Style.css

```
.nav{
    background-color: black; padding: 20px 0px;
}
.logo{
    float: left;
}
.logo a{
    color: white;
    text-decoration: none;
}
```

```
. main-nav{
    float: right;
}
```



Troubleshooting:

The background color of the nav disappears because of **using float**

To fix this problem, add the code:

```
</div><!-- main-nav-->
<div style="clear: both;"> </div>
</div><!-- nav -->
```

```
.logo a{
    color: white;
    text-decoration: none;
    font-size: 30px;
    text-transform: uppercase;
    font-family: Arial;
    font-weight: 100;
```



```
letter-spacing: 1px;
}


.main-nav ul {
    /* margin-top: 10px; */
}

.main-nav ul li{
    display: inline;
}

.main-nav ul li a{
    text-decoration: none;
    margin-right: 15px;
    font-size: 16px;
    color: white;
    text-transform: uppercase;
    font-family: Arial;
    font-weight: 100;
    letter-spacing: 1px;
    transition: all 1s;
}

.main-nav ul li a:hover{
    color: yellowgreen;
}
```

End Result:



Test Yourself Try :

1. Changing the colors of the Logo so that each word is a different color.
2. Add a logo image next to the text.

Coding Header

After the nav tag add the following code:

```

</div><!-- nav -->

<div class="hero">

  <h1>Unit 9 Introduction to web development</h1>


  <hr>

  <p>This unit will introduce students to the fundamental
  concepts of web development. It will cover the basic building blocks
  of websites, including HTML</p>

  <a href="#">Learn More</a>

</div><!-- hero -->

</div> <!-- header -->
  
```



Css Code:

```

.hero{

  width: 80%;

  margin: 100px auto 0 auto;

  text-align: center;

}

.hero h1{

  font-size: 60px;


  font-family: Arial;
  
```

```
font-weight: bold;
text-transform: uppercase;
letter-spacing: 2px;
color: #fff;
}
hr {
width: 50%;
border:solid 1px #61c2f7;
margin: 20px auto;
}

.hero p{
font-size: 18px;
margin:25px 25% ;
color: #fff;
font-family: Arial, Helvetica, sans-serif;
line-height: 1.5;
}

.hero a{
text-decoration: none;
color: #fff;
padding: 10px 20px;
border:solid 1px #61c2f7;
```

```
font-weight: bold;
letter-spacing: 2px;
font-family: Arial, Helvetica, sans-serif;
}
```



To add color on header background In header try this code:

```
background: linear-gradient(rgba(0,0,0,.6),rgba(0,0,0,.6)) ,
url(images/headerbg.png);
```

UNIT 9 INTRODUCTION TO WEB DEVELOPMENT

This unit will introduce students to the fundamental concepts of web development. It will cover the basic building blocks of websites, including HTML

[Learn More](#)

Design Section

```
<div class="design">
```

```
<div class="container">
```

```
<h2>Simple & Pure Design</h2>
```

```
<p>
```

Lorem 50 ipsum dolor sit amet consectetur adipisicing elit. Accusantium ut sequi fugiat doloremque illo ex, temporibus sed soluta ipsa officia magni? Cumque, obcaecati laudantium, odit similique explicabo voluptas voluptatibus fuga mollitia sed enim alias, velit hic corporis architecto doloremque nesciunt in natus non aperiam atque nihil voluptate iure tempora. Sit.

```
</p>
```

```
</div><!-- container -->
```


```
</div> <!-- design -->
```



```
.design{
  text-align: center;
  padding: 30px 0;
  background-color: #eee;
}

.design h2{
  font-size: 36px;
  letter-spacing: 2px;
  font-family: Arial, Helvetica, sans-serif;
}

.design p{
  font-size: 18px;
  color: #828282;
  text-align: justify;
  font-family: Arial, Helvetica, sans-serif;
  line-height: 1.5; margin-top: 30px;
}
```



<https://fontawesome.com/>

Using Font Awesome Icons

Font Awesome is a popular icon library that provides a vast collection of scalable vector icons.

<https://cdnjs.com/libraries/font-awesome>

```
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Unit 9 Project</title>
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.6.0/css/all.min.css" integrity="sha512-
Kc323vGBEqzTmouAECnVceyQqyqdsSiqLQISBL29aUW4U/M7pSPA/
gEUZQqv1cwx4OnYxTxve5UMg5GT6L4JJg=="
crossorigin="anonymous" referrerpolicy="no-referrer" />
  <link rel="stylesheet" href="style.css">
</head>
```

```
<div class="icons">
```

```
  <div class="container">
```

```
<div class="row">
```

```
<div class="icon">
```

```
<i class="fas fa-mobile"></i>
```

```
<h3>Optimized for all devices</h3>
```

```
<p>Lorem 10 dolor, sit amet consectetur adipisicing elit.
```

```
Rem, asperiores?</p>
```

```
</div><!-- icon 1-->
```

```
<div class="icon">
```

```
<i class="fa-brands fa-black-tie"></i>
```

```
<h3>Clean & Minimal Design </h3>
```

```
<p>Lorem 10 dolor, sit amet consectetur adipisicing elit.
```

```
Rem, asperiores?</p>
```

```
</div><!-- icon 2-->
```

```
<div class="icon">
```

```
<i class="fa-solid fa-font-awesome"></i>
```

```
<h3>Font Awesome Icon</h3>
```

```
<p>Lorem 10 dolor, sit amet consectetur adipisicing elit.
```

```
Rem, asperiores?</p>
```

```
</div><!-- icon 3-->
```

```
</div><!-- row -->
```

```
</div><!-- container -->
```

```
</div> <!-- icons -->
```

Simple & Pure Design

Lorem 50 ipsum dolor sit amet consectetur adipisicing elit. Accusantium ut sequi fugiat doloremque illo ex, temporibus sed soluta ipsa officia magni? Cumque, obcaecati laudantium, odit similique explicabo voluptas voluptatibus fuga mollitia sed enim alias, velit hic corporis architecto doloremque nesciunt in natus non aperiam atque nihil voluptate iure tempora. Sit.

- **Optimized for all devices**
Lorem 10 dolor, sit amet consectetur adipisicing elit. Rem, asperiores?
- **Clean & Minimal Design**
Lorem 10 dolor, sit amet consectetur adipisicing elit. Rem, asperiores?
- **Font Awesome Icon**
Lorem 10 dolor, sit amet consectetur adipisicing elit. Rem, asperiores?

```
.icons{
  padding: 50px 0px;
}
```

```
.row{
  width: 90%;
  margin: auto;
}
```

```
.icon{
  float: left;
  width: 30%;
  margin-right: 30px;
```

```
text-align: center;  
}
```

```
.icon i{  
    background-color: #61c2f7;  
    padding: 22px;  
    color: white;  
    font-size: 36px;  
    margin-bottom: 15px;  
}
```

```
.icon h3{  
    font-family: Arial;  
    letter-spacing: 1px;  
    color: black;  
}
```

```
.icon p{  
    font-size: 18px;  
    color: #828282;  
    line-height: 1.5;  
    font-family: Arial, Helvetica, sans-serif;  
}
```

Simple & Pure Design

Lorem 50 ipsum dolor sit amet consectetur adipisicing elit. Accusantium ut sequi fugiat doloremque illo ex, temporibus sed soluta ipsa officia magni? Cumque, obcaecati laudantium, odit similique explicabo voluptas voluptatibus fuga mollitia sed enim alias, velit hic corporis architecto doloremque nesciunt in natus non aperiam atque nihil voluptate iure tempora. Sit.



Optimized for all devices

Lorem 10 dolor, sit amet
consectetur adipisicing elit. Rem,
asperiores?



Clean & Minimal Design

Lorem 10 dolor, sit amet
consectetur adipisicing elit. Rem,
asperiores?



Font Awesome Icon

Lorem 10 dolor, sit amet
consectetur adipisicing elit. Rem,
asperiores?

Troubleshooting:

Due to the use of float, a problem occurred in the bottom padding.

```
</div><!-- icon 3-->
<div style="clear: both;"></div>
</div><!-- row -->
```

```
<div class="gallery">
```

```
<div class="container">
```

```
<div class="info">
```

```
<h2>Showcase your work like a pro.</h2>
```

```
<p> Contact me if you like my work</p>
```

```
</div><!-- info -->
```

```
</div><!-- container -->
```

```
</div> <!-- gallery -->
```

In CSS

```
.gallery{
```

```
padding: 50px 0px;
```

```
}
```

```
.info{
```

```
text-align: center;
```

```
}
```

```
.info h2{
```

```
font-size: 36px;
```

```
letter-spacing: 1px;
```

```
font-family: Arial, Helvetica, sans-serif;
```

```
font-weight: bold;
```

```
text-transform: uppercase;
```

```
color: black;
```

```
}
```

```
.info p{
```

```
font-size: 18px;
```

```
font-family: Arial, Helvetica, sans-serif;
```



```
color: #828282;  
margin-bottom: 25px;  
}
```

SHOWCASE YOUR WORK LIKE A PRO.

Contact me if you like my work

```
</div><!-- info -->
```

```
<div class="x-row">
```

```
<div class="item">
```

```

```

```
</div>
```

```
<div class="item">
```

```

```

```
</div>
```

```
<div class="item">
```

```

```

```
</div>
```

```
</div> <!-- x-row 1 -->
```

```
<div class="x-row">
```

```
<div class="item">
  
</div>
<div class="item">
  
</div>
<div class="item">
  
</div>
</div> <!-- x-row 2 -->
```

```
</div><!-- container -->
```

In css

```
.x-row{
  width: 100%;
}
.x-row .item{
  width: 31%;
  margin: 1%;
float: left;
}
.x-row .item img{
  width: 100%;
```

}

SHOWCASE YOUR WORK LIKE A PRO.

Contact me if you like my work



<div class="item">

<div class="overlay"></div>

</div>

.x-row .item{

width: 31%;

margin: 1%;

float: left;

position: relative;

}

```
.overlay{
```

```
    position: absolute;
```

```
    top: 0; right: 0; bottom: 0; left: 0;
```

```
    background-color: rgba(28, 154, 238, .4);
```

```
}
```

```
<div class="overlay">
```

```
    <i class="fas fa-mobile"></i>
```

```
    <i class="fa-brands fa-black-tie"></i>
```

```
    <i class="fa-solid fa-font-awesome"></i>
```

```
</div>
```

```
.overlay{
```

```
    position: absolute;
```

```
    top: 0; right: 0; bottom: 0; left: 0;
```

```
    background-color: rgba(28, 154, 238, .4);
```


```
    text-align: center;
```

```
}
```

```
.overlay i{
```

```
    color: white;
```

```
font-size: 50px;
margin-top: 150px;
margin-left: 20px;
}
```



```
.overlay{
  position: absolute;
  top: 0; right: 0; bottom: 0; left: 0;
  background-color: rgba(28, 154, 238, .4);
  text-align: center;
  display: none;
}
```

```
.item:hover .overlay{
  display: block;
}
```

```
<div style="clear: both;"></div>
```

```
<div class="contact">
```

```
  <div class="contact-overlay">
```

```
    <div class="container">
```

```
      <div class="contact-info">
```

```
        <h2>Stay with us</h2>
```

```
        <p>We ensure quality & support</p>
```

```
      </div> <!-- contact-info -->
```

```
<div class="contact-form">
```

```
<form>
```

```
  <input type="text" placeholder="Full Name">
```

```
  <input type="email" placeholder="Email Address">
```

```
  <textarea rows="7"
```

```
placeholder="Message"></textarea>
```

```
  <span><input type="checkbox" >Subscribe  
  Newsletter</span>
```

```
  <input type="submit" value="Send">
```



```
</form>

</div><!-- contact-form -->


</div><!-- container -->

</div><!-- contact-overlay -->

</div> <!-- contact -->

.contact{
background-image:url(images/contactbg.png);
background-size: cover;
height: 600px;
padding: 50px 0;
position: relative;
}

.contact-overlay {
position: absolute;
top: 0;
right: 0;
left: 0;
bottom: 0;
background-color: rgba(45, 57, 80,.8);
}
```

```
.contact-info {  
    text-align: center;  
    margin-top: 100px;  
}
```

```
.contact-info h2 {  
    font-size: 35px;  
    font-family: Arial, Helvetica, sans-serif;  
    font-weight: bold;  
    text-transform: uppercase;  
    letter-spacing: 1px;  
    color: white;  
}
```

```
.contact-info p {  
    color: #828281;  
    font-size: 18px;  
    font-family: Arial, Helvetica, sans-serif;  
    margin-bottom: 40px;
```

```
}
```

```
.contact-form {
```

```
width: 600px;
```

```
text-align: center;
```

```
margin: 20px auto;
```

```
}
```

```
.contact-form input[type=text],input[type=email], textarea {
```

```
width: 600px;
```

```
padding: 15px;
```

```
margin-bottom: 15px;
```

```
background: transparent;
```

```
display: block;
```

```
}
```

```
span {
```

```
background: transparent;
```

```
padding: 10px 30px;
```

```
color: white;
```

```
font-size: 16px;
```

```
margin-left: 40px;
```

```
color: white;
```

```
float: left;
}

input[type=checkbox]{
    margin-right: 20px;
}

input[type=submit]{
    background: transparent;
    padding: 10px 30px;
    color: white;
    font-size: 16px;
    border: solid 1px #61c2f7;
}
```

STAY WITH US
We ensure quality & support

Full Name

Email Address

Message

☐ Subscribe Newsletter

Send

```
<div class="footer">
```

```
<a href="#"><i class="fa-brands fa-square-facebook"></i></a>
```

```
<a href="#"><i class="fa-brands fa-square-twitter"></i></a>
```

```
<a href="#"><i class="fa-brands fa-square-google-plus"></i></a>
```

```
<a href="#"><i class="fa-brands fa-square-instagram"></i></a>
```

```
</div><!-- footer-->
```

```
.footer{
```

```
padding: 25px;
```

```
background-color: #eee;
```

```
text-align: right;
```

```
}
```

```
.footer a{
```

```
text-decoration: none;
```

```
font-size: 36px;
```

```
margin: 5px;
```

```
color: #61c2f7;
```

```
}
```