



TUTORIAL MEMBUAT WEB PORTOFOLIO DENGAN MUDAH



Oleh :

- **Saiful Islam**
Prodi Pend. matematika
Universitas Nurul Jadid
- **Feri Irawansyah**
Prodi akuntansi
Universitas pamulang



STEP 1

MEMPERSIAPKAN BAHAN

Popular repositories

- Resolusi
- Snakesystem.github.io
- Snakesystem
- Google-Colab
- experimen
- dataset



Download contoh
tamplate source code
di repository GitHub
nya

<https://github.com/Snakesystem>

**Ini adalah contoh
untuk mendownload
file dengan github**

**Klik ZIP pada yang
ditunjuk anak panah**



WhatsApp Meet - mov-uygs-scx Color · Bootstrap v5.0 Snakesystem/Snakesystem.github.io

github.com/Snakesystem/Snakesystem.github.io

Search or jump to... Pull requests Issues Marketplace Explore

Snakesystem / Snakesystem.github.io Public

Code Issues Pull requests Actions Projects Wiki Security Insights

main 1 branch 0 tags

Go to file Add file Code

About My Portofolio Website

Clone HTTPS SSH GitHub CLI https://github.com/Snakesystem/Snakesyste... Use Git or checkout with SVN using the web URL.

Open with GitHub Desktop

Download ZIP


Environments 1

github-pages Active

ub.com/Snakesystem/Snakesystem.github.io/archive/refs/heads/main...
akesystem.github....zip 5_6091592651818....pdf Pedoman Kompeti....pdf BUKU PANDUAN P....pdf Laporan Kampus....pdf

Type here to search


STEP 2 Extract File



Extract zip nya menjadi folder agar bisa dibuka




STEP 3 → Ubah Nama Folder



Ubah nama folder yang sudah di extract sesuai yang kita inginkan agar kita lebih mudah mencari dan mengubah di tools yang digunakan



STEP 4 → Buka Folder



Buka foldernya dan didalamnya terdapat file index dengan extensi html. Kemudian buka folder nya di code editor/tools yang kita gunakan

Tampilan Awal




Ini adalah tampilan website dari pemilik Github
<https://github.com/Snakesystem>

Kita dapat melihat langsung dengan membuka dengan browser.

STEP 5

Edit Dengan VS.CODE




A screenshot of the Visual Studio Code interface showing the file 'index.html'. The code editor displays the HTML structure of a website. The code includes meta tags for charset and viewport, a link to Bootstrap CSS, a link to Bootstrap Icons CSS, and a title tag for 'fery | irawansyah'. The body section contains a navigation bar with a brand link, a toggle button for the navbar, and a collapse menu with a single item 'Home'.

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztCQTwFspd3yD65VohhpooCOmLASjC" crossorigin="anonymous">
    <!-- bootstrap icon -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.7.0/font/bootstrap-icons.css">
    <!-- my css -->
    <link rel="stylesheet" href="style.css">
<title>fery | irawansyah</title>
</head>


<body id="home">
    <nav class="navbar navbar-expand-lg navbar-dark bg-primary shadow p-3 fixed-top">
        <div class="container">
            <a class="navbar-brand" href="#">Feri Irawansyah</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto">
                    <li class="nav-item">
                        <a class="nav-link active" aria-current="page" href="#">Home</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
</body>
```

Ini adalah source code yang kita download di GitHub yang nantinya akan kita ubah beberapa isinya sesuai yang kita inginkan



Visual Studio Code

STEP 6 → Hasil Perubahan




The screenshot shows the Visual Studio Code interface with the file 'index.html' open. The code editor displays the following HTML and CSS code:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet"
        integrity="sha384-EVSTQN3/azprG1Anm3Q0gpJLIm9Nao0Yz1ztcQTWspd3yD65VohhpooC0mLASjC" crossorigin="anonymous">
    <!-- bootstrap icon -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.7.0/font/bootstrap-icons.css">
    <!-- my css -->
    <link rel="stylesheet" href="style.css">
    <title>Saiful Islam</title>
</head>
<body id="home">
    <nav class="navbar navbar-expand-lg navbar-dark bg-primary shadow p-3 fixed-top">
        <div class="container">
            <a class="navbar-brand" href="#">Saiful Islam</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
                aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto">
                    <li class="nav-item">
                        <a class="nav-link active" aria-current="page" href="#">Home</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="#">About</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
    <div class="container py-5" style="text-align: center">
        <img alt="Profile picture of Saiful Islam" style="width: 150px; height: 150px; border-radius: 50%; border: 2px solid #ccc; margin-bottom: 10px;">
        <h1>Saiful Islam</h1>
        <p>Software Developer | Data Analyst</p>
        <p>I am a software developer and data analyst with a passion for technology and problem-solving. I have experience working on various projects and am always looking for opportunities to learn and grow. I am currently available for work and would love to hear from you!</p>
        <div style="margin-top: 20px">
            <a href="#" class="btn btn-primary" style="width: 150px; padding: 10px; border-radius: 5px;">Hire Me</a>
            <a href="#" class="btn btn-secondary" style="width: 150px; padding: 10px; border-radius: 5px; margin-left: 20px;">View Profile</a>
        </div>
    </div>
</body>
```

The status bar at the bottom indicates 'Restricted Mode' and 'Partial support, click to resolve'. The bottom right corner shows the date and time as 'In 5, Col 27'.


Ini adalah contoh yang telah diubah Dimana kita mengubah judul dan nama nya serta mengganti foto nya menjadi foto kita



TAMPILAN HASIL WEBSITE KETIKA DI BUKA DI LOKAL



The screenshot shows a local website running in a browser. The title bar indicates the file path: D:/Saifulislam365.github.io-main/index.html. The website has a blue header with the name 'Saiful Islam'. Below the header is a large circular profile picture of a young man. The main content area features the name 'Saiful Islam' and the title 'Scholar | Math Consultant'. At the bottom, there is an 'About Me' section. The taskbar at the bottom shows several open files: Snakesystem.github.io-main.zip, Snakesystem.github.io-main.zip (Removed), 5_6091592651818.pdf, Pedoman Kompetensi.pdf, BUKU PANDUAN P...pdf, and a Show all button. The system tray shows the date and time as 16/11/2021 17:01.

Ini adalah hasil
yang telah diubah
sekarang website
ini menjadi milik
kita



STEP 7

Deployment ke GitHub



Setelah kita merubah dari sisi source codenya, sekarang kita siap untuk melaukan deployment

Pertama kita buka folder kita di terminal Git (git bash jika menggunakan windows)

Link Download Git

<https://git-scm.com/>


Hasil GitBash



```
MINGW64/d/mini_website_github
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ |
```

The image shows a Windows desktop environment with a terminal window open in the foreground. The terminal window has a black background and white text. It displays a command-line interface with the user's name 'Swirty-com', the computer name 'DESKTOP-98RBJ59', the shell 'MINGW64', the current directory '/d/mini_website_github', and the branch '(main)'. A single dollar sign (\$) is shown at the end of the line, indicating where the user can type commands. The terminal window is titled 'MINGW64/d/mini_website_github'. The desktop background is dark blue. At the bottom, there is a taskbar with various icons for applications like File Explorer, Google Chrome, and Microsoft Word. A system tray icon for weather and temperature is also visible.

**Sekarang
foldernya sudah
dibuka dengan
gitbash**



STEP 8

Membuat Repository Baru




Langkah berikutnya adalah membuat repository baru, namun repository kali ini berbeda. Maksudnya gimana ?

The screenshot shows a GitHub user profile for 'Saiful Islam'. The profile picture is a blue circle with a photo of a young man. Below the profile, the name 'Saiful Islam' and handle 'Saifulislam365' are displayed, along with the description 'Mahasiswa yang suka belajar'. An 'Edit profile' button is visible. The main area shows a list of repositories: 'pinguin' (Python, updated 23 hours ago), 'restoran' (updated yesterday), and 'studi_independent' (Jupyter Notebook, updated 4 days ago). At the top of the page, there is a navigation bar with tabs for Overview, Repositories (which is selected), Projects, and Packages. Below the navigation is a search bar with a placeholder 'Find a repository...', followed by filters for Type, Language, Sort, and a green 'New' button. The 'New' button is highlighted with a large red arrow pointing towards it from the bottom right.

Klik tombol ini untuk membuat repository baru

STEP 9 ➔ Settings Repository



Saifulislam365 / Saifulislam365.github.io

Owner: Saifulislam365

Repository name: Saifulislam365.github.io ✓

Great repository names are short and descriptive. Saifulislam365.github.io is available. What's in a name? How about super-duper-octo-garbanzo?

Description (optional):

Public
Anyone on the internet can see this repository. You choose who can commit to it.

Private
You choose who can see and commit to this repository.

Initialize this repository with:

Skip this step if you're importing an existing repository.

Add a README file
This is where you can write a long description for your repository.

Add .gitignore
Choose which files not to track from a list of templates. [Learn more](#).

Choose a license
A license tells others what they can and can't do with your code. [Learn more](#).

Create repository


Nama repositorynya harus diawali dengan username.github.io

Pilih apakah repositorynya private atau bisa dilihat banyak orang

kosongkan semua ceklis nya

Lalu klik create repository

STEP 10 Sourcode dari GitHub



Quick setup — if you've done this kind of thing before

Set up in Desktop or HTTPS SSH <https://github.com/Saifulislam365/Saifulislam365.github.io.git>

Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

...or create a new repository on the command line

```
echo "# Saifulislam365.github.io" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/Saifulislam365/Saifulislam365.github.io.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/Saifulislam365/Saifulislam365.github.io.git
git branch -M main
git push -u origin main
```

Setelah repository jadi, nanti kita disediakan source code dari github yang akan kita gunakan untuk mendeploy website kita

Untuk kedua sourcode ini tidak perlu digunakan, karena source code ini digunakan jika kita ingin membuat file README untuk mendeskripsikan repository kita

STEP 11

Konfigurasi Komputer dengan GitHub

```
MINGW64:/d/mini_website_github
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git config --global user.name "Saifulislam365"

Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git config --global user.email "saifulislam022020@gmail.com"

Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ |
```

Configurasi dengan username github

git config --global user.name
"Nama GitHub"

Configurasi dengan email yang digunakan untuk registrasi ke github sebelumnya

git config --global user.email
"Email GitHub"

STEP 12

Memilih folder dan menambahkan folder ke github

```
MINGW64/d/mini_website_github


Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git config --global user.name "Saifulislam365"

Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git config --global user.email "saifulislam022020@gmail.com"

Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git init
Reinitialized existing Git repository in D:/mini_website_github/.git/

Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git add .

Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$
```



Dengan cara ketik

"git init"

"git add ."

STEP 13

Menambahkan komentar dan memilih branch

```
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git commit -m "Percobaan web 1"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git branch -M main

Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ |
```

**git commit -m
"Percobaan web 1"**

git branch -M main



STEP 14 ➔ Git Remote


```
swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git commit -m "Percobaan web 1"
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean

swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git branch -M main

swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git remote add origin https://github.com/Saifulislam365/Saifulislam365.github.io.git
error: remote origin already exists.

swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ |
```

**git remote add origin
https://github.com/Saifulislam365/Saifulislam365.github.io.git**



STEP 15 → Git PUSH

```
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git commit -m "Percobaan web 1"
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean
```

```
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git branch -M main
```

```
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git remote add origin https://github.com/Saifulislam365/Saifulislam365.github.io.git
error: remote origin already exists.
```

```
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ ^C
```

```
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git push -u origin main
Enumerating objects: 16, done.
Counting objects: 100% (16/16), done.
Delta compression using up to 4 threads
Compressing objects: 100% (16/16), done.
Writing objects: 100% (16/16), 865.20 KiB | 19.66 MiB/s, done.
Total 16 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/Saifulislam365/Saifulislam365.github.io.git
 * [new branch]      main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
```

```
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$
```



Ketik perintah
"git push -u origin main"

PUSH

STEP 16

Proses Pembuatan Sudah Selesai

github.com/Saifulislam365/Saifulislam365.github.io

Reload this page Search or jump to... Pull requests Issues Marketplace Explore

Saifulislam365 / Saifulislam365.github.io Public Unwatch 1 Star 0 Forks

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

main · 1 branch · 0 tags Go to file Add file · Code · About No description, website, or topics provided

Saifulislam365 Mengubah paragraf ✓ 490d73d 3 hours ago 2 commits

img Percobaan web 1 4 hours ago

index.html Mengubah paragraf 3 hours ago

style.css Percobaan web 1 4 hours ago

Add a README

Help people interested in this repository understand your project by adding a README.

No releases published Create a new release

No packages published Publish your first package

Environments 1

github-pages Active

Type here to search

Reload Page di Github yang anda buat



STEP 17


Membuka link website

The screenshot shows a web browser window with several tabs open at the top. The active tab is for the GitHub repository 'Saifulislam365/Saifulislam365.github.io'. The page displays the repository's settings. On the left, there is a sidebar with various options like Options, Manage access, Security & analysis, Branches, Webhooks, Notifications, Integrations, Deploy keys, and Actions. The main content area is titled 'Settings' and includes sections for Repository name (set to 'Saifulislam365.github.io'), Template repository (unchecked), Social preview (instructions to upload an image), and Actions. A red arrow points to the 'Settings' tab in the top navigation bar. The URL in the address bar is <https://github.com/Saifulislam365/Saifulislam365.github.io/settings>.

Masuk ke menu
setting

STEP 18

Setelah folder dibuka kemudian mengkonfigurasi antara komputer dengan GitHub




The screenshot shows a web browser window with multiple tabs open. The active tab is 'github.com/Saifulislam365/Saifulislam365.github.io/settings'. The page displays configuration options for a GitHub repository, specifically under the 'Danger Zone' section. A prominent yellow notification bar at the top states: 'Pages settings now has its own dedicated tab! [Check it out here!](#)'. A large red arrow points from the right side of the image towards this notification bar.

Scrool Kebawah

Masuk ke menu Github
Pages

STEP 19 Alamat web Sudah Terlihat




The screenshot shows a browser window with several tabs open. The active tab is for the GitHub Pages settings of a repository named 'Saifulislam365 / Saifulislam365.github.io'. The page displays various configuration options like Options, Manage access, Security & analysis, Branches, Webhooks, Notifications, Integrations, Deploy keys, and Actions. A prominent green success message box contains the text: '✓ Your site is published at <https://saifulislam365.github.io/>'. Below this message, there are sections for Source (Branch: main), Theme Chooser (Choose a theme), and Custom domain. At the bottom, there are Save and Remove buttons. The URL bar at the bottom of the browser shows 'https://saifulislam365.github.io'.

Alamat Web
Portofolio



STEP 20

SELAMAT WEBMU SUDAH SIAP



A screenshot of a web browser showing a completed website for "Saiful Islam". The browser tab bar shows multiple open tabs, including WhatsApp, Google Meet, and the current website "saifulislam365.github.io". The website has a blue header with the name "Saiful Islam" on the left and navigation links for Home, About, Project, and Contact on the right. The main content area features a circular profile picture of a young man, the name "Saiful Islam" in large font, and the title "Scholar | Math Consultant". Below this, there is a section titled "About Me" with two paragraphs: "Saya adalah mahasiswa." and "Lorem ipsum dolor sit amet consectetur". The bottom of the screen shows the Windows taskbar with various pinned icons and system status indicators.

STEP 21

Cara Edit Web Portofolio




 MINGW64:/d/mini_website_github

```
Swirly-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ code .
```

Masuk ke git bash di file kita


Ketik
"code ."

Hasil Code .



```
MINGW64:/d/mini_website_github
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ code .
```

```
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ |
```



Visual Studio Code

Do you trust the authors of the files in this folder?

Code provides features that may automatically execute files in this folder.

If you don't trust the authors of these files, we recommend to continue in restricted mode as the files may be malicious. See [our docs](#) to learn more.

D:\mini_website_github

Trust the authors of all files in the parent folder 'd\'

Yes, I trust the authors

No, I don't trust the authors

Trust folder and enable folder-level permissions

Disable folder in restricted mode

Yes, I trust the authors

Type here to search

17:28 27°C 16/11/2021

KLIK

YES I AM

Masuk ke File Indek html

ENTER



EDIT
PERUBAHAN
YANG KITA
INGINKAN

Menggunakan
template html
atau
bootstreep
yang kita mau


```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet"
        integrity="sha384-EVSTQN3/azprG1Anm3Q0gpJLIm9Nao0Yz1ztcQTWspd3yD65VohhpuuCOMLASjc" crossorigin="anonymous">

    <!-- bootstrap icon -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.7.0/font/bootstrap-icons.css">

    <!-- my css -->
    <link rel="stylesheet" href="style.css">
<title>Saiful Islam</title>
</head>

<body id="home">
    <nav class="navbar navbar-expand-lg navbar-dark bg-primary shadow p-3 fixed-top">
        <div class="container">
            <a class="navbar-brand" href="#">Saiful Islam</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
                aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto">
                    <li class="nav-item">
                        <a class="nav-link active" aria-current="page" href="#home">Home</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="#about">About</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
    <div class="container py-5" style="text-align: center">
        <h1>Saiful Islam</h1>
        <p>A simple website template using Bootstrap 5</p>
        
        <p>Check out the source code on GitHub.</p>
    </div>
</body>
```


Contoh Perubahan



Screenshot of Visual Studio Code showing the file `index.html`. The code contains HTML and SVG snippets. Lines 66 and 69 are highlighted, showing changes made to the text content of a paragraph.

```
<!-- <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 1440 320">
<path fill="#ffffff" fill-opacity="1"
      d="M0,160L48,154.7C96,149,192,139,288,154.7C384,171,480,213,576,192C672,171,768,85,864,90.7C960,96,1056,192,1152,208C1248,224,134
</path>
</svg> -->
</section>
<!-- About -->
<section id="about">
  <div class="container">
    <div class="row text-center mb-3">
      <div class="col">
        <h2>About Me</h2>
      </div>
    </div>
    <div class="row justify-content-center fs-5 text-start">
      <div class="col-md-4">
        <p>Saya adalah mahasiswa universitas nurul jadid prodi pendidikan matematika ...</p>
      </div>
      <div class="col-md-4">
        <p>Saya suka belajar tentang Data Science.</p>
      </div>
    </div>
  </div>
<!-- <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 1440 320">
<path fill="rgb(179, 234, 236)" fill-opacity="1"
      d="M0,128L48,122.7C96,117,192,107,288,133.3C384,160,480,224,576,218.7C672,213,768,139,864,117.3C960,96,1056,128,1152,133.3C1248,1
</path>
</svg>
</section>
<!-- projek -->
<section id="project">
  <div class="container">
    <div class="row text-center mb-3">
```

Contoh Hasil Perubahan



Saiful Islam

Home About Project Contact

Saiful Islam

Scholar | Math Consultant

About Me

Saya adalah mahasiswa.

Lorem ipsum dolor sit amet consectetur adipisicing elit. Aliquid deleniti cumque repellat odit numquam a dicta, atque et


Contoh Hasil
Perubahan

Ketika dibuka
dengan
Browser/lokal

Tapi di versi
web online
belum ada
perubahan

STEP 22


Menghubungkan Terminal Vs.Code dengan Git Bash



The screenshot shows the Visual Studio Code interface. On the left, there's a sidebar with various icons. The main area displays an HTML file named 'index.html'. A context menu is open over the code editor, with 'New Terminal' highlighted. The status bar at the bottom shows 'main*' and 'Partial support, click to resolve'.

```
<!-- About -->
<section id="about">
  <div class="container">
    <div class="row text-center mb-3">
      <div class="col">
        <h2>My website</h2>
      </div>
    </div>
    <div class="row justify-content-center">
      <div class="col-4">
        <img alt="Profile picture of Nurul jadid" data-bbox="118 118 218 218" />
        <div>
          <strong>Nurul jadid</strong>
          <br/>
          prodi pendidikan matematika
        </div>
      </div>
    </div>
  </div>
<!-- About -->
<section id="about">
  <div class="container">
    <div class="row text-center mb-3">
      <div class="col">
        <h2>About</h2>
      </div>
    </div>
    <div class="row justify-content-center">
      <div class="col-4">
        <img alt="Profile picture of Nurul jadid" data-bbox="118 218 218 318" />
        <div>
          <strong>Nurul jadid</strong>
          <br/>
          prodi pendidikan matematika
        </div>
      </div>
    </div>
  </div>
<!-- projek -->
<section id="project">
  <div class="container">
    <div class="row text-center mb-3">
      <div class="col">
        <h2>My projek</h2>
      </div>
    </div>
    <div class="row justify-content-center">
      <div class="col-4">
        <img alt="Profile picture of Nurul jadid" data-bbox="118 318 218 418" />
        <div>
          <strong>Nurul jadid</strong>
          <br/>
          prodi pendidikan matematika
        </div>
      </div>
    </div>
  </div>
</section>
```

**KLIK
TERMINAL
VS CODE**



Update Ke Git Hub



A screenshot of Visual Studio Code showing an HTML file named index.html. The code includes sections for 'About' and 'Me'. The terminal tab is open, showing a Windows PowerShell prompt with the command 'git status' entered. A context menu is open over the terminal tab, with 'Git Bash' selected.

```
<!-- About -->
<section id="about">
  <div class="container">
    <div class="row text-center mb-3">
      <div class="col">
        <h2>About Me</h2>
      </div>
    </div>
    <div class="row justify-content-center fs-5 text-start">
      <div class="col-md-4">
        <p>Saya adalah mahasiswa universitas nurul jadid prodi pendidikan matematika .</p>
      </div>
      <div class="col-md-4">
```

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
Try the new cross-platform PowerShell <https://aka.ms/pscore6>
PS D:\mini_website_github> []


PowerShell
Command Prompt
Git Bash
JavaScript Debug Terminal
Split Terminal >
Configure Terminal Settings
Select Default Profile

main* 0 0 0 tabnine: Partial support, click to resolve

Ln 68, Col 39 Spaces: 4 UTF-8 LF Django HTML R Q

Type here to search

KLIK
Git Bash di
TERMINAL



Terminal Gitbash sudah muncul

The screenshot shows a Visual Studio Code interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, Terminal, Help.
- Title Bar:** indexhtml - mini_website_github - Visual Studio Code.
- Code Editor:** The main editor window displays the file `index.html` with the following content:

```
<!-- About -->
<section id="about">
    <div class="container">
        <div class="row text-center mb-3">
            <div class="col">
                <h2>About Me</h2>
            </div>
        </div>
        <div class="row justify-content-center fs-5 text-start">
            <div class="col-md-4">
                <p>Saya adalah mahasiswa universitas nurul jadid prodi pendidikan matematika .</p>
            </div>
            <div class="col-md-4">
```
- Search Bar:** Find, As ab, * No results.
- Terminal:** The terminal pane at the bottom shows a command-line session:

```
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git add .
warning: LF will be replaced by CRLF in index.html.
The file will have its original line endings in your working directory

Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git commit -m "Menambahkan informasi pribadi"
[main 928ebbe] Menambahkan informasi pribadi
 1 file changed, 2 insertions(+), 4 deletions(-)

Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git push
```
- Bottom Status Bar:** main, 0:11, 0:0 ▲ 0, tabnine: Partial support, click to resolve, Ln 68, Col 39, Spaces: 4, UTF-8, LF, Django-HTML, 17:40, 27°C, 16/11/2021.

Klik di terminal

git add .

```
git commit -m "isi  
komentarmu"
```

git push



Proses Upload Selesai



The screenshot shows a Visual Studio Code interface. The code editor displays an HTML file named index.html with the following content:

```
<!-- About -->
<section id="about">
  <div class="container">
    <div class="row text-center mb-3">
      <div class="col">
        <h2>About Me</h2>
      </div>
    </div>
    <div class="row justify-content-center fs-5 text-start">
      <div class="col-md-4">
        <p>Saya adalah mahasiswa universitas nurul jadid prodi pendidikan matematika .</p>
      </div>
      <div class="col-md-4">
        <img alt="Profile picture placeholder" style="width: 100%; height: 100%; object-fit: cover;" />
      </div>
    </div>
  </div>
</section>
```


The terminal window shows the following command-line session:

```
Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git commit -m "Menambahkan informasi pribadi"
[main 920ebbe] Menambahkan informasi pribadi
 1 file changed, 2 insertions(+), 4 deletions(-)



Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 466 bytes | 466.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Saifulislam365/Saifulislam365.github.io.git
  490d73d..920ebbe main -> main

Swirty-com@DESKTOP-98RBJ59 MINGW64 /d/mini_website_github (main)
$
```

The status bar at the bottom indicates the file is main, has 0 errors and 0 warnings, and shows partial support for tabnine.



Refresh Github



A screenshot of a Microsoft Edge browser window showing a GitHub repository page. The URL in the address bar is <https://github.com/Saifulislam365/Saifulislam365.github.io>. The repository is public and contains one branch ('main') and no tags. The code tab is selected. The repository has 1 commit, 0 stars, and 0 forks. The description states: 'No description, website, or topics provided.' There are sections for Releases, Packages, and Environments. The status bar at the bottom shows the URL <https://github.com/Saifulislam365/Saifulislam365.github.io/settings> and the system tray indicates it's 17:41 on 16/11/2021.

github.com/Saifulislam365/Saifulislam365.github.io

Saifulislam365 / Saifulislam365.github.io Public

Issues Pull requests Actions Projects Wiki Security Insights Settings

main · 1 branch · 0 tags

Go to file Add file · Code · About

No description, website, or topics provided.

Releases

No releases published Create a new release

Packages

No packages published Publish your first package

Environments 1

github-pages Active

https://github.com/Saifulislam365/Saifulislam365.github.io/settings

Type here to search

17:41 26°C 16/11/2021

Web Portofolio Sudah Siap

The screenshot shows a web browser window with multiple tabs open. The active tab displays a portfolio website for 'Saiful Islam'. The header of the website is blue, featuring the name 'Saiful Islam' on the left and a navigation menu with links to 'Home', 'About', 'Project', and 'Contact' on the right. Below the header is a large circular profile picture of a young man with short dark hair, wearing a dark blazer over a purple shirt. The main content area has a light teal background. It features the name 'Saiful Islam' in a large, bold, dark font, followed by the title 'Scholar | Math Consultant' in a smaller, dark font. Below this, there is a section titled 'About Me' in bold, dark font. Underneath 'About Me', there are two paragraphs of text in a smaller, dark font. At the bottom of the screen, the Windows taskbar is visible, showing various pinned icons and the system tray with weather and date information.

Saiful Islam

Saiful Islam

Scholar | Math Consultant

About Me

Saya adalah mahasiswa universitas nurul jadid prodi pendidikan matematika . Saya suka belajar tentang Data Science

Type here to search

26°C 17:43 16/11/2021

Referensi :

Git Hub

<https://github.com/Snakesystem>

Bootstrap 4

<https://getbootstrap.com.br/docs/4.1/components/jumbotron/>

Bootstrap 5

<https://getbootstrap.com/docs/5.0/getting-started/introduction/>