

```
<!DOCTYPE html>
<html>
<head>
<meta character = "UTF-8">
<title>Intro to html forms</title>

</head>
<body style="background-color: lightgrey">
<style>
#register-form{

width:300px;
background-color:white;
padding:24px;
margin-left:auto;
margin-right:auto;
)
</style>
```

<form id = "register-form" method = "POST">

<!-- POST method is used to store data in backend(secured data because the value provided is not-visible in url also you can send large data) →

<!-- <form id = "register-form" method = "GET"> GET method is used to store data in backend(unsecured data because the value provided is visible in url also you can't send large data) →

<h1 style="text-align:centre">Sign up</h1>

<div >

Name: <br>

<input list="fullname" type = "text"  
name="name" placeholder="full name"  
autofocus required>

<!-- autofocus focuses(creates a blue background and cursor blinks) on first entry →

<!-- The placeholder attribute specifies a short hint that describes the expected value of an input

field →

```
<datalist id="fullname">
```

```
<option value="ABC">
```

```
<option value="XYZ">
```

```
</datalist>
```

```
<br>
```

```
<br>
```

email: <br>

```
<input list="emilid" type = "email" name ="id"
```

```
placeholder="gmail id" required>
```

<! — type is made "email" so that if "@" is  
missing it will give warning →

```
<br><br>
```

Password:<br>

```
<input type = "password" name="password"
```

```
placeholder="8 characters" maxlength="8"
```

```
minlength="8"required>
```

<! — minlength and maxlength is to be used, it  
won't work on min and max →

```
<br><br>
```

Confirm Password:<br>

```
<input type = "password" name="confirm  
password" placeholder="8 characters"  
maxlength="8" minlength="8" required>
```

```
<br>
```

```
<br>
```

Date Of Birth:<br>

```
<input type="date" name="date"> <! — you can  
add min and max limit of date by the keyword  
max and min itself →
```

```
<br><br>
```

Gender:<br>

```
<input type = "radio" name="male"  
value="male">Male</input> <! — radio is a type  
of button →
```

```
<input type = "radio" name="female"  
value="male">Female</input>
```

```
<input type = "radio" name="Other"  
value="male">Other</input>
```

```
<br><br>
```

Insert your photo:<br>

```
<input type="file" name="image">
```



<br><br>

Insert your resume:<br>

<input type="file" name="image">

<br><br>

Security Question: <br>

<select name = "security-question"> <! — can use multiple attribute, it allows you to select multiple options →

<option>Select</option>

<option>What was your first pet name?</option>

<option>What was your primary school name?</option>

<option>What is your favourite colour?</option>

</select>

<br>

<textarea name = "answer" rows = "6" cols = "28"></textarea>

<br>

<br>

<input type = "checkbox" name = "terms and condition" value = "accept" required>I agree

terms and conditions

<br>

<input type = "submit" value = "Register">

</div>

</form>

</body>

</html>