Python Programming For Loops Homework

Mostafa S. Ibrahim Teaching, Training and Coaching since more than a decade!

Artificial Intelligence & Computer Vision Researcher PhD from Simon Fraser University - Canada Bachelor / Msc from Cairo University - Egypt Ex-(Software Engineer / ICPC World Finalist)



Homework 1: Printing X

Read an Integer N, then print an X using * as following

N always odd



Homework 2: Find Special Pairs

- Count How many X, Y numbers such that
 - X in range [50-300]
 - Y in range [70-400]
 - O X < Y</p>
 - o (X+Y) divisible by 7
- Output
 - 0 8040
- After solving, think in minor optimizations

Homework 3: Find all quadruples

- Count how many integer (a, b, c, d) with the following property:
 - o 1 <= a, b, c, d <= 200
 - \circ a + b = c + d
- Output:
 - 5333400
- Code it once using 4 loops (very slow!)
- Code it once using 3 loops only
- In future: you can do it using 2 loops only!

Homework 4: Is Prime?

- Read an integer N (< 500) and print YES if it is prime, otherwise NO
 - A prime number is greater than 1 AND cannot be formed by multiplying two smaller numbers.
 - In other words, number%whatever != 0
 - The first few prime numbers are 2, 3, 5, 7, 11, 13, 17, 19, 23, and 29.
- Input ⇒ Output
 - $13 \Rightarrow YES$ (only 1 * 13)
 - \circ 12 \Rightarrow NO (E.g. 12 = 2 *6, so 12 can be divided by 2 or 6)

Homework 5: Print Primes

- Read integer N (<500), then print all prime numbers <= N
- Input ⇒ Output

Homework 6: <u>Digits sum</u> in range

- Read three integers N, A, B.
- Print the summation of the numbers between 1 and N whose sum of digits is between A and B.
- Input ⇒ Output
 - o 20 2 5 ⇒ 84
 - Numbers whose sums of digits are between 2 and 5, are: 2,3,4,5,11,12,**13**,14, 20.
 - E.g. digits sum of 13 is 4: which is between (2, 5)
 - \circ 10 1 2 \Rightarrow 13
 - 100 4 16 ⇒ 4554

"Acquire knowledge and impart it to the people."

"Seek knowledge from the Cradle to the Grave."