In [1]:
```
import pandas as pd
```

In [2]:
```
emp = pd.read_excel(r'C:\Users\HAI\Downloads\Rawdata.xlsx')
```

In [3]:
```
emp
```

Out[3]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience#$	34 years	Mumbai	5^00#0	2+
1	Teddy^	Testing	45' yr	Bangalore	10%%000	<3
2	Uma#r	Dataanalyst^^#	NaN	NaN	1$5%000	4> yrs
3	Jane	Ana^^lytics	NaN	Hyderbad	2000^0	NaN
4	Uttam*	Statistics	67-yr	NaN	30000-	5+ year
5	Kim	NLP	55yr	Delhi	6000^$0	10+

In [4]:
```
emp.shape
```

Out[4]: (6, 6)

In [5]:
```
len(emp)
```

Out[5]: 6

In [6]:
```
emp.columns
```

Out[6]: Index(['Name', 'Domain', 'Age', 'Location', 'Salary', 'Exp'], dtype='object')

In [7]:
```
len(emp.columns)
```

Out[7]: 6

In [11]:
```
emp.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 6 entries, 0 to 5
Data columns (total 6 columns):
 #   Column    Non-Null Count  Dtype 
---  ------    --------------  ----- 
 0   Name      6 non-null      object
 1   Domain    6 non-null      object
 2   Age       4 non-null      object
 3   Location  4 non-null      object
 4   Salary    6 non-null      object
 5   Exp       5 non-null      object
dtypes: object(6)
memory usage: 420.0+ bytes
```

In [9]:
```
emp['Name']
```

Out[9]:
```
0      Mike
1    Teddy^
2     Uma#r
3      Jane
4    Uttam*
5       Kim
Name: Name, dtype: object
```

In [10]:
```
emp['Domain']
```

Out[10]:
```
0     Datascience#$
1           Testing
2    Dataanalyst^^#
3       Ana^^lytics
4        Statistics
5               NLP
Name: Domain, dtype: object
```

In [12]:
```
emp['Age']
```

Out[12]:
```
0    34 years
1      45' yr
2         NaN
3         NaN
4       67-yr
5        55yr
Name: Age, dtype: object
```

In [13]:
```
emp['Location']
```

Out[13]:
```
0       Mumbai
1    Bangalore
2          NaN
3     Hyderbad
4          NaN
5        Delhi
Name: Location, dtype: object
```

In [14]:
```
emp['Salary']
```

Out[14]:
```
0     5^00#0
1    10%%000
2    1$5%000
3     2000^0
4     30000-
5    6000^$0
Name: Salary, dtype: object
```

In [15]:
```
emp['Exp']
```

Out[15]:
```
0         2+
1         <3
2     4> yrs
3        NaN
4    5+ year
5        10+
Name: Exp, dtype: object
```

In [16]:
```
emp[['Name','Domain']]
```

Out[16]:

	Name	Domain
0	Mike	Datascience#$
1	Teddy^	Testing
2	Uma#r	Dataanalyst^^#
3	Jane	Ana^^lytics
4	Uttam*	Statistics
5	Kim	NLP

In [17]:
```
emp[['Name','Domain','Age']]
```

Out[17]:

	Name	Domain	Age
0	Mike	Datascience#$	34 years
1	Teddy^	Testing	45' yr
2	Uma#r	Dataanalyst^^#	NaN
3	Jane	Ana^^lytics	NaN
4	Uttam*	Statistics	67-yr
5	Kim	NLP	55yr

In [18]:
```
emp[['Name','Domain','Age','Location','Salary','Exp']]
```

Out[18]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience#$	34 years	Mumbai	5^00#0	2+
1	Teddy^	Testing	45' yr	Bangalore	10%%000	<3
2	Uma#r	Dataanalyst^^#	NaN	NaN	1$5%000	4> yrs
3	Jane	Ana^^lytics	NaN	Hyderbad	2000^0	NaN
4	Uttam*	Statistics	67-yr	NaN	30000-	5+ year
5	Kim	NLP	55yr	Delhi	6000^$0	10+

In [20]:
```
emp['Name']=emp['Name'].str.replace(r'[^\w\s]', '', regex=True)
```

In [21]:
```
emp['Name']
```

Out[21]:
```
0     Mike
1    Teddy
2     Umar
3     Jane
4    Uttam
5      Kim
Name: Name, dtype: object
```

In [23]:
```
emp['Domain']=emp['Domain'].str.replace(r'[^\w\s]', '', regex=True)
```

In [24]:
```
emp['Domain']
```

Out[24]:
```
0    Datascience
1        Testing
2    Dataanalyst
3      Analytics
4     Statistics
5            NLP
Name: Domain, dtype: object
```

In [25]:
```
emp['Age']=emp['Age'].str.replace(r'[^\w\s]', '', regex=True)
```

In [26]:
```
emp['Age']
```

Out[26]:
```
0    34 years
1       45 yr
2         NaN
3         NaN
4        67yr
5        55yr
Name: Age, dtype: object
```

In [30]:
```
emp['Age'] = emp['Age'].str.extract(r'(\d+)')
```

In [31]:
```
emp['Age']
```

Out[31]:
```
0     34
1     45
2    NaN
3    NaN
4     67
5     55
Name: Age, dtype: object
```

In [27]:
```
emp['Salary']=emp['Salary'].str.replace(r'[^\w\s]', '', regex=True)
```

In [28]:
```
emp['Salary']
```

Out[28]:
```
0     5000
1    10000
2    15000
3    20000
4    30000
5    60000
Name: Salary, dtype: object
```

In [32]:
```
emp['Location']=emp['Location'].str.replace(r'[^\w\s]', '', regex=True)
```

In [33]:
```
emp['Location']
```

Out[33]:
```
0       Mumbai
1    Bangalore
2          NaN
3     Hyderbad
4          NaN
5        Delhi
Name: Location, dtype: object
```

In [34]:
```
emp['Exp']=emp['Exp'].str.extract(r'(\d+)')
```

In [35]:
```
emp['Exp']
```

Out[35]:
```
0      2
1      3
2      4
3    NaN
4      5
5     10
Name: Exp, dtype: object
```

In [36]:
```
emp
```

Out[36]:

	Name	Domain	Age	Location	Salary	Exp	Domail
0	Mike	Datascience	34	Mumbai	5000	2	Datascience
1	Teddy	Testing	45	Bangalore	10000	3	Testing
2	Umar	Dataanalyst	NaN	NaN	15000	4	Dataanalyst
3	Jane	Analytics	NaN	Hyderbad	20000	NaN	Analytics
4	Uttam	Statistics	67	NaN	30000	5	Statistics
5	Kim	NLP	55	Delhi	60000	10	NLP

In [38]:
```
emp.drop('Domail', axis=1, inplace=True)
```

In [39]:
```
emp
```

Out[39]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	NaN	NaN	15000	4
3	Jane	Analytics	NaN	Hyderbad	20000	NaN
4	Uttam	Statistics	67	NaN	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [40]:
```
clean_data= emp.copy()
```

In [41]:
```
clean_data
```

Out[41]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	NaN	NaN	15000	4
3	Jane	Analytics	NaN	Hyderbad	20000	NaN
4	Uttam	Statistics	67	NaN	30000	5
5	Kim	NLP	55	Delhi	60000	10

MISSING VALUE DATA

In [42]:

```
clean_data
```

Out[42]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	NaN	NaN	15000	4
3	Jane	Analytics	NaN	Hyderbad	20000	NaN
4	Uttam	Statistics	67	NaN	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [43]:

```
clean_data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 6 entries, 0 to 5
Data columns (total 6 columns):
 #   Column    Non-Null Count  Dtype 
---  ------    --------------  ----- 
 0   Name      6 non-null      object
 1   Domain    6 non-null      object
 2   Age       4 non-null      object
 3   Location  4 non-null      object
 4   Salary    6 non-null      object
 5   Exp       5 non-null      object
dtypes: object(6)
memory usage: 420.0+ bytes
```

In [44]:

```
import numpy as np
```

In [45]:

```
clean_data.head(1)
```

Out[45]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2

In [46]:

```
clean_data['Age']=clean_data['Age'].fillna(np.mean(pd.to_numeric(clean_data['Age
```

In [47]:
```
clean_data['Age']
```

Out[47]:
```
0       34
1       45
2    50.25
3    50.25
4       67
5       55
Name: Age, dtype: object
```

In [48]:
```
emp
```

Out[48]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	NaN	NaN	15000	4
3	Jane	Analytics	NaN	Hyderbad	20000	NaN
4	Uttam	Statistics	67	NaN	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [49]:
```
clean_data
```

Out[49]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50.25	NaN	15000	4
3	Jane	Analytics	50.25	Hyderbad	20000	NaN
4	Uttam	Statistics	67	NaN	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [50]:
```
clean_data['Exp']=clean_data['Exp'].fillna(np.mean(pd.to_numeric(clean_data['Exp
```

In [51]:
```
clean_data['Exp']
```

Out[51]:
```
0      2
1      3
2      4
3    4.8
4      5
5     10
Name: Exp, dtype: object
```

In [52]:
```
clean_data
```

Out[52]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50.25	NaN	15000	4
3	Jane	Analytics	50.25	Hyderbad	20000	4.8
4	Uttam	Statistics	67	NaN	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [53]:
```
clean_data['Location']=clean_data['Location'].fillna(clean_data['Location'].mode
```

In [54]:
```
clean_data
```

Out[54]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50.25	Hyderbad	15000	4
3	Jane	Analytics	50.25	Hyderbad	20000	4.8
4	Uttam	Statistics	67	NaN	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [55]:
```
clean_data['Location']=clean_data['Location'].fillna(clean_data['Location'].mode
```

In [56]:
```
clean_data['Location']
```

Out[56]:
```
0       Mumbai
1    Bangalore
2     Hyderbad
3     Hyderbad
4     Hyderbad
5        Delhi
Name: Location, dtype: object
```

In [57]:
```
clean_data
```

Out[57]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50.25	Hyderbad	15000	4
3	Jane	Analytics	50.25	Hyderbad	20000	4.8
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [58]:
```
clean_data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 6 entries, 0 to 5
Data columns (total 6 columns):
 #   Column    Non-Null Count  Dtype 
---  ------    --------------  ----- 
 0   Name      6 non-null      object
 1   Domain    6 non-null      object
 2   Age       6 non-null      object
 3   Location  6 non-null      object
 4   Salary    6 non-null      object
 5   Exp       6 non-null      object
dtypes: object(6)
memory usage: 420.0+ bytes
```

In [60]:
```
clean_data['Age']=clean_data['Age'].astype(int)
```

In [61]:
```
clean_data['Age']
```

Out[61]:
```
0    34
1    45
2    50
3    50
4    67
5    55
Name: Age, dtype: int32
```

In [62]:
```
clean_data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 6 entries, 0 to 5
Data columns (total 6 columns):
 #   Column    Non-Null Count  Dtype 
---  ------    --------------  ----- 
 0   Name      6 non-null      object
 1   Domain    6 non-null      object
 2   Age       6 non-null      int32 
 3   Location  6 non-null      object
 4   Salary    6 non-null      object
 5   Exp       6 non-null      object
dtypes: int32(1), object(5)
memory usage: 396.0+ bytes
```

In [64]:
```
clean_data['Name'] = clean_data['Name'].astype('category')
```

In [65]:
```
clean_data['Domain'] = clean_data['Domain'].astype('category')
```

In [66]:
```
clean_data['Location'] = clean_data['Location'].astype('category')
```

In [67]:
```
clean_data['Salary'] = clean_data['Salary'].astype('int')
```

In [68]:
```
clean_data['Exp'] = clean_data['Exp'].astype('int')
```

In [69]:
```
clean_data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 6 entries, 0 to 5
Data columns (total 6 columns):
 #   Column    Non-Null Count  Dtype   
---  ------    --------------  -----   
 0   Name      6 non-null      category
 1   Domain    6 non-null      category
 2   Age       6 non-null      int32   
 3   Location  6 non-null      category
 4   Salary    6 non-null      int32   
 5   Exp       6 non-null      int32   
dtypes: category(3), int32(3)
memory usage: 866.0 bytes
```

In [70]:
```
clean_data
```

Out[70]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50	Hyderbad	15000	4
3	Jane	Analytics	50	Hyderbad	20000	4
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [71]:
```
clean_data.to_csv('clean_data.csv')
```

In [72]:
```
import os
os.getcwd()
```

Out[72]: 'C:\\Users\\HAI\\anaconda3'

In [73]:
```
clean_data.columns
```

Out[73]: Index(['Name', 'Domain', 'Age', 'Location', 'Salary', 'Exp'], dtype='object')

In [74]:
```
import matplotlib.pyplot as plt
```

In [76]:
```
import seaborn as sns
```

In [77]:
```
import warnings
warnings.filterwarnings('ignore')
```

In [78]:
```
clean_data
```

Out[78]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50	Hyderbad	15000	4
3	Jane	Analytics	50	Hyderbad	20000	4
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [79]:
```
clean_data['Salary']
```

Out[79]:
```
0     5000
1    10000
2    15000
3    20000
4    30000
5    60000
Name: Salary, dtype: int32
```

In [80]:
```
vis1 = sns.distplot(clean_data['Salary'])
```



In [81]:
```
vis1 = sns.distplot(clean_data['Age'])
```



In [82]:
```
vis1 = sns.distplot(clean_data['Exp'])
```



In [85]:
```
plt.rcParams['figure.figsize'] = (10, 6)
```

In [86]:
```
vis1 = sns.distplot(clean_data['Salary'])
```



In [87]:
```
vis1 = plt.hist(clean_data['Salary'])
```



In [88]:
```
vis3 = plt.hist(clean_data['Exp'])
```



In [89]:
```
vis4 = sns.lmplot(data=clean_data,x = 'Exp', y='Salary')
```



In [90]:
```
vis5 = sns.lmplot(data=clean_data,x = 'Exp', y='Salary', fit_reg = False)
```



In [91]:
```
vis6 = sns.lmplot(data=clean_data,x = 'Exp', y='Salary', fit_reg = True)
```



In [92]:
```
clean_data
```

Out[92]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50	Hyderbad	15000	4
3	Jane	Analytics	50	Hyderbad	20000	4
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [93]:
```
clean_data[:]
```

Out[93]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50	Hyderbad	15000	4
3	Jane	Analytics	50	Hyderbad	20000	4
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [94]:
```
clean_data[:2]
```

Out[94]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3

In [95]:
```
clean_data[2:]
```

Out[95]:

	Name	Domain	Age	Location	Salary	Exp
2	Umar	Dataanalyst	50	Hyderbad	15000	4
3	Jane	Analytics	50	Hyderbad	20000	4
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [96]:
```
clean_data[:]
```

Out[96]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50	Hyderbad	15000	4
3	Jane	Analytics	50	Hyderbad	20000	4
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [97]:
```
clean_data[0:1]
```

Out[97]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2

In [98]:
```
clean_data[0,3]
```

```
---------------------------------------------------------------------------
KeyError                                  Traceback (most recent call last)
File ~\anaconda3\Lib\site-packages\pandas\core\indexes\base.py:3805, in Index.get
_loc(self, key)
   3804 try:
-> 3805     return self._engine.get_loc(casted_key)
   3806 except KeyError as err:

File index.pyx:167, in pandas._libs.index.IndexEngine.get_loc()

File index.pyx:196, in pandas._libs.index.IndexEngine.get_loc()

File pandas\\_libs\\hashtable_class_helper.pxi:7081, in pandas._libs.hashtable.Py
ObjectHashTable.get_item()

File pandas\\_libs\\hashtable_class_helper.pxi:7089, in pandas._libs.hashtable.Py
ObjectHashTable.get_item()

KeyError: (0, 3)

The above exception was the direct cause of the following exception:

KeyError                                  Traceback (most recent call last)
Cell In[98], line 1
----> 1 clean_data[0,3]

File ~\anaconda3\Lib\site-packages\pandas\core\frame.py:4102, in DataFrame.__geti
tem__(self, key)
   4100 if self.columns.nlevels > 1:
   4101     return self._getitem_multilevel(key)
-> 4102 indexer = self.columns.get_loc(key)
   4103 if is_integer(indexer):
   4104     indexer = [indexer]

File ~\anaconda3\Lib\site-packages\pandas\core\indexes\base.py:3812, in Index.get
_loc(self, key)
   3807     if isinstance(casted_key, slice) or (
   3808         isinstance(casted_key, abc.Iterable)
   3809         and any(isinstance(x, slice) for x in casted_key)
   3810     ):
   3811         raise InvalidIndexError(key)
-> 3812     raise KeyError(key) from err
   3813 except TypeError:
   3814     # If we have a listlike key, _check_indexing_error will raise
   3815     #  InvalidIndexError. Otherwise we fall through and re-raise
   3816     #  the TypeError.
   3817     self._check_indexing_error(key)

KeyError: (0, 3)
```

In [99]:
```
clean_data
```

Out[99]:

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50	Hyderbad	15000	4
3	Jane	Analytics	50	Hyderbad	20000	4
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [100…

```
x_iv = clean_data.drop(['Salary'],axis=1)
```

In [101…

```
clean_data
```

Out[101…

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50	Hyderbad	15000	4
3	Jane	Analytics	50	Hyderbad	20000	4
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [102…

```
x_iv
```

Out[102…

	Name	Domain	Age	Location	Exp
0	Mike	Datascience	34	Mumbai	2
1	Teddy	Testing	45	Bangalore	3
2	Umar	Dataanalyst	50	Hyderbad	4
3	Jane	Analytics	50	Hyderbad	4
4	Uttam	Statistics	67	Hyderbad	5
5	Kim	NLP	55	Delhi	10

In [103…

```
x_iv.columns
```

Out[103…

```
Index(['Name', 'Domain', 'Age', 'Location', 'Exp'], dtype='object')
```

In [104…

```
clean_data.columns
```

Out[104…

```
Index(['Name', 'Domain', 'Age', 'Location', 'Salary', 'Exp'], dtype='object')
```

In [105…

```
clean_data
```

Out[105…

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50	Hyderbad	15000	4
3	Jane	Analytics	50	Hyderbad	20000	4
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [106…
```
y_dv = clean_data.drop(['Name', 'Domain', 'Age', 'Location','Exp'],axis=1)
```

In [107…
```
y_dv
```

Out[107…

	Salary
0	5000
1	10000
2	15000
3	20000
4	30000
5	60000

In [108…
```
clean_data
```

Out[108…

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50	Hyderbad	15000	4
3	Jane	Analytics	50	Hyderbad	20000	4
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [109…
```
x_iv
```

Out[109…

	Name	Domain	Age	Location	Exp
0	Mike	Datascience	34	Mumbai	2
1	Teddy	Testing	45	Bangalore	3
2	Umar	Dataanalyst	50	Hyderbad	4
3	Jane	Analytics	50	Hyderbad	4
4	Uttam	Statistics	67	Hyderbad	5
5	Kim	NLP	55	Delhi	10

In [110…

```
y_dv
```

Out[110…

	Salary
0	5000
1	10000
2	15000
3	20000
4	30000
5	60000

In [111…

```
clean_data
```

Out[111…

	Name	Domain	Age	Location	Salary	Exp
0	Mike	Datascience	34	Mumbai	5000	2
1	Teddy	Testing	45	Bangalore	10000	3
2	Umar	Dataanalyst	50	Hyderbad	15000	4
3	Jane	Analytics	50	Hyderbad	20000	4
4	Uttam	Statistics	67	Hyderbad	30000	5
5	Kim	NLP	55	Delhi	60000	10

In [112…

```
imputation = pd.get_dummies(clean_data)
```

In [113…

```
imputation
```

Out[113…

	Age	Salary	Exp	Name_Jane	Name_Kim	Name_Mike	Name_Teddy	Name_Umar
0	34	5000	2	False	False	True	False	False
1	45	10000	3	False	False	False	True	False
2	50	15000	4	False	False	False	False	True
3	50	20000	4	True	False	False	False	False
4	67	30000	5	False	False	False	False	False
5	55	60000	10	False	True	False	False	False

In [ ]: