

SurfaceCheck Security Report

Generated: 2026-05-22 20:30:38 UTC

Target URL: <http://scanme.nmap.org>

Summary: 5 issue(s) found

4 check(s) passed

Security Headers Analysis

4 issue(s) | 0 passed

[High] Strict-Transport-Security

Your website doesn't force visitors to use a secure (HTTPS) connection. This means someone on the same Wi-Fi network could secretly spy on or tamper with the data being sent between your site and its visitors - including passwords and personal information.

How to fix: Ask your developer to add a 'Strict-Transport-Security' rule to your web server so browsers are always forced to use the secure, encrypted version of your site.

[High] Content-Security-Policy

Your website doesn't have rules about which scripts and resources are allowed to run. Without this safeguard, attackers could inject malicious code into your pages - for example, stealing login credentials or redirecting visitors to fake websites.

How to fix: Ask your developer to set up a 'Content-Security-Policy' that specifies exactly which scripts, styles, and resources your site is allowed to load. This acts like a bouncer that blocks unauthorized code.

[Medium] X-Frame-Options

Your website can be embedded inside another website using a trick called an 'iframe'. Attackers can use this to create invisible overlays that trick your users into clicking buttons they didn't intend to - like unknowingly transferring money or changing account settings.

How to fix: Ask your developer to add the 'X-Frame-Options' rule to prevent other websites from embedding yours. This stops the invisible overlay trick (known as 'clickjacking').

[Medium] X-Content-Type-Options

Your website doesn't tell browsers to strictly follow the file types it sends. This means a browser might guess wrong and treat a harmless-looking file as executable code - which attackers can exploit to run malicious scripts on your visitors' computers.

How to fix: Ask your developer to add the 'X-Content-Type-Options: nosniff' rule. This is a simple one-line fix that tells browsers to never guess - just trust the file type your server says it is.

Open Ports Analysis

1 issue(s) | 4 passed

[High] Port 22 - SSH (Remote Access)

Port 22 is open - this is used for SSH, which lets administrators remotely control the server. While SSH itself is secure, leaving this port publicly visible is like leaving your front door visible to everyone - attackers will constantly try to guess the password to get in.

How to fix: Limit who can access SSH by setting up firewall rules or requiring a VPN. Use security keys instead of passwords (like a special USB key to log in), and consider moving SSH to a non-standard port to reduce automated attacks.

Passed Checks

- [OK] Port 21 (FTP (File Transfer)) - closed
- [OK] Port 23 (Telnet (Insecure Remote Access)) - closed
- [OK] Port 3306 (MySQL (Database)) - closed
- [OK] Port 3389 (RDP (Remote Desktop)) - closed

This report was auto-generated by SurfaceCheck. Results are point-in-time and may change as the target is updated. Always verify findings before taking remediation action.