ROADMAP

- Protocol
- •TCP/IP
- IPv4 Address
- IP Address Types
- •NAT

PROTOCOL

Protocol: set of rules to follow to have proper communication.

Network protocols:

- TCP/IP DOD
- IPx/SPx Novell
- AppleTalk Apple
- NetBIOS Microsoft
- OSI ISO

WHAT IS TCP/IP

TCP/IP is a standard protocol used between computers and network devices for communication.

TCP/IP addressing:

- IP Address is logical address given to each and every device in the network.
- It is a Network layer address(Layer 3)
- Two versions of IP:

IP Version 4

IP Version 6

IPV4 ADDRESS

Bit is represented by 0 or 1.

IP address in binary form (32 bit).

32 bits are divided into 4 Octets:

01010101 10000101 10111111 000000011

First Octet Second Octet Third Octet Fourth Octet

IP Address in decimal form:

85.133.191.3

RANGE OF IPv4 ADDRESS

Taking example as all 0's and all 1's

 $1 \quad 1 = 255$

Total IP Address Range: 0.0.0.0 to 255.255.255.255

IP ADDRESS CLASSIFICATION

IP ADDRESS are divided into 5 classes

CLASS A 0 - 127

CLASS B 128 - 191

CLASS C 192 - 223

CLASS D 224 – 239

CLASS E 240 – 255

CLAS A, B, C used in LAN & WAN

CLASS D reserved for multicasting

CLASS E reserved for research & development and for future use

TYPES OF COMMUNICATION

In an IPv4 network, the hosts can communicate one of three different ways:

- Unicast One to One
- Broadcast One to All
- Multicast One to Many

PUBLIC IP

PRIVATE IP

Used on public network(INTERNET) organization

Recognized on internet

Given by the service provider(from IANA)

Globally unique organization

Pay to service provider

Registered

Used with the LAN or within the

Not recognized on internet

Given by the administrator

Unique within the network or

Free

Unregistered IP

PRIVATE IP ADDRESS

There are certain addresses in each class of IP address that are reserved for Private Networks. These addresses are called private addresses.

CLASS A

10.0.0.0 to 10.255.255.255 (10.X.X.X)

CLASS B

172.16.0.0 to 172.31.255.255

CLASS C

192.169.0.0 to 192.168.255.255 (192.168.X.X)

ELASTIC IP ADDRESS

- To use an Elastic IP address, you first allocate one to your account, and then associate it with your instance or a network interface.
- When you associate an Elastic IP address with an instance or its primary network interface, the instance's public IP address (if it had one) is released back into Amazon's pool of public IP addresses.
- You can disassociate an Elastic IP address from a resource, and reassociate it with a different resource.
- A disassociated Elastic IP address remains allocated to your account until you explicitly release it.
- An Elastic IP address is for use in a specific region only.

NETWORK AND HOST PORTIONS

IP Address is divided into Network & Host Portion.

CLASS A N.H.H.H

CLASS B N.N.H.H

CLASS C N.N.N.H

Host: specific a device in the network.

Network: set of devices

NETWORK ADDRESS TRANSLATION (NAT)

NAT (Network Address Translation) Maps Private IPs to Public IPs It is required because of shortage of IPv4 Address

