

# OSLAB SKILL-5 PROGRAMS & OUTPUTS

Date: 04-10-2026

## Program-1 Code & Output:

```
sainath@Sainath:~$ cd OSLAB
sainath@Sainath:~/OSLAB$ ls
OS_PROJECT  filepermissions  practical_11  practical_4  practical_7  skill1  skill4
Skill2      fork             practical_12  practical_5  practical_8  skill2
exec        practical_10      practical_3   practical_6  practical_9  skill3
sainath@Sainath:~/OSLAB$ mkdir skill5
sainath@Sainath:~/OSLAB$ cd skill5
sainath@Sainath:~/OSLAB/skill5$ gedit program1.c
sainath@Sainath:~/OSLAB/skill5$ gcc program1.c -o program1
sainath@Sainath:~/OSLAB/skill5$ cat program1.c
#include <stdio.h>
#include <string.h>

int main() {
    char input[100];

    printf("Enter text: ");
    fgets(input, sizeof(input), stdin);

    input[strcspn(input, "\n")] = '\0';

    if (input[0] == '\\' && input[strlen(input) - 1] == '\\') {
        printf("Literal content: %s\n", input + 1);
    } else {
        printf("Not a single-quoted string\n");
    }

    return 0;
}
sainath@Sainath:~/OSLAB/skill5$ ./program1
Enter text: '$HOME is my directory'
Literal content: $HOME is my directory'
```

## Program-2 Code & Output:

```
sainath@Sainath:~/OSLAB/skill5$ gedit program2.c
sainath@Sainath:~/OSLAB/skill5$ gcc program2.c -o program2
sainath@Sainath:~/OSLAB/skill5$ cat program2.c
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

int main() {
    char s[100];

    printf("Enter text: ");
    fgets(s, sizeof(s), stdin);
    s[strcspn(s, "\n")] = '\0';

    if (s[0] == '"' && s[strlen(s)-1] == '"') {
        printf("Quoted text: %.*s\n", (int)strlen(s)-2, s+1);
        printf("HOME = %s\n", getenv("HOME"));
    } else {
        printf("Invalid double quotes\n");
    }

    return 0;
}
sainath@Sainath:~/OSLAB/skill5$ ./program2
Enter text: "My home directory is $HOME"
Quoted text: My home directory is $HOME
HOME = /home/sainath
```

## History:

```
627 cd OSLAB
628 ls
629 mkdir skill5
630 cd skill5
631 gedit program1.c
632 gcc program1.c -o program1
633 cat program1.c
634 ./program1
635 gedit program2.c
636 gcc program2.c -o program2
637 cat program2.c
638 ./program2
639 history
```