

OSLAB SKILL-9 PROGRAMS & OUTPUTS

Date: 04-10-2026

Program-1 Code & Output:

```
sainath@Sainath:~$ cd OSLAB
sainath@Sainath:~/OSLAB$ cd skill9
sainath@Sainath:~/OSLAB/skill9$ gedit program1.c
sainath@Sainath:~/OSLAB/skill9$ gcc program1.c -o program1
sainath@Sainath:~/OSLAB/skill9$ cat program1.c
#include <stdio.h>
#include <unistd.h>
#include <limits.h>
#include <string.h>

int main() {
    char current[PATH_MAX], previous[PATH_MAX];
    char path[100];

    getcwd(current, sizeof(current));

    printf("Current: %s\n", current);
    printf("Enter directory: ");
    scanf("%99s", path);

    strcpy(previous, current);

    if (chdir(path) == 0) {
        getcwd(current, sizeof(current));

        printf("Changed to: %s\n", current);
        printf("Previous: %s\n", previous);
    } else {
        perror("Error");
    }

    return 0;
}
sainath@Sainath:~/OSLAB/skill9$ ./program1
Current: /home/sainath/OSLAB/skill9
Enter directory: /tmp
Changed to: /tmp
Previous: /home/sainath/OSLAB/skill9
```

Program-2 Code & Output:

```
sainath@sainath:~/OSLAB/skill9$ gedit program2.c
sainath@sainath:~/OSLAB/skill9$ gcc program2.c -o program2
sainath@sainath:~/OSLAB/skill9$ cat program2.c
#include <stdio.h>
#include <unistd.h>
#include <string.h>

void pwd() {
    char path[100];
    getcwd(path, sizeof(path));
    printf("%s\n", path);
}

void cd(char *path) {
    if (chdir(path) == 0)
        printf("Directory changed\n");
    else
        perror("cd");
}

int main() {
    char command[20], arg[100];

    while (1) {
        printf("> ");
        scanf("%19s", command);

        if (strcmp(command, "pwd") == 0) {
            pwd();
        }
        else if (strcmp(command, "cd") == 0) {
            scanf("%99s", arg);
            cd(arg);
        }
        else if (strcmp(command, "exit") == 0) {
            break;
        }
        else {
            printf("Invalid command\n");
        }
    }

    return 0;
}
sainath@sainath:~/OSLAB/skill9$ ./program2
> pwd
/home/sainath/OSLAB/skill9
> cd /tmp
Directory changed
> pwd
/tmp
> hello
Invalid command
> exit
```

History:

```
680 cd OSLAB
681 cd skill9
682 gedit program1.c
683 gcc program1.c -o program1
684 cat program1.c
685 ./program1
686 gedit program2.
687 gedit program2.c
688 gcc program2.c -o program2
689 cat program2.c
690 ./program2
691 history
```