# MOMENTUM OS

Complete Work, Status & Gap Report

Everything worked on, everything done, everything not working, everything not done

| | |
|---|---|
| **Prepared for** | Sainchigreat (repository owner) |
| **Generated** | 2 November 2026, Africa/Lagos |
| **Repository** | Sainchigreat/Personal-Dashboad (public) |
| **Working branch** | arena/0d207c00-personal-dashboad |
| **Pull request** | #4 - OPEN against main (https://github.com/Sainchigreat/Personal-Dashboad/pull/4) |
| **Supabase project** | Momentum / ppfjotymclhbihkjvyxt / eu-west-2 / ACTIVE_HEALTHY |
| **Head commit** | d428730 (pushed to origin) |
| **Source of truth** | docs/SUPABASE-AUDIT.md, Git history, live Supabase SQL, CI logs |

## STATUS LEGEND

| Marker | Meaning |
|---|---|
| DONE | Built, committed, pushed and verified |
| PARTIAL | Built and committed, but only partly wired or only partly verified |
| NOT DONE | Not attempted / deliberately deferred; listed in the open checklist |
| ISSUE | Known limitation, risk or environmental blocker |
| NOT VERIFIED | Cannot be confirmed from this sandbox; not claimed as working |

# At a glance

| Area | Status | One-line truth |
|---|---|---|
| GitHub discovery | DONE | Repo found; main had only a README; full app recovered from another branch |
| Supabase database | DONE | 4 migrations, 30 public + 29 momentum_os tables, 41 RLS policies, live API |
| Safe connection | DONE | Real write/read round trip; no new project, no data deleted |
| App + Cloud page | PARTIAL | Cloud page is Supabase-backed; main workspace pages still use SQLite |
| Build / tests / CI | VERIFIED | Build passes, 47 tests / 12 files pass, Actions green |
| Live preview | DONE | Vite + API running on ports 5173 / 3001 |
| Netlify deployment | NOT VERIFIED | No Netlify connector or URL; deployed site cannot be inspected or tested |
| Express -> PostgreSQL | PARTIAL | pg layer built and tested; route handlers not converted yet |
| Production go-live | NOT DONE | PR #4 not merged; no owner account; signup still open; no external deploy |

This report deliberately separates what was PROVEN from what was only BUILT or DEFERRED. Nothing is described as live or connected without a recorded check.

# 1. Executive summary

You asked me to find the Personal Dashboard code in the connected GitHub account, explain what it does, build a Momentum AI database in the Supabase project you had already created (named Momentum), make it live, show a preview, say whether it could be shipped, and then safely inspect and connect to that exact project without creating a new one or deleting data.

I found the code (React 19 + TypeScript + Vite 6 + Express 4 + node:sqlite), recovered the full Momentum OS application from a non-default branch, and used ONLY the existing Supabase project. I built a PostgreSQL schema with RLS, reporting views, RPCs, audit trail, a deterministic planner/AI brief, a deployed Edge Function API, a browser Momentum Cloud page, and later an additive legacy-compatible schema plus a server-side pg layer, Netlify configuration and documentation. Everything was committed and pushed to the session branch and is in open PR #4.

VERIFIED: production build, 47 automated tests, green CI, live Edge Function /health, a real server-side database write/read persistence round trip, RLS owner-vs-team isolation, and an in-app live preview.

NOT VERIFIED / NOT DONE: an external Netlify production deployment, the full conversion of the Express route handlers from SQLite to PostgreSQL, an owner account, production signup lockdown, a real LLM, scheduled jobs, and merging PR #4. The Netlify Functions wrapper is intentionally fail-closed (HTTP 503) so it can never silently lose data.

# 2. What you asked for (chronological)

- Look at the connected GitHub account for 'Personal' / 'Personal Dashboard'; check whether it is there, check it out, check the entire code, and explain what is happening in it.
- You are building Momentum AI and need a database built on Supabase, in a project you would create and name Momentum.
- Then I need it live. When you are done I'd like to see the preview.
- Okay you can now ship it or you cannot push it live?
- There is now a Momentum project on Supabase; work with it and build me a backend for what I am doing.

- But the website is already deployed on Netlify; can't you see it from your end?
- Inspect this exact project, check its existing tables and migrations, and implement the connection safely. No new project, no unnecessary data deletion. (Attached: 5-page implementation specification PDF.)
- Create a PDF of everything worked on, everything not working, everything done and everything not done.

## 3. Discovery - GitHub and the existing code

| Item | Finding |
|---|---|
| Connected account | Sainchigreat; one public repo, Sainchigreat/Personal-Dashboad, created 2026-11-01 |
| main branch | Only README.md, single commit 2f4cf10. Checking only main was a dead end. |
| Full application | arena/a531ed6e-personal-dashboad at dbcd5da: 74 files, 10 commits, complete Momentum OS app |
| PR history | #1 and #2 closed as superseded; #3 'Add Goal Engine and automatic daily planning' already merged into that branch |
| Stack | React 19, TypeScript, Vite 6, Express 4, node:sqlite (DatabaseSync), bcryptjs, Zod, Helmet, Vitest |
| Auth model | Custom: bcrypt password hashes, hashed opaque session tokens, HttpOnly cookies, CSRF tokens, owner/team account separation |
| Data layer | server/schema.sql (28 tables), server/db.ts, server/index.ts, server/team.ts; frontend calls relative /api via src/lib/api.ts |
| Goal Engine | Daily routines (WhatsApp course promotion, enquiry follow-up, 20 targeted outreach actions, end-of-day reflection), 5/6/8 AM review reminders, weekday creative/project/publishing blocks, Friday live prep, weekend batching, 7-day-ahead guest confirmation, up to 8 overdue tasks carried forward, monthly goal breakdown |
| November target | 68 course sales / NGN 1,013,200 at NGN 14,900; generated items are plans only, never fabricated completed work |
| Branch note | The attached specification names arena/a531ed6e-personal-dashboad as target; this session is fixed to arena/0d207c00-personal-dashboad |

## 4. The exact Supabase project - before and after

### Identity (verified via Supabase connector)

| Field | Value |
|---|---|
| Name / ref | Momentum / ppfjotymclhbihkjvyxt |
| Region / org | eu-west-2 / gcjpvspkpwizoizxwtok |
| Status | ACTIVE_HEALTHY - auth, db, pooler, pg_bouncer, rest, storage all healthy |
| Database | PostgreSQL 17.11, host db.ppfjotymclhbihkjvyxt.supabase.co |
| Created | 2026-11-02T00:45:51Z |
| Visibility | Exactly ONE project is visible to the connected credential. No second Supabase account could be inspected. |

| Field | Value |
|---|---|
| New project? | NO. No create_project call was made; the spec's warning about a second account could not be resolved from here. |

### Schema and data - before this turn's work vs. now

| Object | Before (start of session) | Now |
|---|---|---|
| public tables | 0 operational tables (empty project) | 30, all RLS-enabled |
| Rows in public | 0 | 0 - unchanged; nothing deleted |
| Versioned migrations | 0 | 4 (3 original + 1 additive compat) |
| RLS policies | 0 | 41 |
| SQL functions / views | 0 / 0 | 12 / 3 (security_invoker views) |
| Triggers / FKs / indexes | 0 / 0 / 0 | 30 public + 1 auth.users / 56 / 52 |
| Edge Functions | 0 | 1 - momentum-api, ACTIVE, version 1 |
| auth.users / identities | 0 / 0 | 0 / 0 - no owner account created |
| momentum_os schema | did not exist | 29 tables (28 exact translations + integration_checks), 52 FKs, 47 indexes, 1 metadata row |
| Local SQLite data | none | none - data/ absent; no production rows to import or back up |

## 5. Everything DONE

### 5.1 Database and backend

| Deliverable | Detail | Status |
|---|---|---|
| Migration 1 - momentum_core_schema | 30 public tables: profiles, settings, cycles, products, projects, chapter_sessions, tasks, generated_days, sales, leads, campaigns, promotions, prospects, interactions, jobs, content_items, session_checklists, daily_notes, weekly_reviews, 7 team tables, 3 AI tables, activity_events. Indexes, updated_at triggers, on_auth_user_created -> handle_new_user() with owner seed rows. | DONE |
| Migration 2 - momentum_rls | RLS on all 30 tables. Helpers current_account_type, is_owner, is_workspace_member, is_workspace_manager. Owner-only own_rows policy (user_id = auth.uid()), team membership/role policies, anon revocation. | DONE |
| Migration 3 - momentum_api | RPCs command_centre, workspace_bootstrap, ensure_daily_plan, generate_ai_suggestions, momentum_health; views v_open_tasks, v_sales_summary, v_ai_inbox; log_activity() audit triggers on 7 tables. | DONE |
| Migration 4 - momentum_os_compat | Additive only. CREATE SCHEMA/TABLE/INDEX IF NOT EXISTS for the exact server/schema.sql translation, preserving TEXT UUID ids, users + auth_sessions, 52 FKs, cascade/set-null, 9 indexes, plus metadata-only integration_checks. No DROP/TRUNCATE/DELETE/ALTER. | DONE |

| Deliverable | Detail | Status |
|---|---|---|
| Edge Function momentum-api | Deployed ACTIVE, id a439832a-db54-4858-b90e-54de92a4af80, verify_jwt=false because it validates the JWT itself via auth.getUser(). Public GET /health; JWT GET /me, /bootstrap, /metrics, /ai/suggestions, /resources; POST /planner/ensure, /ai/brief; whitelisted resource GET/POST/PATCH/DELETE. | DONE |
| Behaviour rules | Only paid sales with amount>0 count as revenue; only interactions.kind='outreach' count as outreach; daily planner is idempotent per local day, editable status='todo', never fabricates completed work; AI is deterministic rules-v1, deduped suggestions (pending/accepted/dismissed), daily briefs and ai_runs logged. | DONE |
| Auth configuration | disable_signup=false and mailer_autoconfirm=true so the first owner can sign up without SMTP. jwt_exp 3600; no external providers. | DONE |

## 5.2 Application, connection and deployment wiring

| Deliverable | Detail | Status |
|---|---|---|
| Browser cloud client | src/lib/cloud.ts - typed Supabase client: health, me, bootstrap, metrics, planner, AI brief, suggestions, resource CRUD, sign-up/sign-in/sign-out, session watcher. Uses @supabase/supabase-js 2.118.0. | DONE |
| Momentum Cloud page | src/pages/Cloud.tsx + src/styles/cloud.css: live health, owner sign-up/sign-in, metrics, planner, AI brief, suggestion inbox with accept/dismiss. Wired into App.tsx, Shell.tsx, store.tsx, types.ts. | DONE |
| Server-side pg layer | server/postgres.ts - lazy pg 8.23.1 pool from DATABASE_URL, ? -> $n translation, INSERT OR IGNORE -> ON CONFLICT DO NOTHING, BEGIN IMMEDIATE -> BEGIN, table qualification, SQLite error mapping, transactions, checkPostgresConnection() round trip. | DONE |
| Connection endpoint | GET /api/pg/health - real DB round trip, Cache-Control no-store, fails closed with 503 when DATABASE_URL is absent, never leaks the connection string. | DONE |
| Verification + import scripts | scripts/verify-db.ts (npm run verify:db) and scripts/import-sqlite.ts (npm run import:sqlite) - FK-safe order, ON CONFLICT DO NOTHING, two-pass tasks self-FK restore, row-count report, no deletion. | DONE |
| Netlify configuration | netlify.toml - npm run build, publish dist, functions netlify/functions, Node 22, /api/* redirect BEFORE SPA fallback, security headers. Env var NAMES documented, no values. | DONE |
| Netlify Functions wrapper | netlify/functions/api.ts - serverless-http wrapper; server/index.ts now exports app and only calls listen() on direct execution. Deliberately fail-closed (503) until DATABASE_URL and MOMENTUM_PG_ROUTES are ready. | DONE |
| CSP | Production connect-src extended to include VITE_SUPABASE_URL so the browser can reach Supabase. | DONE |

## 5.3 Documentation, tests and repository hygiene

| Deliverable | Detail | Status |
|---|---|---|
| docs/SUPABASE-AUDIT.md | Full evidence-based audit: exact project identity, pre-existing objects, data counts, additive changes, architecture reconciliation, round-trip proof, env var names, status table. | DONE |
| README.md / supabase/README.md | Cloud backend architecture, env vars, integration status, limitations, two-schema reconciliation, PR/branch instructions. | DONE |
| .env.example / .env.local | Documents server-only DATABASE_URL and public VITE_* names. .env.local is gitignored and holds only the publishable key; no service-role or DB password in Git. | DONE |
| Unit + integration tests | tests/postgres.test.ts (6 tests) and tests/pg-health.test.ts (2 tests) added; existing suites preserved. 12 files / 47 tests pass. | DONE |
| CI workflow | .github/workflows/ci.yml includes the session branch; Actions run 41392237352 green (verify in 31s). | DONE |
| Secret scan | git grep found no connection strings, service-role keys or DB passwords in tracked files; only a commented placeholder. | DONE |
| Git state recovery | Sandbox re-cloned .git (HEAD back at 2f4cf10) while keeping working files; re-synced with a non-destructive reset --mixed to the remote 414efd2. Nothing lost. | DONE |
| Commit + push + PR | 414efd2 (20 files / 2541 insertions) and d428730 (16 files / 1437 insertions) pushed. PR #4 open with an audit comment; 13 commits. | DONE |

## 6. Verification evidence

| Check | Result | How it was proven |
|---|---|---|
| Production build | VERIFIED | npm run build - tsc --noEmit + vite build succeed; only a >500 kB chunk-size advisory |
| Automated tests | VERIFIED | npm test - 12 files, 47 tests passing |
| GitHub Actions CI | VERIFIED | gh run watch 41392237352 --exit-status - green; only Node 20 action deprecation / Ubuntu label annotations |
| Live Edge Function /health | VERIFIED | Public fetch: {"status":"ok","tables":30,"policies":41,"rpc_functions":12,"rls_enabled_tables":30,"database":"PostgreSQL 17.11"} |
| Unauthenticated route guards | VERIFIED | /bootstrap and /ai/suggestions without JWT both return {"error":"Sign in to Momentum Cloud first."} |
| Real DB write/read round trip | VERIFIED | INSERT into momentum_os.integration_checks in one request; SELECT in a SEPARATE request returned the same id, label, payload and created_at |
| Existing data preserved | VERIFIED | Exact count(*) over all 30 public tables before and after: 0 rows; public tables still 30; 41 policies intact |
| Functional DB smoke test | VERIFIED | Temp user produced 9 planner tasks, 3 AI suggestions, 20 bootstrap keys, 9 activity events, 1 daily brief; metrics 2026-11 with targets 68 / 1013200 / 20 and zero fabricated sales or outreach; transaction rolled back |
| RLS owner vs team isolation | VERIFIED | Owner saw 1 settings/cycle/workspace/goal; team member: is_owner false, is_member true, visible_goals 1, personal tasks/cycles/settings 0; rolled back |

| Check | Result | How it was proven |
|---|---|---|
| pg translation unit tests | VERIFIED | 6 tests: placeholders, string literals, table qualification, BEGIN IMMEDIATE, PRAGMA, INSERT OR IGNORE, error mapping |
| Fail-closed endpoints | VERIFIED | /api/pg/health returns 503 with no connection string; Netlify wrapper returns explicit 503 |
| Live preview | VERIFIED | Vite 5173 and API 3001 both HTTP 200; log 'Momentum OS API listening on 3001 (isolated preview mode)' |

Note on proof boundaries: the sandbox allows outbound traffic only to github.com, codeload.github.com, api.github.com, registry.npmjs.org, pypi.org and files.pythonhosted.org. Direct curl to Supabase REST fails. Database-side SQL ran through the Supabase connector (real server-side execution), and the public Edge Function URL was reached through the web fetch tool. The Node pg driver path is type-checked and unit-tested but has NOT been executed against the live database from this sandbox.

## 7. Everything NOT WORKING / known issues

| # | Issue | Impact / current state |
|---|---|---|
| 1 | Netlify site cannot be seen | Arena has no Netlify connector ('unsupported'); GitHub shows 0 deployments, 0 environments, no Netlify preview checks or PR comments, no netlify.toml in any branch, no Pages, no homepage URL. Webhooks/secrets endpoints return 403 for this token. Web search found only unrelated sites (momentumos.space, momentum-os.netlify.app, lt-momentum-clone.netlify.app). The already-deployed site is therefore UNVERIFIED. |
| 2 | Static Netlify cannot run this app | The real app is Express + SQLite. Netlify static hosting cannot run the Express server and SQLite does not persist there. Any currently live site is likely the browser-only preview demo or an older static build, NOT the Supabase backend. |
| 3 | Netlify env vars not configured | DATABASE_URL, MOMENTUM_PG_ROUTES and the public VITE_* values must be set in Netlify Site configuration -> Environment variables. I cannot set them from here. |
| 4 | Netlify Function returns 503 | Intentional. The wrapper refuses to serve the SQLite-backed app in a serverless function, because that would silently lose data on cold starts. |
| 5 | Express routes still SQLite | server/index.ts, server/team.ts and server/db.ts still use synchronous node:sqlite prepare/exec. Only the Cloud page and /api/pg/health use new paths. A full async conversion is required. |
| 6 | Node pg path not runtime-verified | Outbound DB access is blocked from this sandbox. server/postgres.ts is type-checked and unit-tested; npm run verify:db must be run on a machine with DB access. |
| 7 | No owner account | auth.users = 0. Nobody has signed in to Momentum Cloud yet; the owner workspace has not been created. |
| 8 | Public signup is still open | disable_signup=false and mailer_autoconfirm=true, site_url http://localhost:3000, blank redirect allow list, no SMTP. This was intentional for frictionless owner creation but is a security risk until locked down. GoTrue minimum password is 6 while the UI enforces 12. |
| 9 | No real LLM, no scheduler | generate_ai_suggestions is deterministic rules-v1. No model provider, no cron, no scheduled daily planner; the planner runs only when called. |
| 10 | Main workspace pages not rewired | src/lib/api.ts still calls relative /api with cookies/CSRF. Only the Momentum Cloud page talks to Supabase. Do not describe the whole app as Supabase-backed. |

| # | Issue | Impact / current state |
|---|---|---|
| 11 | Two data models coexist | public uses Supabase Auth + uuid + RLS; momentum_os uses the legacy TEXT UUID ids + custom bcrypt auth. This was the non-destructive reconciliation, but it needs a decision before production. |
| 12 | Spec deviation needs approval | The attached spec says do not replace custom auth with Supabase Auth. The pre-existing public schema already uses Supabase Auth; dropping it was prohibited. The deviation is documented in docs/SUPABASE-AUDIT.md. |
| 13 | Preview mode is not production auth | MOMENTUM_PREVIEW=1 is an isolated, unauthenticated SQLite database in data/preview; anyone with the URL can see demo data. Disabled when NODE_ENV=production. Not suitable for real personal data. |
| 14 | PR #4 not merged | main still contains only README.md. Nothing goes live from main until the PR is merged. |
| 15 | Second Supabase account not visible | The spec says the intended project may be in a second account. Only one project is visible to the connected credential; that possibility remains unresolved. |
| 16 | Other branch CI failing | Run 41388145445 on arena/a531ed6e-personal-dashboad ('Migrate daily course partner task...') failed. It is not our branch and was left untouched. |
| 17 | Non-failing warnings | Build chunk 646.79 kB (>500 kB advisory); GitHub Actions Node 20 deprecation and Ubuntu 26 label annotations; Node 22 node:sqlite ExperimentalWarning. |
| 18 | No production SQLite data | data/ is absent, so the import script was never run against real rows and no backup/restore was needed or performed. |

## 8. Everything NOT DONE - open checklist

| Priority | Outstanding item | State |
|---|---|---|
| P0 | Convert every db.prepare/.exec call in server/index.ts, server/team.ts and server/db.ts to awaited server/postgres.ts helpers; keep response shapes, Zod validation, membership/role checks and transaction boundaries. | **NOT DONE** |
| P0 | Set MOMENTUM_PG_ROUTES=enabled and DATABASE_URL in Netlify; verify the function cold-start pool, HTTPS Secure cookies, sameSite, CSRF round trips and trusted proxy settings. | **NOT DONE** |
| P0 | Provide/confirm the Netlify site URL and which branch it builds; connect Netlify to this branch or merge PR #4 so the new code actually deploys. | Waiting on URL / decision |
| P0 | Run the spec section 9 acceptance tests against live PostgreSQL: registration, duplicate email, logout, session expiry, CSRF rejection, User A vs B isolation, owner/manager/member roles, idempotent daily plan, atomic cycle rollover, atomic Next Chapter checklists, cold-start persistence, export redaction. | **NOT DONE** |
| P1 | Create the owner account from Momentum Cloud, then disable public signup, configure SMTP, set site_url and the redirect allow list. | **NOT DONE** |
| P1 | Decide the single data model: rewire the remaining workspace pages to the cloud adapter, or retire one of the two schemas (with explicit approval, never a silent drop). | **NOT DONE** |
| P1 | Verify the deployed /api routes and write/read persistence on the Netlify HTTPS domain; confirm build and function logs show no missing-module or SQL errors. | **NOT DONE** |
| P2 | Connect a real LLM behind rules-v1 and add a cron/scheduled planner and brief generation. | **NOT DONE** |

| Priority | Outstanding item | State |
|---|---|---|
| P2 | Run scripts/import-sqlite.ts if real production SQLite data ever appears; compare row counts per table and keep the SQLite backup until confirmation. | NOT DONE |
| P2 | Merge PR #4 into main (only with your instruction). | NOT DONE |
| P2 | Revisit the >500 kB bundle with code splitting; refresh deprecated GitHub Actions versions. | NOT DONE |

Deliberately NOT done (by instruction or by design): no new Supabase project, no DROP/TRUNCATE/DELETE/ALTER on existing tables, no owner account created by me, no secret/service-role key committed, no merge of PR #4, no claim that an external production deployment works.

## 9. Environment variables - NAMES ONLY (no values)

| Name | Where it is set | Exposure / state |
|---|---|---|
| DATABASE_URL | Netlify Site configuration -> Environment variables; local .env.local | SERVER-ONLY SECRET. Never VITE_, never committed, never logged. NOT SET here. |
| PG_POOL_MAX | Same | Server-only, optional (default 5). |
| MOMENTUM_PG_ROUTES | Same | Server-only; set to 'enabled' only after route conversion. NOT SET. |
| MOMENTUM_IMPORT_ONLY | Set by the Netlify wrapper | Server-only; stops app.listen() on import. |
| DATA_DIR / NODE_ENV / PORT / MOMENTUM_PREVIEW | Local / host | Server-only; preview mode is isolated SQLite. |
| VITE_SUPABASE_URL / VITE_SUPABASE_ANON_KEY | .env.local (gitignored) / Netlify | PUBLIC publishable values only. Set locally; browser receives them. |
| SUPABASE_URL, SUPABASE_ANON_KEY, SUPABASE_SERVICE_ROLE_KEY, SUPABASE_DB_URL, SUPABASE_JWKS, SUPABASE_PUBLISHABLE_KEYS, SUPABASE_SECRET_KEYS | Injected by Supabase into the project | Names only. Seven platform secrets exist; values are never repeated in this repo. |

## 10. Commits, PR, CI and live artefacts

| Artefact | Detail |
|---|---|
| 2f4cf10 | Initial commit on main - README.md only |
| dbcd5da | Full Momentum OS app recovered from arena/a531ed6e-personal-dashboad (fast-forward) |
| 414efd2 | feat: build Momentum AI backend on Supabase - 20 files, 2541 insertions |
| d428730 | feat: safely connect Momentum OS to the existing Supabase project - 16 files, 1437 insertions |
| PR #4 | OPEN against main, https://github.com/Sainchigreat/Personal-Dashboad/pull/4, 13 commits, CI green, audit comment added |
| CI runs | 41385820560 (PR) green; 41385805019 (push) green; 41392237352 (push) green in 31s |
| Live API | https://ppfjotymclhbihkjvyxt.supabase.co/functions/v1/momentum-api/health returns status ok |

| Artefact | Detail |
|---|---|
| Live preview | Process momentum-os-bf84f751 - npm run dev:preview on 0.0.0.0, Vite 5173 and API 3001, HTTP 200 (restarted after the sandbox reset) |
| Key report | docs/SUPABASE-AUDIT.md - the evidence-based audit and status table |

## 11. Recommended next steps (in order)

**1.** Send me the Netlify site URL (and tell me which branch Netlify builds). I can then fetch the live page, inspect exactly what is deployed and confirm whether it is the static demo or an older build.

**2.** Let me finish the async Express-to-PostgreSQL route conversion; then set DATABASE_URL and MOMENTUM_PG_ROUTES=enabled in Netlify and flip the fail-closed wrapper on.

**3.** Run npm run verify:db and the full acceptance suite against the live project; confirm cookies, CSRF, isolation, planner idempotency and cold-start persistence.

**4.** Create the owner account from Momentum Cloud, then disable public signup, configure SMTP and set the correct site URL / redirect allow list.

**5.** Only after the above: merge PR #4 and verify the production /api health and a write/read persistence round trip on the Netlify domain.

## Appendix A - Key files

| Path | Purpose |
|---|---|
| supabase/migrations/20261102000100_momentum_core.sql | Core 30-table schema, triggers, signup bootstrap |
| supabase/migrations/20261102000200_momentum_rls.sql | RLS on all 30 tables, helper functions, policies |
| supabase/migrations/20261102000300_momentum_api.sql | RPCs, views, audit triggers |
| supabase/migrations/20261102000400_momentum_os_compat.sql | Additive legacy-compatible PostgreSQL schema (this turn) |
| supabase/functions/momentum-api/index.ts | Deployed Edge Function source of truth |
| supabase/README.md | Backend schema / API / security / limits documentation |
| docs/SUPABASE-AUDIT.md | Evidence-based audit, reconciliation, round-trip proof, status table |
| src/lib/cloud.ts | Typed browser Supabase client and API helpers |
| src/pages/Cloud.tsx | Momentum Cloud page (Supabase-backed) |
| src/lib/api.ts | Existing local /api client - the seam for the remaining adapter switch |
| server/postgres.ts | Server-only pg pool, SQL translation, transactions, round trip |
| server/index.ts | Express app, /api/pg/health probe, exported app without auto-listen |
| netlify.toml / netlify/functions/api.ts | Build, redirects, headers and fail-closed Functions wrapper |
| scripts/verify-db.ts / scripts/import-sqlite.ts | Connection check and repeatable FK-safe import |
| tests/postgres.test.ts / tests/pg-health.test.ts | New unit and integration tests |
| README.md / .env.example | Project docs and env var names |
| docs/generate-status-report.py | Reproducible generator for THIS PDF |