

Layer Stack Legend	Material	Layer	Thickness	Dielectric Material	Type	Gerber
		Top Overlay			Legend	GTO
	Surface Material	Top Solder	0.0300mm	SM-001	Solder Mask	GTS
	Nickel, Gold	Top Surface Finish	0.0040mm		Surface Finish	
	Foil	Top Layer	0.0709mm		Signal	GTL
	Prepreg		0.0590mm	VT47 - 106	Dielectric	
	Prepreg		0.0590mm	VT47 - 106	Dielectric	
	CU Layer	Int1	0.0370mm		Signal	G1
	Core		1.0400mm	VT47 - Core	Dielectric	
	CU Layer	Int2	0.0370mm		Signal	G2
	Prepreg		0.0590mm	VT47 - 106	Dielectric	
	Prepreg		0.0590mm	VT47 - 106	Dielectric	
	Foil	Bottom Layer	0.0709mm		Signal	GBL
	Nickel, Gold	Bottom Surface Finish	0.0040mm		Surface Finish	
	Surface Material	Bottom Solder	0.0300mm	SM-001	Solder Mask	GBS
		Bottom Overlay			Legend	GBO
Total thickness: 1.5598mm						

Feeder Application Board

VARIANT [No Variations]

FILE [Fabrication.PCBDwf](#)

APPR *

PROJECT [AEON](#)

REVISION 1

SHEET 1 / 2

SIZE A4


SCALE

FabLab
Sainsbury Wellcome Centre
25 Howland Street
London
W1T 4JG
www.sainsburywellcome.org



Sainsbury Wellcome Centre

Drill Drawing View (Top - Bot)



Drill Table

Symbol	Count	Hole Size	Plated	Hole Tolerance
⊕	38	0.2500mm	Plated	
▽	16	0.8890mm	Plated	
○	4	0.9000mm	Plated	
□	6	1.0200mm	Plated	
☆	40	1.0400mm	Plated	
⊗	2	1.8542mm	Plated	
◇	4	2.0100mm	Plated	
✱	4	3.1000mm	Non-Plated	
114 Total				

Feeder Application Board

VARIANT [No Variations]

FILE Fabrication.PCBDwf

APPR *

PROJECT AEON

REVISION 1

SHEET 2 / 2

SIZE A4

SCALE 5:2



Sainsbury Wellcome Centre