```
C:\Users\gowtami>tracert www.saveetha.com
```

4 ms

Tracing route to www.saveetha.com [198.185.159.144] over a maximum of 30 hops:

46 ms

192.168.37.17

```
252 ms
                        224 ms
                                192.168.29.10
     124 ms
                        70 ms
                                192.168.28.29
      84 ms
               69 ms
                        34 ms
                                192.168.31.8
      72 ms
               71 ms
               68 ms
                                192.168.31.5
                        111 ms
      70 ms
                                Request timed out.
 6
                                Request timed out.
                        100 ms nsg-corporate-169.101.187.122.airtel.in [122.187.101.169]
               75 ms
 8
     110 ms
                                116.119.42.19
                       134 ms
 9
     215 ms
              110 ms
                               32787.sgw.equinix.com [27.111.228.157]
      90 ms
              110 ms
                        78 ms
10
                       102 ms po110.bs-a.sech-sin.netarch.akamai.com [23.57.106.243]
11
     102 ms
               74 ms
                        62 ms a72-52-1-181.deploy.static.akamaitechnologies.com [72.52.1.181]
     109 ms
               59 ms
12
                       120 ms ae120.access-a.sech-sin.netarch.akamai.com [23.57.106.249]
               95 ms
13
      64 ms
               64 ms
                       125 ms
                               93.191.172.99
14
      80 ms
                               a72-52-39-154.deploy.static.akamaitechnologies.com [72.52.39.154]
              504 ms
                       458 ms
     473 ms
15
                               198.185.159.144
                       361 ms
     356 ms
              419 ms
16
```

Trace complete.

1

24 ms

```
ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
   inet 10.0.2.15   netmask 255.255.255.0   broadcast 10.0.2.255
   inet6 fe80::a00:27ff:fe2d:841a   prefixlen 64   scopeid 0*20ether 08:00:27:2d:84:1a   txqueuelen 1000 (Ethernet)
   RX packets 18   bytes 1897 (1.8 KiB)
   RX errors 0   dropped 0   overruns 0   frame 0
   TX packets 2482   bytes 184900 (180.5 KiB)
   TX errors 0   dropped 0   overruns 0   carrier 0   collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
   inet 127.0.0.1   netmask 255.0.0
   inet6 ::1   prefixlen 128   scopeid 0*10<host>
   loop   txqueuelen 1000 (Local Loopback)
   RX packets 4   bytes 240 (240.0 B)
   RX errors 0   dropped 0   overruns 0   frame 0
   TX packets 4   bytes 240 (240.0 B)
   TX errors 0   dropped 0   overruns 0   carrier 0   collisions 0

[PACKED DELLE] = [**]
```