```
633 ms nsg-corporate-173.101.187.122.airtel.in [122.187.101.173]
205 ms 116.119.106.121
64 ms 182.79.142.218
200 ms 116.119.42.13
236 ms 32787.agw.equinix.com [27.111.228.157]
262 ms polle.bs-a.sech-sin.netarch.akamai.com [23.57.106.243]
70 ms a72-52-1-157.deploy.static.akamaitechnologies.com [72.52.1.157]
306 ms ae120.access-a.sech-sin.netarch,akamai.com [23.57.106.249]
87 ms 93.101.172.104
614 ms a209-200-169-222.deploy.static.akamaitechnologies.com [20.57.106.249]
712 ms 198.185.159.144
           86 ms
703 ms
187 ms
Pinging 172.18.64.1 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 172.18.64.1:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\Users\gowtami>ifconfig
'ifconfig' is not recognized as an internal or external command,
operable program or batch file.
                                                                                                                        root@kali: ~
                                 Actions Edit View Help
          ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
inet 10.0.2.15 netmask 255.255.255.0 broadcast 10.0.2.255
inet6 fe80::a00:27ff:fe2d:841a prefixlen 64 scopeid 0*20ether 08:00:27:2d:84:1a txqueuelen 1000 (Ethernet)
RX packets 1140 bytes 873813 (853.3 KiB)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 3430 bytes 298402 (291.4 KiB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
                                                                       1)-[-]
              lo: flags-73<UP,LOOPBACK,RUNNING> mtu 65536
inet 127.0.0.1 netmask 255.0.0.0
inet6 ::1 prefixlen 128 scopeid 0×10<host>
loop txqueuelen 1000 (Local Loopback)
RX packets 4 bytes 240 (240.0 B)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 4 bytes 240 (240.0 B)
TX errors 0 dropped 0 overruns 0 carrier 0
```

(*mat# satt)-[w]

85.7%

.3 kB

carrier 0 collisions 0