AI ASSISTED CODING

LAB-14.1

K.SAI RAHUL

2303A52392

BATCH-43

TASK-1 : Portfolio Website Design

PROMPT :

Generate a simple and responsive personal portfolio website using HTML, CSS, and JavaScript. The website should include three sections: About Me, Projects, and Contact. Use a clean layout with basic styling and a navigation bar at the top. Implement smooth scrolling when navigation links are clicked. The design should be user-friendly and suitable for a student portfolio.

CODE :

```
OCTYPE html>
ml lang="en">
ad>
ta charset="UTF-8">
ta name="viewport" content="width=device-width, initial-scale=1.0">
tle>Portfolio</title>

nk href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;700&display=swap" rel="stylesheet">

yle>
y {
 margin: 0;
 font-family: 'Poppins', sans-serif;
 scroll-behavior: smooth;


Navbar */
 {
 position: fixed;
 width: 100%;
 background: #1e272e;
 padding: 15px;
 text-align: center;


 a {
 color: white;
 margin: 15px;
 text-decoration: none;


 a:hover {
 color: #00cec9;


Sections */
tion {
 padding: 100px 20px;
 min-height: 100vh;
 text-align: center;


out { background: #f5f6fa; }
ojects { background: #dfe6e9; }
ills { background: #ecf0f1; }
ntact { background: #b2bec3; }

Grid Layout */
id {
 display: grid;
 grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
 gap: 20px;


Cards */
```

```
yle>
Cards */
rd {
 background: white;
 padding: 20px;
 border-radius: 10px;
 transition: 0.3s;
 box-shadow: 0 4px 10px rgba(0,0,0,0.1);


rd:hover {
 transform: translateY(-10px);


Button */
n {
 background: #00cec9;
 border: none;
 padding: 10px;
 color: white;
 cursor: pointer;


n:hover {
 background: #0984e3;


Footer */
ter {
 background: #1e272e;
 color: white;
 padding: 15px;
 text-align: center;


Inputs */
ut, textarea {
 width: 80%;
 padding: 10px;
 margin: 10px;


Responsive */
dia(max-width:768px){
 nav a {
     display: block;
     margin: 10px;
 }

tyle>
ead>

dy>
```

```
tyle>
ead>

dy>

- Navigation -->
v>
 <a href="#about">About</a>
 <a href="#projects">Projects</a>
 <a href="#skills">Skills</a>
 <a href="#contact">Contact</a>
av>

- About -->
ction id="about">
 <h1>STUDENT</h1>
 <h3>B.Tech 3rd Year | CSE (AI & ML)</h3>
 <p>SR University</p>

 <p>
     I am a dedicated Computer Science student specializing in Artificial Intelligence and Machine Learning.
     I have a strong interest in Web Development, Cloud Computing, and Software Engineering.
 </p>

 <h3>Education</h3>
 <p>B.Tech (CSE - AIML) | SR University (2023-2027)</p>
 <p>Intermediate | MPC Stream</p>

 <h3>Achievements</h3>
 <p>✓ Completed multiple academic mini-projects</p>
 <p>✓ Participated in coding competitions</p>
ection>

- Projects -->
ction id="projects">
 <h1>My Projects</h1>

 <div class="grid">
     <div class="card">
         <h3>Portfolio Website</h3>
         <p>Designed a responsive personal portfolio using HTML, CSS, JS.</p>
         <button class="btn" onclick="showMsg()">View</button>
     </div>

     <div class="card">
         <h3>Online Store</h3>
         <p>Created product display page with responsive design.</p>
         <button class="btn" onclick="showMsg()">View</button>
     </div>

     <div class="card">
         <h3>Event Registration</h3>
         <p>Developed form with validation using JavaScript.</p>
         <button class="btn" onclick="showMsg()">View</button>
```

```
dy>
ction id="projects">
 <div class="grid">
     <div class="card">
         <p>Designed attractive digital menu layout.</p>
         <button class="btn" onclick="showMsg()">View</button>
     </div>
 </div>
ection>

- Skills -->
ction id="skills">
 <h1>Skills</h1>

 <div class="grid">
     <div class="card">HTML & CSS</div>
     <div class="card">JavaScript</div>
     <div class="card">Python</div>
     <div class="card">Java</div>
     <div class="card">Cloud Computing</div>
     <div class="card">Networking Basics</div>
 </div>

 <h3>Internship / Experience</h3>
 <p>Completed academic-based projects in web development and programming.</p>
ection>

- Contact -->
ction id="contact">
 <h1>Contact Me</h1>

 <p>Email: sairahul@example.com</p>
 <p>Phone: +91-XXXXXXXXXX</p>

 <input type="text" placeholder="Your Name"><br>
 <input type="email" placeholder="Your Email"><br>
 <textarea placeholder="Your Message"></textarea><br>

 <button class="btn">Send</button>
ection>

- Footer -->
oter>
 <p>© 2026 Sai Rahul | Portfolio Website</p>
ooter>

ript>
ction showMsg() {
 alert("Project details coming soon!");

cript>

ody>
tml>
```

OUTPUT :



OBSERVATION :

The portfolio website was developed using HTML, CSS, and JavaScript with sections for About, Projects, and Contact. Smooth scrolling navigation was implemented to enhance user experience and provide easy access between different sections.

TASK-2 : Online Store Product Page

PROMPT :

Create a responsive product display page for an online store using HTML, CSS, and JavaScript. Display multiple products with image, title, price in Indian Rupees, and an Add to Cart button. Use BEM methodology for class naming, add hover effects, and show an alert message when a product is added to the cart.

CODE :

```html
<!DOCTYPE html>
<html>
<head>
<title>Online Store</title>

<style>
body {
    font-family: Arial;
    margin: 0;
    background: #f5f6fa;
}

h1 {
    text-align: center;
    padding: 20px;
}

/* Grid Layout */
.container {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));
    gap: 20px;
    padding: 20px;
}

/* Product Card */
.product {
    background: white;
    padding: 15px;
    border-radius: 10px;
    text-align: center;
    box-shadow: 0 4px 10px rgba(0,0,0,0.1);
    transition: 0.3s;
}

.product:hover {
    transform: translateY(-8px);
}

.product img {
    width: 100%;
    border-radius: 10px;
}

.product__title {
    font-size: 16px;
    margin: 10px 0;
}

.product__price {
    color: green;
    font-weight: bold;
}
```

```
/* Button */
.btn {
    background: #00cec9;
    border: none;
    padding: 8px 12px;
    color: white;
    cursor: pointer;
    border-radius: 5px;
}

.btn:hover {
    background: #0984e3;
}
</style>
</head>

<body>

<h1>Online Store</h1>

<div class="container">

    <!-- Product 1 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Smart Watch</div>
        <div class="product__price">₹2999</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 2 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Wireless Earbuds</div>
        <div class="product__price">₹1499</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 3 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Laptop Bag</div>
        <div class="product__price">₹999</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 4 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Bluetooth Speaker</div>
        <div class="product__price">₹1999</div>
```

```html
<div class="container">
    <!-- Product 3 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Laptop Bag</div>
        <div class="product__price">₹999</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 4 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Bluetooth Speaker</div>
        <div class="product__price">₹1999</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 5 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Gaming Mouse</div>
        <div class="product__price">₹799</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 6 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Keyboard</div>
        <div class="product__price">₹699</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 7 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Power Bank</div>
        <div class="product__price">₹1299</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 8 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">USB Cable</div>
        <div class="product__price">₹199</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 9 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Headphones</div>
        <div class="product__price">₹2499</div>
```

```html
    <div class="product">
        <div class="product__title">USB Cable</div>
        <div class="product__price">₹199</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 9 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Headphones</div>
        <div class="product__price">₹2499</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 10 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Mobile Stand</div>
        <div class="product__price">₹299</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 11 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Smartphone</div>
        <div class="product__price">₹15999</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

    <!-- Product 12 -->
    <div class="product">
        <img src="https://via.placeholder.com/200">
        <div class="product__title">Tablet</div>
        <div class="product__price">₹12999</div>
        <button class="btn" onclick="addCart()">Add to Cart</button>
    </div>

</div>

<script>
function addCart(){
    alert("Product added to cart!");
}
</script>

</body>
</html>
```

OUTPUT :



OBSERVATION :

A responsive product page was designed to display multiple products with images, prices in Indian Rupees, and an Add to Cart feature. BEM methodology was used for structured class naming, and hover effects were added to improve visual interaction.

TASK-3 : Event Registration Form Prompt

PROMPT :

Design an event registration form using HTML, CSS, and JavaScript. The form should collect name, email, phone number, and session selection. Add input validation using JavaScript, ensure proper labels for accessibility, and style the form with a clean and professional layout.

CODE :

14.1 t-1.html > html

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Event Registration</title>

<link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;700&display=swap" rel="stylesheet">

<style>
body {
    font-family: 'Poppins', sans-serif;
    margin: 0;
    background: linear-gradient(to right, #74b9ff, #00cec9);
}

/* Center Form */
.container {
    display: flex;
    justify-content: center;
    align-items: center;
    height: 100vh;
}

/* Form Card */
form {
    background: white;
    padding: 30px;
    width: 350px;
    border-radius: 12px;
    box-shadow: 0 5px 15px rgba(0,0,0,0.2);
    text-align: center;
}

h2 {
    margin-bottom: 20px;
}

/* Inputs */
.input-group {
    text-align: left;
    margin-bottom: 15px;
}

label {
    font-size: 14px;
}

input, select {
    width: 100%;
    padding: 10px;
    margin-top: 5px;
    border-radius: 6px;
    border: 1px solid #ccc;
}
```

```
/* Button */
button {
    width: 100%;
    padding: 12px;
    background: #00cec9;
    border: none;
    color: white;
    font-size: 16px;
    border-radius: 6px;
    cursor: pointer;
}

button:hover {
    background: #0984e3;
}

/* Error */
.error {
    color: red;
    font-size: 12px;
}
</style>
</head>

<body>

<div class="container">
<form onsubmit="return validateForm()">
    <h2>Event Registration</h2>

    <div class="input-group">
        <label>Name</label>
        <input type="text" id="name">
        <div class="error" id="nameError"></div>
    </div>

    <div class="input-group">
        <label>Email</label>
        <input type="email" id="email">
        <div class="error" id="emailError"></div>
    </div>

    <div class="input-group">
        <label>Phone</label>
        <input type="text" id="phone">
        <div class="error" id="phoneError"></div>
    </div>

    <div class="input-group">
        <label>Select Session</label>
        <select id="session">
            <option value="">--Choose--</option>
```

```
    <button type="submit">Register</button>
</form>
</div>

<script>
function validateForm() {
    let name = document.getElementById("name").value;
    let email = document.getElementById("email").value;
    let phone = document.getElementById("phone").value;

    let valid = true;

    // Name validation
    if(name === ""){
        document.getElementById("nameError").innerText = "Name is required";
        valid = false;
    } else {
        document.getElementById("nameError").innerText = "";
    }

    // Email validation
    if(email === ""){
        document.getElementById("emailError").innerText = "Email is required";
        valid = false;
    } else {
        document.getElementById("emailError").innerText = "";
    }

    // Phone validation
    if(phone.length != 10){
        document.getElementById("phoneError").innerText = "Enter valid 10-digit number";
        valid = false;
    } else {
        document.getElementById("phoneError").innerText = "";
    }

    if(valid){
        alert("Registration Successful!");
    }

    return valid;
}
</script>

</body>
</html>
```

OUTPUT :



OBSERVATION :

An event registration form was created to collect user details such as name, email, phone number, and session selection. JavaScript validation was implemented to ensure correct input, particularly for validating the phone number format.

TASK-4 : Resume Website Prompt

PROMPT :

Build a one-page resume website using HTML and CSS. Include sections for Profile Summary, Skills, Education, and Experience. Use CSS Grid for layout alignment and apply simple, professional typography. Add smooth navigation between sections.

CODE :

```html
<html>
<head>
<title>Resume</title>
<style>
body { font-family: Arial; margin:0; }

nav {
    background:#2c3e50;
    padding:10px;
    text-align:center;
}

nav a { color:white; margin:10px; text-decoration:none; }

section {
    padding:50px;
}

.grid {
    display:grid;
    grid-template-columns:1fr 1fr;
    gap:20px;
}

.card {
    background:#f4f4f4;
    padding:20px;
}
</style>
</head>

<body>

<nav>
<a href="#profile">Profile</a>
<a href="#skills">Skills</a>
<a href="#education">Education</a>
<a href="#experience">Experience</a>
</nav>

<section id="profile">
<h2>Profile</h2>
<p>B.Tech student specializing in AI & ML.</p>
</section>

<section class="grid">
<div class="card" id="skills">
<h2>Skills</h2>
<p>HTML, CSS, JavaScript, Python</p>
</div>

<div class="card" id="education">
<h2>Education</h2>
<p>SR University - CSE (AIML)</p>
```

```html

<div class="card" id="education">
<h2>Education</h2>
<p>SR University - CSE (AIML)</p>
</div>
</section>

<section id="experience">
<h2>Experience</h2>
<p>Academic projects and internships.</p>
</section>

</body>
</html>
```

OUTPUT :



OBSERVATION :

A one-page resume website was developed with sections including profile summary, skills, education, and experience. CSS Grid was used to align the content effectively, resulting in a clean and professional layout.

TASK-5 : Restaurant Menu Page Prompt

PROMPT :

Create a digital restaurant menu page using HTML and CSS. Display menu items with name, description, and price. Use a responsive card-based layout, apply a food-friendly color palette, and add hover effects to enhance user interaction.

CODE :

```html
<html>
<head>
<title>Restaurant Menu</title>
<style>
body { font-family: Arial; background: #fff3e0; }

h1 { text-align:center; }

.menu {
    display:grid;
    grid-template-columns:repeat(auto-fit, minmax(200px,1fr));
    gap:20px;
    padding:20px;
}

.item {
    background: white;
    padding:20px;
    border-radius:10px;
    transition:0.3s;
}

.item:hover {
    transform:scale(1.05);
}

.price {
    color: green;
}
</style>
</head>

<body>

<h1>Restaurant Menu</h1>

<div class="menu">
    <div class="item">
        <h3>Pizza</h3>
        <p>Delicious cheese pizza</p>
        <p class="price">₹199</p>
    </div>

    <div class="item">
        <h3>Burger</h3>
        <p>Veg loaded burger</p>
        <p class="price">₹99</p>
    </div>

    <div class="item">
        <h3>Pasta</h3>
        <p>Creamy white sauce pasta</p>
        <p class="price">₹149</p>
    </div>
```

```html
    <div class="item">
        <h3>Burger</h3>
        <p>Veg loaded burger</p>
        <p class="price">₹99</p>
    </div>

    <div class="item">
        <h3>Pasta</h3>
        <p>Creamy white sauce pasta</p>
        <p class="price">₹149</p>
    </div>
/div>

/body>
/html>
```

OUTPUT :

OBSERVATION :

A digital restaurant menu page was designed to display food items with their names, descriptions, and prices. A card-based layout with hover effects was implemented to enhance visual appeal and ensure responsiveness.