



Jobs

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:35:05 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)


Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values
Name	fact_inventory
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Aug 9, 2017 11:38:50 AM
Modification	Aug 10, 2017 4:08:19 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	true
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------


Component List

Component Name	Component Type
tMysqlRow_1	tMysqlRow
tMysqlRow_2	tMysqlRow
tParallelize_1	tParallelize

tRunJob_1	tRunJob
tRunJob_2	tRunJob
tRunJob_3	tRunJob
tRunJob_4	tRunJob

Components Description

Component tMysqlRow

	UNIQUE NAME	tMysqlRow_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMysqlRow_2

Component Parameters:

Properties	Values
Unique Name	tMysqlRow_1
Component Name	tMysqlRow
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	true
Startable	true
SUBTREE_START	true

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMySQLRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	


Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MySQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Table Name	"factinventory"
Query Type	Built-In
Query	"TRUNCATE TABLE factinventory;"
Specify a data source alias	false
Data source alias	""
Die on error	false
Additional JDBC Parameters	""
Propagate QUERY's recordset	false

use column	
Use PreparedStatement	false
Set PreparedStatement Parameters	[]
Encoding	"ISO-8859-15"
Commit every	10000
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tMysqlRow

	UNIQUE NAME	tMysqlRow_2	INPUT(S)	tMysqlRow_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tParallelize_1

Component Parameters:

Properties	Values
Unique Name	tMySQLRow_2
Component Name	tMySQLRow
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMySQLRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MySQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In


Reject Schema	Built-In
Table Name	"factinventory_rejects"
Query Type	Built-In
Query	"TRUNCATE TABLE factinventory_rejects"
Specify a data source alias	false
Data source alias	""
Die on error	false
Additional JDBC Parameters	""
Propagate QUERY's recordset	false
use column	
Use PreparedStatement	false
Set PreparedStatement Parameters	[]
Encoding	"ISO-8859-15"
Commit every	10000
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlRow_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tParallelize

	UNIQUE NAME	tParallelize_1	INPUT(S)	tMysqlRow_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tRunJob_1 , tRunJob_2, tRunJob_3, tRunJob_4


Component Parameters:

Properties	Values
Unique Name	tParallelize_1
Component Name	tParallelize
Version	0.101 (ALPHA)
Family	Orchestration
Start	false
Startable	true

SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tParallelize
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Wait for	All
Sleep Duration	100

Die when one of parallelize subjobs fails	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_1	INPUT(S)	tParallelize_1
	LABEL	__PROCESS__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRunJob_1
Component Name	tRunJob
Version	0.101 (ALPHA)

Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false


REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	fact_inventory_as
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	__PROCESS__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_2	INPUT(S)	tParallelize_1
	LABEL	__PROCESS__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRunJob_2
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true

SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false


Context job	
Job	fact_inventory_cat
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	__PROCESS__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for tRunJob_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_3	INPUT(S)	tParallelize_1
	LABEL	__PROCESS__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRunJob_3
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true


DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	fact_inventory_eu
Context	Default

Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	__PROCESS__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_4	INPUT(S)	tParallelize_1
	LABEL	__PROCESS__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRunJob_4
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	fact_inventory_na
Context	Default
Use an independent process to run subjob	false
Die on child error	true

Transmit whole context	false
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	__PROCESS__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_4 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters: