Jobs

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:35:28 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values
Name	dim_promotion
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Jul 31, 2017 11:23:36 PM
Modification	Aug 9, 2017 9:27:29 AM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false

Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
CNTL_Job_Tracking_Stats_CHILD_1	CNTL_Job_Tracking_Stats_CHILD

tMSSqlInput_1	tMSSqlInput
tMap_1	tMap
tMap_2	tMap
tMap_3	tMap
tMap_4	tMap
tMysqlInput_1	tMysqlInput
tMysqlInput_2	tMysqlInput
tMysqlInput_3	tMysqlInput
tMysqlInput_4	tMysqlInput
tMysqlOutput_1	tMysqlOutput
tMysqlOutput_2	tMysqlOutput
tMysqlOutput_3	tMysqlOutput
tMysqlOutput_4	tMysqlOutput
tOracleInput_1	tOracleInput
tPostgresqlInput_1	tPostgresqlInput

Components Description

Component   tMSSqlInput

	UNIQUE NAME	tMSSqlInput_1	INPUT(S)	tMysqlOutput_2
	LABEL	__TABLE__	OUTPUT(S)	tMap_3

Component Parameters:

Properties	Values
Unique Name	tMSSqlInput_1
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false
Component List	
Property Type	Built-In
Host	"LAPTOP-4CDQQRE2"
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	""
Database	"retail_sor_na"
Username	"info7290"

Password	**********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"DimPromotion"
Query Type	Built-In
Guess Schema	""
Query	"SELECT DimPromotion.PromotionID, DimPromotion.PromotionLabel, DimPromotion.PromotionName, DimPromotion.PromotionDescription, DimPromotion.DiscountPercent, DimPromotion.PromotionType, DimPromotion.PromotionCategory, DimPromotion.StartDate, DimPromotion.EndDate, DimPromotion.MinQuantity, DimPromotion.MaxQuantity, DimPromotion.ETLLoadID, DimPromotion.LoadDate, DimPromotion.UpdateDate FROM DimPromotion"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false

Trim column	[{TRIM=false, SCHEMA_COLUMN=PromotionID}, {TRIM=false, SCHEMA_COLUMN=PromotionLabel}, {TRIM=false, SCHEMA_COLUMN=PromotionName}, {TRIM=false, SCHEMA_COLUMN=PromotionDescription}, {TRIM=false, SCHEMA_COLUMN=DiscountPercent}, {TRIM=false, SCHEMA_COLUMN=PromotionType}, {TRIM=false, SCHEMA_COLUMN=PromotionCategory}, {TRIM=false, SCHEMA_COLUMN=StartDate}, {TRIM=false, SCHEMA_COLUMN=EndDate}, {TRIM=false, SCHEMA_COLUMN=MinQuantity}, {TRIM=false, SCHEMA_COLUMN=MaxQuantity}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DimPromotion :

Column	Key	Type	Length	Precision	Nullable	Comment
PromotionID	true	int	10		false	
PromotionLabel	false	String	12		false	

PromotionName	false	String	100		true	
PromotionDescription	false	String	255		true	
DiscountPercent	false	Double	53		true	
PromotionType	false	String	50		true	
PromotionCategory	false	String	50		true	
StartDate	false	java.util.Date	10		false	
EndDate	false	java.util.Date	10		true	
MinQuantity	false	Integer	10		true	
MaxQuantity	false	Integer	10		true	

Original Function Parameters:
Component   tMysqlInput

	UNIQUE NAME	tMysqlInput_1	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_2

Component Parameters:

Properties	Values
Unique Name	tMysqlInput_1
Component Name	tMysqlInput
Version	0.102 (ALPHA)

Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	**********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimpromotion"
Query Type	Built-In
Guess Schema	""

Query	"SELECT `dimpromotion`.`PromotionSK`, `dimpromotion`.`PromotionID`, `dimpromotion`.`PromotionKey`, `dimpromotion`.`PromotionLabel`, `dimpromotion`.`PromotionName`, `dimpromotion`.`PromotionDescription`, `dimpromotion`.`DiscountPercent`, `dimpromotion`.`PromotionType`, `dimpromotion`.`PromotionCategory`, `dimpromotion`.`StartDate`, `dimpromotion`.`EndDate`, `dimpromotion`.`MinQuantity`, `dimpromotion`.`MaxQuantity`, `dimpromotion`.`SOR_ID`, `dimpromotion`.`SOR_LoadDate`, `dimpromotion`.`SOR_UpdateDate`, `dimpromotion`.`DI_Job_ID`, `dimpromotion`.`DI_Create_Date`, `dimpromotion`.`DI_Modified_Date` FROM `dimpromotion`"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false

Trim column	[{TRIM=false, SCHEMA_COLUMN=PromotionSK}, {TRIM=false, SCHEMA_COLUMN=PromotionID}, {TRIM=false, SCHEMA_COLUMN=PromotionKey}, {TRIM=false, SCHEMA_COLUMN=PromotionLabel}, {TRIM=false, SCHEMA_COLUMN=PromotionName}, {TRIM=false, SCHEMA_COLUMN=PromotionDescription}, {TRIM=false, SCHEMA_COLUMN=DiscountPercent}, {TRIM=false, SCHEMA_COLUMN=PromotionType}, {TRIM=false, SCHEMA_COLUMN=PromotionCategory}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimpromotion :

Column	Key	Type	Length	Precision	Nullable	Comment
PromotionSK	true	int	10		false	
PromotionID	false	int	10		false	
PromotionKey	false	int	10		false	

PromotionLabel	false	String	12		false	
PromotionName	false	String	100		true	
PromotionDescription	false	String	255		true	
DiscountPercent	false	Double	22		true	
PromotionType	false	String	50		true	
PromotionCategory	false	String	50		true	

Original Function Parameters:
Component   tMysqlInput

	UNIQUE NAME	tMysqlInput_2	INPUT(S)	tMysqlOutput_1
	LABEL	__TABLE__	OUTPUT(S)	tMap_2

Component Parameters:

Properties	Values
Unique Name	tMysqlInput_2
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true

SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false

Component List	
Host	"localhost"
Port	"3306"
Database	"retail_sor_eu"
Database Driver	MYSQL
Username	"info7290"
Password	**********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimpromotion"
Query Type	Built-In
Guess Schema	""

Query	"SELECT `dimpromotion`.`PromotionID`, `dimpromotion`.`PromotionKey`, `dimpromotion`.`PromotionLabel`, `dimpromotion`.`PromotionName`, `dimpromotion`.`PromotionDescription`, `dimpromotion`.`DiscountPercent`, `dimpromotion`.`PromotionType`, `dimpromotion`.`PromotionCategory`, `dimpromotion`.`StartDate`, `dimpromotion`.`EndDate`, `dimpromotion`.`MinQuantity`, `dimpromotion`.`MaxQuantity`, `dimpromotion`.`ETLLoadID`, `dimpromotion`.`LoadDate`, `dimpromotion`.`UpdateDate` FROM `dimpromotion`"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false

Trim column	[{TRIM=false, SCHEMA_COLUMN=PromotionID}, {TRIM=false, SCHEMA_COLUMN=PromotionKey}, {TRIM=false, SCHEMA_COLUMN=PromotionLabel}, {TRIM=false, SCHEMA_COLUMN=PromotionName}, {TRIM=false, SCHEMA_COLUMN=PromotionDescription}, {TRIM=false, SCHEMA_COLUMN=DiscountPercent}, {TRIM=false, SCHEMA_COLUMN=PromotionType}, {TRIM=false, SCHEMA_COLUMN=PromotionCategory}, {TRIM=false, SCHEMA_COLUMN=StartDate}, {TRIM=false, SCHEMA_COLUMN=EndDate}, {TRIM=false, SCHEMA_COLUMN=MinQuantity}, {TRIM=false, SCHEMA_COLUMN=MaxQuantity}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimpromotion :

Column	Key	Type	Length	Precision	Nullable	Comment
PromotionID	true	int	10		false	
PromotionKey	false	int	10		false	

PromotionLabel	false	String	12		false	
PromotionName	false	String	100		true	
PromotionDescription	false	String	255		true	
DiscountPercent	false	Double	22		true	
PromotionType	false	String	50		true	
PromotionCategory	false	String	50		true	
StartDate	false	java.util.Date	10		false	
EndDate	false	java.util.Date	10		true	
MinQuantity	false	Integer	10		true	
MaxQuantity	false	Integer	10		true	

Original Function Parameters:
Component   tMysqlInput

	UNIQUE NAME	tMysqlInput_3	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_3

Component Parameters:

Properties	Values
Unique Name	tMysqlInput_3
Component Name	tMysqlInput

Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	**********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimpromotion"
Query Type	Built-In
Guess Schema	""

Query	"SELECT `dimpromotion`.`PromotionSK`, `dimpromotion`.`PromotionID`, `dimpromotion`.`PromotionKey`, `dimpromotion`.`PromotionLabel`, `dimpromotion`.`PromotionName`, `dimpromotion`.`PromotionDescription`, `dimpromotion`.`DiscountPercent`, `dimpromotion`.`PromotionType`, `dimpromotion`.`PromotionCategory`, `dimpromotion`.`StartDate`, `dimpromotion`.`EndDate`, `dimpromotion`.`MinQuantity`, `dimpromotion`.`MaxQuantity`, `dimpromotion`.`SOR_ID`, `dimpromotion`.`SOR_LoadDate`, `dimpromotion`.`SOR_UpdateDate`, `dimpromotion`.`DI_Job_ID`, `dimpromotion`.`DI_Create_Date`, `dimpromotion`.`DI_Modified_Date` FROM `dimpromotion`"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false

Trim column	[{TRIM=false, SCHEMA_COLUMN=PromotionSK}, {TRIM=false, SCHEMA_COLUMN=PromotionID}, {TRIM=false, SCHEMA_COLUMN=PromotionKey}, {TRIM=false, SCHEMA_COLUMN=PromotionLabel}, {TRIM=false, SCHEMA_COLUMN=PromotionName}, {TRIM=false, SCHEMA_COLUMN=PromotionDescription}, {TRIM=false, SCHEMA_COLUMN=DiscountPercent}, {TRIM=false, SCHEMA_COLUMN=PromotionType}, {TRIM=false, SCHEMA_COLUMN=PromotionCategory}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimpromotion :

Column	Key	Type	Length	Precision	Nullable	Comment
PromotionSK	true	int	10		false	
PromotionID	false	int	10		false	
PromotionKey	false	int	10		false	

PromotionLabel	false	String	12		false	
PromotionName	false	String	100		true	
PromotionDescription	false	String	255		true	
DiscountPercent	false	Double	22		true	
PromotionType	false	String	50		true	
PromotionCategory	false	String	50		true	

Original Function Parameters:
Component   tMysqlInput

	UNIQUE NAME	tMysqlInput_4	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_4

Component Parameters:

Properties	Values
Unique Name	tMysqlInput_4
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true

SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false

Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	**********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimpromotion"
Query Type	Built-In
Guess Schema	""

Query	"SELECT `dimpromotion`.`PromotionSK`, `dimpromotion`.`PromotionID`, `dimpromotion`.`PromotionKey`, `dimpromotion`.`PromotionLabel`, `dimpromotion`.`PromotionName`, `dimpromotion`.`PromotionDescription`, `dimpromotion`.`DiscountPercent`, `dimpromotion`.`PromotionType`, `dimpromotion`.`PromotionCategory`, `dimpromotion`.`StartDate`, `dimpromotion`.`EndDate`, `dimpromotion`.`MinQuantity`, `dimpromotion`.`MaxQuantity`, `dimpromotion`.`SOR_ID`, `dimpromotion`.`SOR_LoadDate`, `dimpromotion`.`SOR_UpdateDate`, `dimpromotion`.`DI_Job_ID`, `dimpromotion`.`DI_Create_Date`, `dimpromotion`.`DI_Modified_Date` FROM `dimpromotion`"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false

Trim column	[{TRIM=false, SCHEMA_COLUMN=PromotionSK}, {TRIM=false, SCHEMA_COLUMN=PromotionID}, {TRIM=false, SCHEMA_COLUMN=PromotionKey}, {TRIM=false, SCHEMA_COLUMN=PromotionLabel}, {TRIM=false, SCHEMA_COLUMN=PromotionName}, {TRIM=false, SCHEMA_COLUMN=PromotionDescription}, {TRIM=false, SCHEMA_COLUMN=DiscountPercent}, {TRIM=false, SCHEMA_COLUMN=PromotionType}, {TRIM=false, SCHEMA_COLUMN=PromotionCategory}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimpromotion :

Column	Key	Type	Length	Precision	Nullable	Comment
PromotionSK	true	int	10		false	
PromotionID	false	int	10		false	
PromotionKey	false	int	10		false	

PromotionLabel	false	String	12		false
PromotionName	false	String	100		true
PromotionDescription	false	String	255		true
DiscountPercent	false	Double	22		true
PromotionType	false	String	50		true
PromotionCategory	false	String	50		true

Original Function Parameters:
Component   tMysqlOutput

	UNIQUE NAME	tMysqlOutput_1	INPUT(S)	tMap_1
	LABEL	__TABLE__	OUTPUT(S)	tMysqlInput_2

Component Parameters:

Properties	Values
Unique Name	tMysqlOutput_1
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	

Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	**********
Table	"dimpromotion"
Action on table	TRUNCATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"

Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionKey}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionLabel}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionName}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionDescription}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DiscountPercent}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionType}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionCategory}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true,

| Field options | SCHEMA_COLUMN=StartDate},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=EndDate},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=MinQuantity},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=MaxQuantity},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=SOR_ID},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=SOR_LoadDate},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=SOR_UpdateDate},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DI_Job_ID},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DI_Create_Date}, | |

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Modified_Date}]
Use Hint Options	false
Hint Options	[]
Enable debug mode	false
Use duplicate key update mode insert	false
	[]
Support null in "SQL WHERE" statement	false
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimpromotion :

Column	Key	Type	Length	Precision	Nullable	Comment
PromotionID	false	int	10		false	

PromotionKey	false	int	10		false	
PromotionLabel	true	String	12		false	
PromotionName	false	String	100		true	
PromotionDescription	false	String	255		true	
DiscountPercent	false	Double	22		true	
PromotionType	false	String	50		true	
PromotionCategory	false	String	50		true	
StartDate	false	java.util.Date	10		false	
EndDate	false	java.util.Date	10		true	
MinQuantity	false	Integer	10		true	
MaxQuantity	false	Integer	10		true	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
DI_Modified_Date	false	java.util.Date	19		false	

Original Function Parameters:
Component   tMysqlOutput

	UNIQUE NAME	tMysqlOutput_2	INPUT(S)	tMap_2 , tMysqlInput_1
	LABEL	__TABLE__	OUTPUT(S)	tMSSqlInput_1

Component Parameters:

Properties	Values
Unique Name	tMysqlOutput_2
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	**********

Table	"dimpromotion"
Action on table	NONE
Action on data	INSERT_OR_UPDATE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000

Additional columns	[]
Use field options	false
	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionKey}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionLabel}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionName}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionDescription}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DiscountPercent}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionType}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionCategory}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=StartDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=EndDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MinQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MaxQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_LoadDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true,

Field options	SCHEMA_COLUMN=SOR_UpdateDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Job_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Create_Date},
	SCHEMA_COLUMN=SOR_UpdateDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Job_ID},

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Modified_Date}]
Use Hint Options	false
Hint Options	[]
Enable debug mode	false
Use duplicate key update mode insert	false
	[]
Support null in "SQL WHERE" statement	false
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimpromotion :

Column	Key	Type	Length	Precision	Nullable	Comment
PromotionID	false	int	10		false	

PromotionKey	false	int	10		false	
PromotionLabel	true	String	12		false	
PromotionName	false	String	100		true	
PromotionDescription	false	String	255		true	
DiscountPercent	false	Double	22		true	
PromotionType	false	String	50		true	
PromotionCategory	false	String	50		true	
StartDate	false	java.util.Date	10		false	
EndDate	false	java.util.Date	10		true	
MinQuantity	false	Integer	10		true	
MaxQuantity	false	Integer	10		true	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
DI_Modified_Date	false	java.util.Date	19		false	

Original Function Parameters:
Component   tMysqlOutput

	UNIQUE NAME	tMysqlOutput_3	INPUT(S)	tMap_3 , tMysqlInput_3
	LABEL	__TABLE__	OUTPUT(S)	tPostgresqlInput_1

Component Parameters:

Properties	Values
Unique Name	tMysqlOutput_3
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	**********

Table	"dimpromotion"
Action on table	NONE
Action on data	INSERT_OR_UPDATE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000

Additional columns	[]
Use field options	false
	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionKey}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionLabel}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionName}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionDescription}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DiscountPercent}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionType}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionCategory}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=StartDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=EndDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MinQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MaxQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_LoadDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true,

Field options	SCHEMA_COLUMN=SOR_UpdateDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Job_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Create_Date},	
	SCHEMA_COLUMN=SOR_UpdateDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true,	

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Modified_Date}]
Use Hint Options	false
Hint Options	[]
Enable debug mode	false
Use duplicate key update mode insert	false
	[]
Support null in "SQL WHERE" statement	false
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimpromotion :

Column	Key	Type	Length	Precision	Nullable	Comment
PromotionID	false	int	10		false	

PromotionKey	false	int	10		false	
PromotionLabel	true	String	12		false	
PromotionName	false	String	100		true	
PromotionDescription	false	String	255		true	
DiscountPercent	false	Double	22		true	
PromotionType	false	String	50		true	
PromotionCategory	false	String	50		true	
StartDate	false	java.util.Date	10		false	
EndDate	false	java.util.Date	10		true	
MinQuantity	false	Integer	10		true	
MaxQuantity	false	Integer	10		true	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
DI_Modified_Date	false	java.util.Date	19		false	

Original Function Parameters:
Component   tMysqlOutput

	UNIQUE NAME	tMysqlOutput_4	INPUT(S)	tMap_4 , tMysqlInput_4
	LABEL	__TABLE__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tMysqlOutput_4
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	**********

Table	"dimpromotion"
Action on table	NONE
Action on data	INSERT_OR_UPDATE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000

Additional columns	[]
Use field options	false
	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionKey}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionLabel}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionName}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionDescription}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DiscountPercent}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionType}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PromotionCategory}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=StartDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=EndDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MinQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MaxQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_LoadDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true,

Field options	SCHEMA_COLUMN=SOR_UpdateDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Job_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Create_Date},	
	SCHEMA_COLUMN=SOR_UpdateDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Job_ID},	

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Modified_Date}]
Use Hint Options	false
Hint Options	[]
Enable debug mode	false
Use duplicate key update mode insert	false
	[]
Support null in "SQL WHERE" statement	false
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimpromotion :

Column	Key	Type	Length	Precision	Nullable	Comment
PromotionID	false	int	10		false	

PromotionKey	false	int	10		false	
PromotionLabel	true	String	12		false	
PromotionName	false	String	100		true	
PromotionDescription	false	String	255		true	
DiscountPercent	false	Double	22		true	
PromotionType	false	String	50		true	
PromotionCategory	false	String	50		true	
StartDate	false	java.util.Date	10		false	
EndDate	false	java.util.Date	10		true	
MinQuantity	false	Integer	10		true	
MaxQuantity	false	Integer	10		true	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
DI_Modified_Date	false	java.util.Date	19		false	

Original Function Parameters:
Component tOracleInput

	UNIQUE NAME	tOracleInput_1	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tOracleInput_1
Component Name	tOracleInput
Version	0.102 (ALPHA)
Family	Databases/Oracle
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tOracleInput

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\l
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
Use an existing connection	false
Component List	
Connection Type	ORACLE_SID
DB Version	ORACLE_12
URL	"localhost"
Host	"localhost"
Database Driver	ORACLE_SID
Port	"1521"

Database	""
Local Service Name	""
Oracle schema	""
Username	"info7290"
Password	**********
URL	"jdbc:oracle:oci:/@talend"
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"DIMPROMOTION"
Query Type	Built-In
Guess Schema	""
Query	"SELECT RETAIL_SOR_CAT.DIMPROMOTION.PROMOT RETAIL_SOR_CAT.DIMPROMOTION.PROMOTIONLABE RETAIL_SOR_CAT.DIMPROMOTION.PROMOTIONNAME RETAIL_SOR_CAT.DIMPROMOTION.PROMOTIONDESC RETAIL_SOR_CAT.DIMPROMOTION.DISCOUNTPERCE RETAIL_SOR_CAT.DIMPROMOTION.PROMOTIONTYPE RETAIL_SOR_CAT.DIMPROMOTION.PROMOTIONCATE RETAIL_SOR_CAT.DIMPROMOTION.STARTDATE, RETAIL_SOR_CAT.DIMPROMOTION.ENDDATE, RETAIL_SOR_CAT.DIMPROMOTION.MINQUANTITY, RETAIL_SOR_CAT.DIMPROMOTION.MAXQUANTITY, RETAIL_SOR_CAT.DIMPROMOTION.ETLLOADID, RETAIL_SOR_CAT.DIMPROMOTION.LOADDATE, RETAIL_SOR_CAT.DIMPROMOTION.UPDATEDATE FRC RETAIL_SOR_CAT.DIMPROMOTION"

Specify a data source alias	false
Data source alias	""
Mapping	oracle_id
Additional JDBC Parameters	""
Convert XMLType To Java Type.(just when use extract() return a NODE)	false
	[]
Encoding	"ISO-8859-15"
Use cursor	false
Cursor size	1000
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=PROMOTIONKEY}, {TRIM=false, SCHEMA_COLUMN=PROMOTIONLABEL}, {TRIM=false, SCHEMA_COLUMN=PROMOTIONNAME}, {TRIM=false, SCHEMA_COLUMN=PROMOTIONDESCRIF {TRIM=false, SCHEMA_COLUMN=DISCOUNTPERCENT} {TRIM=false, SCHEMA_COLUMN=PROMOTIONTYPE}, {TRIM=false, SCHEMA_COLUMN=PROMOTIONCATEGC {TRIM=false, SCHEMA_COLUMN=STARTDATE}, {TRIM= SCHEMA_COLUMN=ENDDATE}, {TRIM=false, SCHEMA_COLUMN=MINQUANTITY}, {TRIM=false, SCHEMA_COLUMN=MAXQUANTITY}]
No null values	false
Label format	__TABLE__

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DIMPROMOTION :

Column	Key	Type	Length	Precision	Nullable	Comment
PROMOTIONKEY	true	int	38		false	
PROMOTIONLABEL	false	String	12		false	
PROMOTIONNAME	false	String	100		true	
PROMOTIONDESCRIPTION	false	String	255		true	
DISCOUNTPERCENT	false	Double	126		true	
PROMOTIONTYPE	false	String	50		true	
PROMOTIONCATEGORY	false	String	50		true	
STARTDATE	false	java.util.Date	7		false	
ENDDATE	false	java.util.Date	7		true	

MINQUANTITY	false	Integer	38		true	
MAXQUANTITY	false	Integer	38		true	

Original Function Parameters:
Component   tPostgresqlInput

	UNIQUE NAME	tPostgresqlInput_1	INPUT(S)	tMysqlOutput_3
	LABEL	__TABLE__	OUTPUT(S)	tMap_4

Component Parameters:

Properties	Values
Unique Name	tPostgresqlInput_1
Component Name	tPostgresqlInput
Version	0.102 (ALPHA)
Family	Databases/PostgreSQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\l
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
Use an existing connection	false
Component List	
DB Version	PRIOR_TO_V9
Host	"localhost"
Database Driver	POSTGRESQL
Port	"5432"

Database	"retail_sor_as"
Schema	"public"
Username	"info7290"
Password	**********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimpromotion"
Query Type	Built-In
Guess Schema	""
Query	"SELECT \"retail_sor_as\".\"public\".\"dimpromotion\".\"promotionid\", \"retail_sor_as\".\"public\".\"dimpromotion\".\"promotionlabe \"retail_sor_as\".\"public\".\"dimpromotion\".\"promotionnam \"retail_sor_as\".\"public\".\"dimpromotion\".\"promotiondesc \"retail_sor_as\".\"public\".\"dimpromotion\".\"discountperce \"retail_sor_as\".\"public\".\"dimpromotion\".\"promotiontype \"retail_sor_as\".\"public\".\"dimpromotion\".\"promotioncate \"retail_sor_as\".\"public\".\"dimpromotion\".\"startdate\", \"retail_sor_as\".\"public\".\"dimpromotion\".\"enddate\", \"retail_sor_as\".\"public\".\"dimpromotion\".\"minquantity\", \"retail_sor_as\".\"public\".\"dimpromotion\".\"maxquantity\", \"retail_sor_as\".\"public\".\"dimpromotion\".\"etlloadid\", \"retail_sor_as\".\"public\".\"dimpromotion\".\"loaddate\", \"retail_sor_as\".\"public\".\"dimpromotion\".\"updatedate\" F \"retail_sor_as\".\"public\".\"dimpromotion\""
Specify a data source alias	false
Data source alias	""

Mapping	postgres_id
Encoding	"ISO-8859-15"
Use cursor	false
Cursor size	1000
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=promotionid}, {TRIM=fa SCHEMA_COLUMN=promotionlabel}, {TRIM=false, SCHEMA_COLUMN=promotionname}, {TRIM=false, SCHEMA_COLUMN=promotiondescription}, {TRIM=false, SCHEMA_COLUMN=discountpercent}, {TRIM=false, SCHEMA_COLUMN=promotiontype}, {TRIM=false, SCHEMA_COLUMN=promotioncategory}, {TRIM=false, SCHEMA_COLUMN=startdate}, {TRIM=false, SCHEMA_COLUMN=enddate}, {TRIM=false, SCHEMA_COLUMN=minquantity}, {TRIM=false, SCHEMA_COLUMN=maxquantity}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimpromotion :

Column	Key	Type	Length	Precision	Nullable	Comment
promotionid	true	int	10		false	
promotionlabel	false	String	12		false	
promotionname	false	String	100		true	
promotiondescription	false	String	255		true	
discountpercent	false	Double	17	17	true	
promotiontype	false	String	50		true	
promotioncategory	false	String	50		true	
startdate	false	java.util.Date	13		false	
enddate	false	java.util.Date	13		true	
minquantity	false	Integer	10		true	
maxquantity	false	Integer	10		true	

Original Function Parameters:
Component   CNTL_Job_Tracking_Stats_CHILD

	UNIQUE NAME	CNTL_Job_Tracking_Stats_CHILD_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values

Version	Latest
Show Information	false
Comment	

Component   tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tOracleInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMysqlOutput_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	

Use an existing validation rule	`false`

Mapper table for tMap_1 (input):
Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Type	Expression	isNullable
PROMOTIONKEY	int		false
PROMOTIONLABEL	String		false
PROMOTIONNAME	String		true
PROMOTIONDESCRIPTION	String		true
DISCOUNTPERCENT	Double		true
PROMOTIONTYPE	String		true
PROMOTIONCATEGORY	String		true
STARTDATE	java.util.Date		false
ENDDATE	java.util.Date		true
MINQUANTITY	Integer		true
MAXQUANTITY	Integer		true

Constraint Table Entries(row1):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (output):
Mapper table Properties(neu_cat):

Properties	Values
Name	neu_cat
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(neu_cat):

Name	Type	Expression	isNullable
PromotionID	int		false
PromotionKey	int	row1.PROMOTIONKEY	false
PromotionLabel	String	row1.PROMOTIONLABEL	false
PromotionName	String	row1.PROMOTIONNAME	true
PromotionDescription	String	row1.PROMOTIONDESCRIPTION	true
DiscountPercent	Double	row1.DISCOUNTPERCENT	true
PromotionType	String	row1.PROMOTIONTYPE	true

PromotionCategory	String	row1.PROMOTIONCATEGORY	true
StartDate	java.util.Date	row1.STARTDATE	false
EndDate	java.util.Date	row1.ENDDATE	true
MinQuantity	Integer	row1.MINQUANTITY	true
MaxQuantity	Integer	row1.MAXQUANTITY	true
SOR_ID	int	70	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vJobPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries(neu_cat):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable

Component   tMap

	UNIQUE NAME	tMap_2	INPUT(S)	tMap_2 , tMysqlInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMysqlOutput_2

Component Parameters:

Properties	Values

tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_2 (input):
  Mapper table Properties(row2):

Properties	Values
Name	row2
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row2):

Name	Type	Expression	isNullable
PromotionID	int		false
PromotionKey	int		false
PromotionLabel	String		false
PromotionName	String		true
PromotionDescription	String		true
DiscountPercent	Double		true
PromotionType	String		true
PromotionCategory	String		true
StartDate	java.util.Date		false
EndDate	java.util.Date		true
MinQuantity	Integer		true
MaxQuantity	Integer		true

Constraint Table Entries(row2):

Name	Type	Expression	isNullable

Mapper table Properties(row3):

Properties	Values
Name	row3
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row3):

Name	Type	Expression	isNullable
PromotionSK	int		false
PromotionID	int		false
PromotionKey	int		false
PromotionLabel	String	row2.PromotionLabel	false
PromotionName	String	row2.PromotionName	true
PromotionDescription	String	row2.PromotionDescription	true
DiscountPercent	Double		true
PromotionType	String		true
PromotionCategory	String		true

Constraint Table Entries(row3):

Name	Type	Expression	isNullable

Mapper table for tMap_2 (output):
  Mapper table Properties(sor_eu):

Properties	Values
Name	sor_eu
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(sor_eu):

Name	Type	Expression	isNullable
PromotionID	int	row2.PromotionID	false
PromotionKey	int	row2.PromotionKey	false
PromotionLabel	String	row2.PromotionLabel	false
PromotionName	String	row2.PromotionName	true
PromotionDescription	String	row2.PromotionDescription	true
DiscountPercent	Double	row2.DiscountPercent	true
PromotionType	String	row2.PromotionType	true

PromotionCategory	String	row2.PromotionCategory	true
StartDate	java.util.Date	row2.StartDate	false
EndDate	java.util.Date	row2.EndDate	true
MinQuantity	Integer	row2.MinQuantity	true
MaxQuantity	Integer	row2.MaxQuantity	true
SOR_ID	int	30	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vJobPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries(sor_eu):

Name	Type	Expression	isNullable

Mapper table for tMap_2 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable

Component   tMap

	UNIQUE NAME	tMap_3	INPUT(S)	tMap_3 , tMysqlInput_3
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMysqlOutput_3

Component Parameters:

Properties	Values

tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_3 (input):

Mapper table Properties(row4):

Properties	Values
Name	row4
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row4):

Name	Type	Expression	isNullable
PromotionID	int		false
PromotionLabel	String		false
PromotionName	String		true
PromotionDescription	String		true
DiscountPercent	Double		true
PromotionType	String		true
PromotionCategory	String		true
StartDate	java.util.Date		false
EndDate	java.util.Date		true
MinQuantity	Integer		true
MaxQuantity	Integer		true

Constraint Table Entries(row4):

Name	Type	Expression	isNullable

Mapper table Properties(row5):

Properties	Values
Name	row5
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row5):

Name	Type	Expression	isNullable
PromotionSK	int		false
PromotionID	int		false
PromotionKey	int		false
PromotionLabel	String	row4.PromotionLabel	false
PromotionName	String	row4.PromotionName	true
PromotionDescription	String	row4.PromotionDescription	true
DiscountPercent	Double		true
PromotionType	String		true
PromotionCategory	String		true

Constraint Table Entries(row5):

Name	Type	Expression	isNullable

Mapper table for tMap_3 (output):
  Mapper table Properties(sor_na):

Properties	Values
Name	sor_na
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(sor_na):

Name	Type	Expression	isNullable
PromotionID	int	row4.PromotionID	false
PromotionKey	int	row5.PromotionKey	false
PromotionLabel	String	row4.PromotionLabel	false
PromotionName	String	row4.PromotionName	true
PromotionDescription	String	row4.PromotionDescription	true
DiscountPercent	Double	row4.DiscountPercent	true
PromotionType	String	row4.PromotionType	true

PromotionCategory	String	row4.PromotionCategory	true
StartDate	java.util.Date	row4.StartDate	false
EndDate	java.util.Date	row4.EndDate	true
MinQuantity	Integer	row4.MinQuantity	true
MaxQuantity	Integer	row4.MaxQuantity	true
SOR_ID	int	10	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vJobPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries(sor_na):

Name	Type	Expression	isNullable

Mapper table for tMap_3 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable

Component   tMap

	UNIQUE NAME	tMap_4	INPUT(S)	tMap_4 , tMysqlInput_4
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMysqlOutput_4

Component Parameters:

Properties	Values

tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_4 (input):
  Mapper table Properties(row6):

Properties	Values
Name	row6
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row6):

Name	Type	Expression	isNullable
promotionid	int		false
promotionlabel	String		false
promotionname	String		true
promotiondescription	String		true
discountpercent	Double		true
promotiontype	String		true
promotioncategory	String		true
startdate	java.util.Date		false
enddate	java.util.Date		true
minquantity	Integer		true
maxquantity	Integer		true

Constraint Table Entries(row6):

Name	Type	Expression	isNullable

Mapper table Properties(row7):

Properties	Values
Name	row7
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row7):

Name	Type	Expression	isNullable
PromotionSK	int		false
PromotionID	int		false
PromotionKey	int		false
PromotionLabel	String	row6.promotionlabel	false
PromotionName	String	row6.promotionname	true
PromotionDescription	String	row6.promotiondescription	true
DiscountPercent	Double		true
PromotionType	String		true
PromotionCategory	String		true

Constraint Table Entries(row7):

Name	Type	Expression	isNullable

Mapper table for tMap_4 (output):
  Mapper table Properties(sor_as):

Properties	Values
Name	sor_as
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(sor_as):

Name	Type	Expression	isNullable
PromotionID	int	row6.promotionid	false
PromotionKey	int	row7.PromotionKey	false
PromotionLabel	String	row6.promotionlabel	false
PromotionName	String	row6.promotionname	true
PromotionDescription	String	row6.promotiondescription	true
DiscountPercent	Double	row6.discountpercent	true
PromotionType	String	row6.promotiontype	true

PromotionCategory	String	row6.promotioncategory	true
StartDate	java.util.Date	row6.startdate	false
EndDate	java.util.Date	row6.enddate	true
MinQuantity	Integer	row6.minquantity	true
MaxQuantity	Integer	row6.maxquantity	true
SOR_ID	int	50	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vJobPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries(sor_as):

Name	Type	Expression	isNullable

Mapper table for tMap_4 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable