

# Jobs

# Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:35:41 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

## **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


# **Project Description**

Properties	Values
Name	final_project
Language	java
Description	

# **Description**

Properties	Values
Name	dim_productcost
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Aug 1, 2017 8:24:55 PM
Modification	Aug 6, 2017 5:36:49 PM

# **Preview Picture**



## **Settings**

#### **Extra settings**

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

#### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

## **Context List**

### ContextDefault

Name Prompt Need Prompt? Type	Value	Source
-------------------------------	-------	--------

# **Component List**

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tFileInputExcel_1	tFileInputExcel
tMap_1	tMap
tMap_5	tMap
tMysqlInput_1	tMysqlInput
tMysqlInput_5	tMysqlInput
tMysqlSCD_1	tMysqlSCD
tMysqlSCD_5	tMysqlSCD

# **Components Description**

## Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
	LABEL	cost_cny_2	OUTPUT(S)	tMap_5

**Component Parameters:** 

Properties	Values
Unique Name	tFileInputDelimited_1
Component Name	tFileInputDelimited

Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\I
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
Property Type	repository: DELIM:cost_cny_2
File name/Stream	"C:/data/- Final Team Project/DataSources/FlatFiles-2017-07-27/cost_cny_step_:
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	"\t"
Escape char	ппп
Text enclosure	nnn
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DELIM:cost_cny_2 - metadata

Schema	repository: DELIM:cost_cny_2 - metadata
!!!TEMP_DIR.NAME!!!	"C:/Users/simi/workspace"
Advanced separator (for numbers)	false
Thousands separator	
Decimal separator	" "
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitCost}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false

Decode table	[{DECODE=false, SCHEMA_COLUMN=Product_ID}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitCost}, {DECOESCHEMA_COLUMN=SCD_EffectiveDate}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	cost_cny_2
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
Product_ID	false	String	24		true	
CurrencyKey	false	Integer	2		true	
UnitCost	false	Float	8	5	true	
SCD_EffectiveDate	false	java.util.Date	10		true	

## **Original Function Parameters:**

## Component tFileInputExcel

100	UNIQUE NAME	tFileInputExcel_1	INPUT(S)	none
	LABEL	cost_eur_step1	OUTPUT(S)	tMap_1

Component Parameters:			
Properties	Values		
Unique Name	tFileInputExcel_1		
Component Name	tFileInputExcel		
Version	0.102 (ALPHA)		
Family	File/Input		
Start	true		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tFileInputExcel		

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\I
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
Read excel2007 file format(xlsx)	true
File name/Stream	"C:/data/- Final Team Project/DataSources/FlatFiles-2017-07-27/product_cost_sc
All sheets	true
Sheet list	
Header	1
Footer	0
Limit	
Affect each sheet(header&&footer)	false

First column	1
Last column	
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	, , , , , , , , , , , , , , , , , , ,
Decimal separator	" " ·
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=Brand_ID}, {TRIM=fals SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEM {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
Convert date column to string	false
Check need convert date column	[{PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=Brand_II {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=Currency {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=UnitCost {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SCD_Eff CONVERTDATE=false}]
Encoding	"UTF-8"
Read real values for numbers	false

Stop reading on encountering empty rows	false
Don't validate the cells	false
Ignore the warning	false
Generation mode	USER_MODE
Label format	cost_eur_step1
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
Brand_ID	false	String	24		true	
CurrencyKey	false	Integer	1		true	
UnitCost	false	Float	7	5	true	
SCD_EffectiveDate	false	java.util.Date	28		true	

# Original Function Parameters: Component tMysqlInput

The second second	UNIQUE NAME	tMysqlInput_1	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_1

Component Parameters:			
Properties	Values		
Unique Name	tMysqlInput_1		
Component Name	tMysqlInput		
Version	0.102 (ALPHA)		
Family	Databases/MySQL		
Start	false		
Startable	true		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tMysqlInput		

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MYSQL):retail_dw
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"

Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (MYSQL):retail_dw - dimproduct
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	нн

Query	"SELECT `dimproduct`.`ProductSK`,   `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`,   `dimproduct`.`Brand_ID`, `dimproduct`.`ProductLabel`,   `dimproduct`.`ProductName`,   `dimproduct`.`ProductDescription`,   `dimproduct`.`ProductSubcategoryKey`,   `dimproduct`.`ProductSubcategoryLabel`,   `dimproduct`.`ProductSubcategoryName`,   `dimproduct`.`ProductSubcategoryName`,   `dimproduct`.`ProductCategoryName`,   `dimproduct`.`ProductCategoryLabel`,   `dimproduct`.`ProductCategoryDescription`,   `dimproduct`.`ProductCategoryDescription`,   `dimproduct`.`ProductCategoryDescription`,   `dimproduct`.`ProductCategoryDescription`,   `dimproduct`.`StrandName`, `dimproduct`.`ClassID`,   `dimproduct`.`StyleName`, `dimproduct`.`ColorID`,   `dimproduct`.`StyleName`, `dimproduct`.`ProductSize`,   `dimproduct`.`SizeRange`,   `dimproduct`.`SizeUnitMeasureID`,   `dimproduct`.`WeightUnitMeasureID`,   `dimproduct`.`UnitOfMeasureName`,   `dimproduct`.`StockTypeName`,   `dimproduct`.`StockTypeName`,   `dimproduct`.`StockTypeName`,   `dimproduct`.`StockTypeName`,   `dimproduct`.`StopSaleDate`, `dimproduct`.`Status`,   `dimproduct`.`SOR_ID`,   `dimproduct`.`SOR_LoadDate`,   `dimproduct`.`SOR_LoadDate`,   `dimproduct`.`DI_Job_ID`,   `dimproduct`.`DI_Job_ID`,   `dimproduct`.`DI_Job_ID`,   `dimproduct`.`DI_Job_ID`,   `dimproduct`.`DI_Modified_Date` FROM `dimproduct`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Enable stream	false		
Frim all the String/Char columns	false		
	[(TRIM=false, SCHEMA_COLUMN=ProductSK), {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductDescription}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryDescription {TRIM=false, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=StyleName}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=StockTypeID}, {TRIM=false, SCHEMA_COLUMN=Stoc		

Trim column	{TRIM=false, SCHEMA_COLUMN=AvailableForSaleDate}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=Status}, {TRIM=false, SCHEMA_COLUMN=SOR_ID}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_UpdateDate},

	{TRIM=false, SCHEMA_COLUMN=DI_Job_ID}, {TRIM=false, SCHEMA_COLUMN=DI_Create_Date}, {TRIM=false, SCHEMA_COLUMN=DI_Modified_Date}]
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

**Schema for dimproduct:** 

Schema for diffiproduct.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	
Product_ID	false	String	24		false	
Brand_ID	false	String	24		false	
ProductLabel	false	String	24		false	
ProductName	false	String	500		true	
ProductDescription	false	String	400		true	

ProductSubcategoryKey	false	Integer	10	true
ProductSubcategoryLabel	false	String	100	true
ProductSubcategoryName	false	String	50	false
ProductSubcategoryDescription	false	String	100	true
ProductCategoryKey	false	Integer	10	true
ProductCategoryLabel	false	String	100	false
ProductCategoryName	false	String	30	false
ProductCategoryDescription	false	String	50	false
Manufacturer	false	String	50	true
BrandName	false	String	50	true
ClassID	false	String	10	true
ClassName	false	String	20	true
StyleID	false	String	10	true
StyleName	false	String	20	true
ColorID	false	String	10	true
ColorName	false	String	20	true
ProductSize	false	String	50	true

9
9
9
e

# Original Function Parameters: Component tMysqlInput

The second second	UNIQUE NAME	tMysqlInput_5	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_5

Component Parameters:		
Properties	Values	
Unique Name	tMysqlInput_5	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	
Startable	true	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMysqlInput	

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MYSQL):retail_dw
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"

Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (MYSQL):retail_dw - dimproduct
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	нн

Query	"SELECT `dimproduct`.`ProductSK`,   `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`,   `dimproduct`.`Brand_ID`, `dimproduct`.`ProductLabel`,   `dimproduct`.`ProductName`,   `dimproduct`.`ProductDescription`,   `dimproduct`.`ProductSubcategoryKey`,   `dimproduct`.`ProductSubcategoryLabel`,   `dimproduct`.`ProductSubcategoryName`,   `dimproduct`.`ProductSubcategoryName`,   `dimproduct`.`ProductCategoryName`,   `dimproduct`.`ProductCategoryLabel`,   `dimproduct`.`ProductCategoryDescription`,   `dimproduct`.`ProductCategoryDescription`,   `dimproduct`.`ProductCategoryDescription`,   `dimproduct`.`ProductCategoryDescription`,   `dimproduct`.`StrandName`, `dimproduct`.`ClassID`,   `dimproduct`.`StyleName`, `dimproduct`.`ColorID`,   `dimproduct`.`StyleName`, `dimproduct`.`ProductSize`,   `dimproduct`.`SizeRange`,   `dimproduct`.`SizeUnitMeasureID`,   `dimproduct`.`WeightUnitMeasureID`,   `dimproduct`.`UnitOfMeasureName`,   `dimproduct`.`StockTypeName`,   `dimproduct`.`StockTypeName`,   `dimproduct`.`StockTypeName`,   `dimproduct`.`StockTypeName`,   `dimproduct`.`StopSaleDate`, `dimproduct`.`Status`,   `dimproduct`.`SOR_ID`,   `dimproduct`.`SOR_LoadDate`,   `dimproduct`.`SOR_LoadDate`,   `dimproduct`.`DI_Job_ID`,   `dimproduct`.`DI_Job_ID`,   `dimproduct`.`DI_Job_ID`,   `dimproduct`.`DI_Job_ID`,   `dimproduct`.`DI_Modified_Date` FROM `dimproduct`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Enable stream	false		
Frim all the String/Char columns	false		
	[(TRIM=false, SCHEMA_COLUMN=ProductSK), {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductDescription}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryDescription {TRIM=false, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=StyleName}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=StockTypeID}, {TRIM=false, SCHEMA_COLUMN=Stoc		

Trim column	{TRIM=false, SCHEMA_COLUMN=AvailableForSaleDate}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=Status}, {TRIM=false, SCHEMA_COLUMN=SOR_ID}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_UpdateDate},

	{TRIM=false, SCHEMA_COLUMN=DI_Job_ID}, {TRIM=false, SCHEMA_COLUMN=DI_Create_Date}, {TRIM=false, SCHEMA_COLUMN=DI_Modified_Date}]
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

**Schema for dimproduct:** 

Schema for diffiproduct.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	
Product_ID	false	String	24		false	
Brand_ID	false	String	24		false	
ProductLabel	false	String	24		false	
ProductName	false	String	500		true	
ProductDescription	false	String	400		true	

ProductSubcategoryKey	false	Integer	10	true
ProductSubcategoryLabel	false	String	100	true
ProductSubcategoryName	false	String	50	false
ProductSubcategoryDescription	false	String	100	true
ProductCategoryKey	false	Integer	10	true
ProductCategoryLabel	false	String	100	false
ProductCategoryName	false	String	30	false
ProductCategoryDescription	false	String	50	false
Manufacturer	false	String	50	true
BrandName	false	String	50	true
ClassID	false	String	10	true
ClassName	false	String	20	true
StyleID	false	String	10	true
StyleName	false	String	20	true
ColorID	false	String	10	true
ColorName	false	String	20	true
ProductSize	false	String	50	true

9
9
9
e

# Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tMap_1 , tMysqlInput_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_1

**Component Parameters:** 

<b>Component Parameters:</b>	
Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

## Mapper table for tMap\_1 ( input ):

**Mapper table Properties( row1 ):** 

mapper takes reperties	mapper table i reperties (10W1).		
Properties	Values		
Name	row1		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

**Metadata Table Entries( row1 ):** 

motadata Table Elit			
Name	Туре	Expression	isNullable
Brand_ID	String		true
CurrencyKey	Integer		true
UnitCost	Float		true
SCD_EffectiveDate	java.util.Date		true

**Constraint Table Entries( row1):** 

Solictianit Table El	iti 100( 10 W 1 ).		
Name	Туре	Expression	isNullable

### Mapper table Properties (row2):

Properties	Values
Name	row2
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row2 ):** 

Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String		false
Brand_ID	String	row1.Brand_ID	false
ProductLabel	String		false
ProductName	String		true
ProductDescription	String		true

ProductSubcategoryKey	Integer	true
ProductSubcategoryLabel	String	true
ProductSubcategoryName	String	false
ProductSubcategoryDescription	String	true
ProductCategoryKey	Integer	true
ProductCategoryLabel	String	false
ProductCategoryName	String	false
ProductCategoryDescription	String	false
Manufacturer	String	true
BrandName	String	true
ClassID	String	true
ClassName	String	true
StyleID	String	true
StyleName	String	true
ColorID	String	true
ColorName	String	true
ProductSize	String	true

SizeRange	String	true
SizeUnitMeasureID	String	true
Weight	Double	true
WeightUnitMeasureID	String	true
UnitOfMeasureID	String	true
UnitOfMeasureName	String	true
StockTypeID	String	true
StockTypeName	String	true
AvailableForSaleDate	java.util.Date	true
StopSaleDate	java.util.Date	true
Status	String	true
SOR_ID	int	false
SOR_LoadDate	java.util.Date	true
SOR_UpdateDate	java.util.Date	true
DI_Job_ID	String	false
DI_Create_Date	java.util.Date	false
DI_Modified_Date	java.util.Date	false

Constraint Table Entries( row2 ):

Name	Туре	Expression	on isNullable
------	------	------------	---------------

Mapper table for tMap\_1 ( output ):

Mapper table Properties (hbhh):

Mapper table Properties( hbhh ):			
Properties	Values		
Name	hbhh		
Matching-mode			
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( hbhh ):

Name	Туре	Expression	isNullable
SCD_ProductCostSK	int		false
ProductSK	int	row2.ProductSK	false
CurrencyKey	int	row1.CurrencyKey	false
UnitCost	Float	row1.UnitCost	true
SCD_EffectiveDate	java.util.Date		true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	1	false
SOR_ID	int	1	false
SOR_LoadDate	java.util.Date	row2.SOR_LoadDate	true
SOR_UpdateDate	java.util.Date	row2.SOR_UpdateDate	true
DI_Job_ID	String	"1"	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries( hbhh ):

Name	Туре	Expression	isNullable

# Mapper table for tMap\_1 ( var ):

**Mapper table Properties (Var):** 

5( vai ).
Values
Var
true
false
false
false
null

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable
----	------	------------	------------

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable

### Component tMap

-NA	UNIQUE tMap_5		tMap_5 INPUT(S) , tMysqlInput_5	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_5

Component Parameters.		
Properties	Values	

tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap\_5 ( input ):

**Mapper table Properties (row9):** 

mapper table Properties (10w3).			
Properties	Values		
Name	row9		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

**Metadata Table Entries( row9 ):** 

motadata Table Elit	1100(10110)		
Name	Туре	Expression	isNullable
Product_ID	String		true
CurrencyKey	Integer		true
UnitCost	Float		true
SCD_EffectiveDate	java.util.Date		true

**Constraint Table Entries( row9 ):** 

#### **Mapper table Properties( row10 ):**

Properties	Values
Name	row10
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	true
expressionFilter	null

**Metadata Table Entries( row10 ):** 

Name		Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String	row9.Product_ID	false
Brand_ID	String		false
ProductLabel	String		false
ProductName	String		true
ProductDescription	String		true

ProductSubcategoryKey	Integer	true
ProductSubcategoryLabel	String	true
ProductSubcategoryName	String	false
ProductSubcategoryDescription	String	true
ProductCategoryKey	Integer	true
ProductCategoryLabel	String	false
ProductCategoryName	String	false
ProductCategoryDescription	String	false
Manufacturer	String	true
BrandName	String	true
ClassID	String	true
ClassName	String	true
StyleID	String	true
StyleName	String	true
ColorID	String	true
ColorName	String	true
ProductSize	String	true

SizeRange	String	true
SizeUnitMeasureID	String	true
Weight	Double	true
WeightUnitMeasureID	String	true
UnitOfMeasureID	String	true
UnitOfMeasureName	String	true
StockTypeID	String	true
StockTypeName	String	true
AvailableForSaleDate	java.util.Date	true
StopSaleDate	java.util.Date	true
Status	String	true
SOR_ID	int	false
SOR_LoadDate	java.util.Date	true
SOR_UpdateDate	java.util.Date	true
DI_Job_ID	String	false
DI_Create_Date	java.util.Date	false
DI_Modified_Date	java.util.Date	false

Constraint Table Entries( row10 ):

Mapper table for tMap\_5 ( output ):

Mapper table Properties (dpc\_cny):

Mapper table Properties( dpc_cny ):			
Properties	Values		
Name	dpc_cny		
Matching-mode			
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( dpc\_cny ):

Name	Туре	Expression	isNullable
SCD_ProductCostSK	int		false
ProductSK	int	row10.ProductSK	false
CurrencyKey	int	row9.CurrencyKey	false
UnitCost	Float	row9.UnitCost	true
SCD_EffectiveDate	java.util.Date	row9.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	1	false
SOR_ID	int	1	false
SOR_LoadDate	java.util.Date	row10.SOR_LoadDate	true
SOR_UpdateDate	java.util.Date	row10.SOR_UpdateDate	true
DI_Job_ID	String	"1"	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries( dpc\_cny ):

# Mapper table for tMap\_5 ( var ):

**Mapper table Properties (Var):** 

mapper table i reperties ( rai ).			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable
----	------	------------	------------

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable

#### Component tMysqlSCD

UNIQUE NAME	tMysqlSCD_1		tMap_1 , tMysqlInput_1	
LABEL	TABLE	OUTPUT(S)	tFileInputExcel_2	

**Component Parameters:** 

Properties	Values
Activate	true

tStatCatcher Statistics	false
Enable parallel execution	false
DB Version	MYSQL_5
Use an existing connection	false
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	******
Table	"dimproductcost"
Action on table	NONE
SCD Editor	
Use memory saving mode	false
Source keys include Null	false
Die on error	false
Additional JDBC Parameters	"noDatetimeStringSync=true"

Debug mode	false
Show Information	false
Comment	
Use an existing validation rule	false

Schema for dimproductcost:

Schema for dimproc	lucicosi	•				
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitCost	false	Float	15	2	true	
DI_Job_ID	false	String	20		false	Column generated by scd editor.
SCD_EffectiveDate	false	java.util.Date			false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date			true	Column generated by scd editor.
SCD_ProductCostSK	true	int			false	Column generated by scd editor.

### Component tMysqlSCD

UNIQUE NAME	tMysqlSCD_5		tMap_5 , tMysqlInput_5
LABEL	TABLE	OUTPUT(S)	none

**Component Parameters:** 

Component Parameters:	
Properties	Values
Activate	true
tStatCatcher Statistics	false
Enable parallel execution	false
DB Version	MYSQL_5
Use an existing connection	false
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	******
Table	"dimproductcost"
Action on table	NONE

SCD Editor	
Use memory saving mode	false
Source keys include Null	false
Die on error	false
Additional JDBC Parameters	"noDatetimeStringSync=true"
Debug mode	false
Show Information	false
Comment	
Use an existing validation rule	false

Schema for dimproductcost :

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
UnitCost	false	Float	15	2	true	
SCD_EffectiveDate	false	java.util.Date			false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date			11114	Column generated by scd editor.

SCD_ProductCostSKtrue	int		false	Column generated by scd editor.
-----------------------	-----	--	-------	--