



Jobs

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:34:35 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)


Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values
Name	fact_strategy_plan_as
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Aug 9, 2017 12:22:16 AM
Modification	Aug 9, 2017 10:52:28 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false

Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------


Component List

Component Name	Component Type
CNTL_Job_Tracking_Stats_ROOT_1	CNTL_Job_Tracking_Stats_ROOT
tMap_1	tMap

tMysqlInput_1	tMysqlInput
tMysqlInput_2	tMysqlInput
tMysqlInput_3	tMysqlInput
tMysqlInput_4	tMysqlInput
tMysqlInput_5	tMysqlInput
tMysqlOutput_1	tMysqlOutput
tMysqlOutput_2	tMysqlOutput
tPostgresqlInput_1	tPostgresqlInput

Components Description

Component tMysqlInput

	UNIQUE NAME	tMysqlInput_1	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMysqlInput_1
Component Name	tMysqlInput
Version	0.102 (ALPHA)

Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimentity"
Query Type	Built-In
Guess Schema	""


Query	<pre>"SELECT `dimentity`.`EntitySK`, `dimentity`.`EntityKey`, `dimentity`.`EntityLabel`, `dimentity`.`ParentEntitySK`, `dimentity`.`ParentEntityKey`, `dimentity`.`ParentEntityLabel`, `dimentity`.`EntityName`, `dimentity`.`EntityDescription`, `dimentity`.`EntityType`, `dimentity`.`StartDate`, `dimentity`.`EndDate`, `dimentity`.`StartDateSK`, `dimentity`.`EndDateSK`, `dimentity`.`Status`, `dimentity`.`SOR_ID`, `dimentity`.`SOR_LoadDate`, `dimentity`.`SOR_UpdateDate`, `dimentity`.`DI_Job_ID`, `dimentity`.`DI_Create_Date`, `dimentity`.`DI_Modified_Date` FROM `dimentity`"</pre>
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	<pre>[[TRIM=false, SCHEMA_COLUMN=EntitySK}, {TRIM=false, SCHEMA_COLUMN=EntityKey}]</pre>
Label format	__TABLE__
Hint format	<pre>__UNIQUE_NAME__
__COMMENT__</pre>
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimentity :

Column	Key	Type	Length	Precision	Nullable	Comment
EntitySK	true	int	10		false	
EntityKey	false	int	10		false	

Original Function Parameters: Component tMysqlInput

	UNIQUE NAME	tMysqlInput_2	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMysqlInput_2
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/MySQL

Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In

DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimscenario"
Query Type	Built-In
Guess Schema	""


Query	"SELECT `dimscenario`.`ScenarioSK`, `dimscenario`.`ScenarioKey`, `dimscenario`.`ScenarioLabel`, `dimscenario`.`ScenarioName`, `dimscenario`.`ScenarioDescription`, `dimscenario`.`SOR_ID`, `dimscenario`.`SOR_LoadDate`, `dimscenario`.`SOR_UpdateDate`, `dimscenario`.`DI_Job_ID`, `dimscenario`.`DI_Create_Date`, `dimscenario`.`DI_Modified_Date` FROM `dimscenario`"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[[TRIM=false, SCHEMA_COLUMN=ScenarioSK], {TRIM=false, SCHEMA_COLUMN=ScenarioKey}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimscenario :

Column	Key	Type	Length	Precision	Nullable	Comment
ScenarioSK	true	int	10		false	
ScenarioKey	false	int	10		false	

Original Function Parameters: Component tMysqlInput

	UNIQUE NAME	tMysqlInput_3	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMysqlInput_3
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false

Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5

Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimaccount"
Query Type	Built-In
Guess Schema	""

Query	<pre>"SELECT `dimaccount`.`AccountSK`, `dimaccount`.`AccountKey`, `dimaccount`.`ParentAccountSK`, `dimaccount`.`ParentAccountKey`, `dimaccount`.`AccountLabel`, `dimaccount`.`AccountName`, `dimaccount`.`AccountDescription`, `dimaccount`.`AccountType`, `dimaccount`.`Operator`, `dimaccount`.`SOR_ID`, `dimaccount`.`SOR_LoadDate`, `dimaccount`.`SOR_UpdateDate`, `dimaccount`.`DI_Job_ID`, `dimaccount`.`DI_Create_Date`, `dimaccount`.`DI_Modified_Date` FROM `dimaccount`"</pre>
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	<pre>[{TRIM=false, SCHEMA_COLUMN=AccountSK}, {TRIM=false, SCHEMA_COLUMN=AccountKey}]</pre>
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row


Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimaccount :

Column	Key	Type	Length	Precision	Nullable	Comment
AccountSK	true	int	10		false	
AccountKey	false	int	10		false	

Original Function Parameters:

Component tMysqlInput

	UNIQUE NAME	tMysqlInput_4	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMysqlInput_4
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/MySQL

Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In

DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimcurrency"
Query Type	Built-In
Guess Schema	""


Query	"SELECT `dimcurrency`.`CurrencySK`, `dimcurrency`.`CurrencyKey`, `dimcurrency`.`CurrencyLabel`, `dimcurrency`.`CurrencyName`, `dimcurrency`.`CurrencyDescription`, `dimcurrency`.`SOR_ID`, `dimcurrency`.`SOR_LoadDate`, `dimcurrency`.`SOR_UpdateDate`, `dimcurrency`.`DI_Job_ID`, `dimcurrency`.`DI_Create_Date`, `dimcurrency`.`DI_Modified_Date` FROM `dimcurrency`"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[[{TRIM=false, SCHEMA_COLUMN=CurrencySK}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=CurrencyLabel}, {TRIM=false, SCHEMA_COLUMN=CurrencyName}, {TRIM=false, SCHEMA_COLUMN=CurrencyDescription}]]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimcurrency :

Column	Key	Type	Length	Precision	Nullable	Comment
CurrencySK	true	int	10		false	
CurrencyKey	false	int	10		false	
CurrencyLabel	false	String	10		false	
CurrencyName	false	String	20		false	
CurrencyDescription	false	String	50		false	

Original Function Parameters:
Component tMysqlInput

	UNIQUE NAME	tMysqlInput_5	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
------------	--------

Unique Name	tMysqlInput_5
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"factexchangerate"
Query Type	Built-In

Guess Schema	""
Query	"SELECT `factexchangerate`.`ExchangeRateSK`, `factexchangerate`.`CurrencyDateSK`, `factexchangerate`.`CurrencyDateKey`, `factexchangerate`.`CurrencySK`, `factexchangerate`.`EndOfDayRate`, `factexchangerate`.`SOR_ID`, `factexchangerate`.`SOR_LoadDate`, `factexchangerate`.`SOR_UpdateDate`, `factexchangerate`.`DI_Job_ID`, `factexchangerate`.`DI_Create_Date`, `factexchangerate`.`DI_Modified_Date` FROM `factexchangerate`"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[[{TRIM=false, SCHEMA_COLUMN=ExchangeRateSK}, {TRIM=false, SCHEMA_COLUMN=CurrencyDateSK}, {TRIM=false, SCHEMA_COLUMN=CurrencyDateKey}, {TRIM=false, SCHEMA_COLUMN=CurrencySK}, {TRIM=false, SCHEMA_COLUMN=EndOfDayRate}]]
Label format	__TABLE__


Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for factexchangerate :

Column	Key	Type	Length	Precision	Nullable	Comment
ExchangeRateSK	true	int	10		false	
CurrencyDateSK	false	int	10		false	
CurrencyDateKey	false	java.util.Date	10		false	
CurrencySK	false	int	10		false	
EndOfDayRate	false	float	19	4	false	

Original Function Parameters:

Component tMysqlOutput

	UNIQUE NAME	tMysqlOutput_1	INPUT(S)	tMap_1
	LABEL	__TABLE__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tMysqlOutput_1
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	*****
Table	"factstrategyplan"
Action on table	NONE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false

Field options	<pre> {{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PlanDateSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PlanDatekey}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=EntitySK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=ScenarioSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=AccountSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=ProductCategoryKey}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PlanAmount}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=Local_CurrencySK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PlanAmount_Local}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_LoadDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_UpdateDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Job_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Create_Date}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Modified_Date}} </pre>
Use Hint Options	false


Hint Options	[]
Enable debug mode	false
Use duplicate key update mode insert	false
	[]
Support null in "SQL WHERE" statement	false
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for factstrategyplan :

Column	Key	Type	Length	Precision	Nullable	Comment
PlanDateSK	true	int	10		false	
PlanDatekey	false	java.util.Date	10		false	
EntitySK	false	int	10		false	

ScenarioSK	false	int	10		false	
AccountSK	false	int	10		false	
ProductCategoryKey	false	Integer	10		true	
PlanAmount	false	float	15	2	false	
Local_CurrencySK	false	Integer	10		true	
PlanAmount_Local	false	Float	15	2	true	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
DI_Modified_Date	false	java.util.Date	19		false	

Original Function Parameters:
Component tMysqlOutput

	UNIQUE NAME	tMysqlOutput_2	INPUT(S)	tMap_1 tMysqlInput_1, tMysqlInput_2, tMysqlInput_3, tMysqlInput_4, tMysqlInput_5
	LABEL	__TABLE__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tMysqlOutput_2
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	*****
Table	"factstrategyplan_rejects"
Action on table	NONE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
	{[UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PlanDateSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PlanDatekey},

Field options

```
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=EntityDK},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=ScenarioSK},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=AccountSK},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=ProductCategoryKey},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=PlanAmount},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=Local_CurrencySK},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=PlanAmount_Local},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DI_Reject_Code},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=EntityKey},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=ScenarioKey},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=AccountKey},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=SOR_ID},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=SOR_LoadDate},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=SOR_UpdateDate},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DI_Job_ID},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DI_Create_Date},
```

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Modified_Date}}
Use Hint Options	false
Hint Options	[]
Enable debug mode	false
Use duplicate key update mode insert	false
	[]
Support null in "SQL WHERE" statement	false
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for factstrategyplan_rejects :

Column	Key	Type	Length	Precision	Nullable	Comment
PlanDateSK	true	Integer	10		true	

PlanDatekey	false	java.util.Date	10		true	
EntityDK	false	Integer	10		true	
ScenarioSK	false	Integer	10		true	
AccountSK	false	Integer	10		true	
ProductCategoryKey	false	Integer	10		true	
PlanAmount	false	Float	15	2	true	
Local_CurrencySK	false	Integer	10		true	
PlanAmount_Local	false	Float	15	2	true	
DI_Reject_Code	false	Integer	10		true	
EntityKey	false	Integer	10		true	
ScenarioKey	false	Integer	10		true	
AccountKey	false	Integer	10		true	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	

DI_Modified_Date	false	java.util.Date	19		false	
------------------	-------	----------------	----	--	-------	--

Original Function Parameters:
Component tPostgresqlInput

	UNIQUE NAME	tPostgresqlInput_1	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tPostgresqlInput_1
Component Name	tPostgresqlInput
Version	0.102 (ALPHA)
Family	Databases/PostgreSQL
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false

Help	org.talend.help.tPostgresqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\l
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
Use an existing connection	false
Component List	
DB Version	PRIOR_TO_V9
Host	"localhost"
Database Driver	POSTGRESQL
Port	"5432"
Database	"retail_sor_as"

Schema	"public"
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"factstrategyplan"
Query Type	Built-In
Guess Schema	""
Query	"SELECT \"retail_sor_as\".\"public\".\"factstrategyplan\".\"strategyplan \"retail_sor_as\".\"public\".\"factstrategyplan\".\"strategyplan \"retail_sor_as\".\"public\".\"factstrategyplan\".\"plandate\", \"retail_sor_as\".\"public\".\"factstrategyplan\".\"entitykey\", \"retail_sor_as\".\"public\".\"factstrategyplan\".\"scenariokey \"retail_sor_as\".\"public\".\"factstrategyplan\".\"accountkey\ \"retail_sor_as\".\"public\".\"factstrategyplan\".\"currencykey \"retail_sor_as\".\"public\".\"factstrategyplan\".\"productcate \"retail_sor_as\".\"public\".\"factstrategyplan\".\"planamount' \"retail_sor_as\".\"public\".\"factstrategyplan\""
Specify a data source alias	false
Data source alias	""
Mapping	postgres_id
Encoding	"ISO-8859-15"
Use cursor	false


Cursor size	1000
Trim all the String/Char columns	false
Trim column	[[TRIM=false, SCHEMA_COLUMN=strategyplansk}, {TRIM=false, SCHEMA_COLUMN=strategyplankey}, {TRIM=false, SCHEMA_COLUMN=plandate}, {TRIM=false, SCHEMA_COLUMN=entitykey}, {TRIM=false, SCHEMA_COLUMN=scenariokey}, {TRIM=false, SCHEMA_COLUMN=accountkey}, {TRIM=false, SCHEMA_COLUMN=currencykey}, {TRIM=false, SCHEMA_COLUMN=productcategorykey}, {TRIM=false, SCHEMA_COLUMN=planamount}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for factstrategyplan :

Column	Key	Type	Length	Precision	Nullable	Comment
strategyplansk	true	int	10		false	
strategyplankey	false	int	10		false	
plandate	false	java.util.Date	13		false	

entitykey	false	int	10		false	
scenariokey	false	int	10		false	
accountkey	false	int	10		false	
currencykey	false	int	10		false	
productcategorykey	false	Integer	10		true	
planamount	false	float	15	2	false	


Original Function Parameters:
Component CNTL_Job_Tracking_Stats_ROOT

	UNIQUE NAME	CNTL_Job_Tracking_Stats_ROOT_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Version	Latest
Show Information	false
Comment	

Component tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tMap_1 tMysqlInput_1, tMysqlInput_2, tMysqlInput_3 tMysqlInput_4, tMysqlInput_5
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMysqlOutput_1 tMysqlOutput_2

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(row7):

Properties	Values
Name	row7
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row7):

Name	Type	Expression	isNullable
strategyplansk	int		false
strategyplankey	int		false
plandate	java.util.Date		false
entitykey	int		false
scenariokey	int		false
accountkey	int		false
currencykey	int		false
productcategorykey	Integer		true
planamount	float		false

Constraint Table Entries(row7):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table Properties(row11):

Properties	Values
Name	row11
Matching-mode	UNIQUE_MATCH
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	true
expressionFilter	null

Metadata Table Entries(row11):

Name	Type	Expression	isNullable
EntitySK	int		false
EntityKey	int	row7.entitykey	false

Constraint Table Entries(row11):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table Properties(row12):

Properties	Values
Name	row12
Matching-mode	UNIQUE_MATCH
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	true
expressionFilter	null

Metadata Table Entries(row12):

Name	Type	Expression	isNullable
ScenarioSK	int		false
ScenarioKey	int	row7.scenariokey	false

Constraint Table Entries(row12):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table Properties(row13):

Properties	Values
Name	row13
Matching-mode	UNIQUE_MATCH
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	true
expressionFilter	null

Metadata Table Entries(row13):

Name	Type	Expression	isNullable
AccountSK	int		false
AccountKey	int	row7.accountkey	false

Constraint Table Entries(row13):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Type	Expression	isNullable
CurrencySK	int		false
CurrencyKey	int	row7.currencykey	false
CurrencyLabel	String		false
CurrencyName	String		false
CurrencyDescription	String		false

Constraint Table Entries(row1):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table Properties(row2):

Properties	Values
Name	row2
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row2):

Name	Type	Expression	isNullable
ExchangeRateSK	int		false
CurrencyDateSK	int		false
CurrencyDateKey	java.util.Date		false
CurrencySK	int	row1.CurrencySK	false
EndOfDayRate	float		false

Constraint Table Entries(row2):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (output):**Mapper table Properties(sor_as):**

Properties	Values
Name	sor_as
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(sor_as):

Name	Type	Expression
PlanDateSK	int	(Integer.parseInt(TalendDate.formatDate("yyyyMMdd",row7.plandate)))
PlanDatekey	java.util.Date	row7.plandate
EntitySK	int	row11.EntitySK
ScenarioSK	int	row12.ScenarioSK
AccountSK	int	row13.AccountSK
ProductCategoryKey	Integer	row7.productcategorykey
PlanAmount	float	row7.planamount
Local_CurrencySK	Integer	row1.CurrencySK
PlanAmount_Local	Float	row2.EndOfDayRate == 0 ? (row7.planamount *row2.EndOfDayRate) :(row7.planamount /row2.EndOfDayRate)
SOR_ID	int	60
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()
DI_Job_ID	String	context.getProperty("vRootPID")
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()

Constraint Table Entries(sor_as):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table Properties(sor_as_rejects):

Properties	Values
Name	sor_as_rejects
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	true
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(sor_as_rejects):

Name	Type	Expression
PlanDateSK	Integer	(Integer.parseInt(TalendDate.formatDate("yyyyMMdd",row7.plandate)))
PlanDatekey	java.util.Date	row7.plandate
EntityDK	Integer	row11.EntitySK
ScenarioSK	Integer	row12.ScenarioSK
AccountSK	Integer	row13.AccountSK
ProductCategoryKey	Integer	row7.productcategorykey

PlanAmount	Float	row7.planamount
Local_CurrencySK	Integer	row1.CurrencySK
PlanAmount_Local	Float	row2.EndOfDayRate == 0 ? (row7.planamount *row2.EndOfDayRate) :(row7.planamount /row2.EndOfDayRate)
DI_Reject_Code	Integer	(row11.EntitySK ==0) ? 80 : (row13.AccountSK ==0) ? 70 : (row7.productcategorykey == 0) ? 60 : -1
EntityKey	Integer	row7.entitykey
ScenarioKey	Integer	row7.scenariokey
AccountKey	Integer	row7.accountkey
SOR_ID	int	60
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()
DI_Job_ID	String	context.getProperty("vRootPID")
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()

Constraint Table Entries(sor_as_rejects):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------